

**AGENDA
PLANNING COMMISSION
CITY OF WYOMING, MINNESOTA
JULY 26, 2022
7:00 PM**

CALL TO ORDER:

CALL OF ROLL:

DETERMINATION OF A QUORUM:

PLEDGE OF ALLEGIANCE:

OPEN FORUM:

An opportunity for members of the public to address the Planning Commission on items not on the current Agenda. Items requiring Planning Commission action may be deferred to staff for research and future Planning Commission Agendas if appropriate. You will be limited to two (2) minutes and we ask that you conduct yourself in a professional, courteous manner, and refrain from the use of profanity. Failure to abide by this policy may result in the loss of your privilege to speak.

APPROVAL OF MINUTES:

1. Consider approving the minutes of the “Regular Meeting” of the Wyoming, Minnesota Planning Commission for June 14, 2022

SCHEDULED PUBLIC HEARINGS:

2. Conditional Use Permit C-22-002 & Site Plan Review: Sp-21-001 – Dairy Queen Location: 5111 East Viking Boulevard Applicant: Fourteen Foods, LLC Owner: D7 Wyoming, LLC Property ID Number: 21.00020.00

NEW BUSINESS:

OLD BUSINESS:

3. Comprehensive Plan Update Draft Review

COMMUNICATIONS:

4. Planning Commission Member Recommendation Dan Iverson – 25675 Goodwin Road

UPDATES:

ADJOURN:

**UNAPPROVED MINUTES
PLANNING COMMISSION
CITY OF WYOMING, MINNESOTA
JUNE 14, 2022
7:00PM**

CALL TO ORDER:

Planning Commission Chairman Lobermeier called the Regular Meeting of the Wyoming Planning Commission for June 14, 2022 to order at 7:00 PM

CALL OF ROLL:

On a Call of the Roll the following members of the Wyoming Planning Commission were present: Mark Lobermeier, Michael Naumann, and Roger Carr

ABSENT: Katie West

Also Present: Fred Weck Zoning Administrator and Mayor Lisa Iverson

DETERMINATION OF A QUORUM:

PLEDGE OF ALLEGIANCE:

OPEN FORUM: NONE

APPROVAL OF MINUTES:

1. **Consider approving the minutes of the “Regular Meeting” of the Wyoming, Minnesota Planning Commission for May 24, 2022**

A MOTION WAS MADE BY COMMISSIONER CARR, SECONDED BY COMMISSIONER NAUMANN, TO APPROVE THE MINUTES OF THE “REGULAR MEETING” OF THE WYOMING, MINNESOTA PLANNING COMMISSION FOR MAY 24, 2022, AS SUBMITTED.

Voting Aye: Naumann, Carr and Lobermeier

Voting Nay: None

Abstain: None

Absent: West

SCHEDULED PUBLIC HEARINGS: NONE

NEW BUSINESS

2. **Final Plat: D-22-009 Summer Fields 3rd Addition, Location: Kettle River Boulevard and 258th Street Applicant: Summer Fields, LLC (Jesse Moxness) Property ID Number: 21.10582.80**

Zoning Administrator Weck explained that the 3rd Addition of Summer Fields is between Kettle River Boulevard and the freeway. He stated that this portion of the project will include 21 townhomes with 1 private street and 1 public street. He reviewed some of the conditions recommended by staff.

Chair Lobermeier asked if Emerson Court would end in a cul-de-sac.

Zoning Administrator Weck stated that the road continues on because there is a very large parcel that could be developed in the future.

Chair Lobermeier referenced the plans and noted that it is not very clear whether it will be a temporary cul-de-sac.

Zoning Administrator Weck stated that he wasn't entirely sure why the plans were showing the radius at this point.

Jesse Moxness stated that he believes showing the radius was just a mistake, but he will check with his engineer and get back to the City.

Chair Lobermeier asked if the City would require a 'porkchop' or hammerhead in this area.

Zoning Administrator Weck stated that usually the City requires there to be a hammerhead and noted that he would check with City Engineer Erichson on this issue.

Mayor Iverson stated that she knows when the Council will look at this the question will arise about where the snow will go. She stated that having some place for the plow trucks to turn around and a place for the snow is critical and will come up in Council discussion.

Mr. Moxness indicated that this is a private road, so a company that they have hired will take care of that portion of the street. He stated that his contractor is planning to clear the area with a front end loader and indicated that he may push it down into the 2nd addition cul-de-sac area that has some open area.

Commissioner Naumann asked about Outlot B that is shown as an island in the center of the cul-de-sac.

Mr. Moxness explained that it would just basically be landscaped and is a turn around instead of a cul-de-sac.

MOTION BY COMMISSIONER CARR, SECONDED BY COMMISSIONER NAUMANN, TO RECOMMEND APPROVAL OF FINAL PLAT: D-22-009 SUMMER FIELDS 3RD ADDITION LOCATED AT KETTLE RIVER BOULEVARD AND 258TH STREET, FOR APPLICANT: SUMMER FIELDS, LLC (JESSE MOXNESS), PROPERTY ID NUMBER: 21.10582.80, WITH THE CONDITIONS AS LISTED IN THE STAFF REPORT.

<i>Voting Aye:</i>	<i>Naumann, Carr and Lobermeier</i>
<i>Voting Nay:</i>	<i>None</i>
<i>Abstain:</i>	<i>None</i>
<i>Absent:</i>	<i>West</i>

OLD BUSINESS:

COMMUNICATIONS:

UPDATES:

Chair Lobermeier stated that he had reached out to City Engineer Erichson who indicated that WSB is close to having the Comprehensive Plan wrapped up. He stated that one of the conversations that may need to happen is how the CIP integrates with the Comprehensive Plan.

A MOTION WAS MADE BY COMMISSIONER CARR, SECONDED BY COMMISSIONER NAUMANN, TO ADJOURN THE JUNE 14, 2022 "REGULAR MEETING" OF THE WYOMING, MINNESOTA PLANNING COMMISSION AT 7:15 PM.

<i>Voting Aye:</i>	<i>Naumann, Carr and Lobermeier</i>
<i>Voting Nay:</i>	<i>None</i>
<i>Abstain:</i>	<i>None</i>
<i>Absent:</i>	<i>West</i>

**CITY OF WYOMING
PLANNING AND ZONING**

TO:	Planning Commission
DATE:	July 19, 2022
FROM:	Kim Lindquist, City Planner
	Fred Weck
RE:	Site Plan Review,
	Conditional Use Permit
APPLICANT:	Fourteen Foods, LLC
	D7 Wyoming, LLC
PROPERTY:	R.21. 00020.00
FILE NO.:	SP-22-001 & C-22-002

OVERVIEW

Fourteen Foods, LLC (“Applicant”) has requested a site plan review and a conditional use permit to allow construction of a new 3,163 square foot Dairy Queen restaurant located at 5111 East Viking Boulevard, southwest of the intersection of East Viking Boulevard and Fallbrook Avenue. The proposal includes demolition of the current structure on the 1.79-acre property; the existing gas station will not be replaced on site. The new restaurant will be accessible by the same curb cuts along Fallbrook Avenue and right-in only at East Viking Boulevard. Also, a new drive-through which utilizes a dual-lane system is proposed. The restaurant will have both indoor and outdoor seating with parking surrounding the building. From a regulatory standpoint, the site plan must meet both C-Commercial District standards and ordinance regulations for businesses having drive-throughs.

A conditional use permit review is triggered because the lot is located within the Shoreland Overlay District. Specifically, there are stricter standards for impervious surface coverage. The overlay district has a maximum impervious coverage of 25%, much lower than the general commercial maximum coverage of 75%. The applicant must also meet the CUP standards for the current proposal to move forward.

STAFF RECOMMENDATION

Based on Staff’s review of the request and the standards for approval, Staff recommends approval of the conditional use permit to allow increased impervious surface coverage on the property from 25% to 57% based upon the findings of fact and conditions for granting of a Conditional Use Permit.

Staff is recommending approval of a site plan for the Dairy Queen at 5111 E Viking Boulevard subject to the following conditions:

1. All required local, state and/or federal permitting must be obtained.
2. The Conditional Use Permit shall be null and void if the Applicant does not make use of the permit within one year from the date of approval.

3. The Applicant shall revise the building elevations to comply with the ordinance exterior materials requirements Sec. 40 – 451 (2), including reduction of Class II or III materials to below 35%.
4. The Applicant shall comply with Sec. 40 – 483 (4) by installing trash receptacles at all property exits as well as one (1) receptacle per ten (10) vehicle parking spaces within the parking area.
5. The Applicant shall comply with the standard relating to electronic devices such as loudspeakers, automobile service order devices, drive-in theater car speakers and similar instruments shall not be located within two hundred (200) feet of any residentially zoned or used property, nor within one hundred (100) feet of any adjacent lot used or zoned non-residential.
6. The Applicant shall comply with ordinance lighting requirements including turning off site lighting, except for security lighting one (1) hour after closing.
7. The Applicant shall be required to stripe additional parking in the western portion of the site as directed by the City should the site experience a parking problem as noted and defined by the City.
8. Any changes to signs on site will require a separate sign permit (s).
9. The applicant address all engineering comments provided to the applicant.

STAFF REVIEW

Site Plan Review

The subject property is currently zoned C-Commercial and developed as a gas station with an attached Dairy Queen. The City of Wyoming Comprehensive Plan designates the property as C-Commercial. The zoning and surrounding uses are as follows:

North – C-Commercial District, restaurant, bowling alley, car wash, and gas station.

South – I-Industrial District, various manufacturing and industrial businesses.

East – C-Commercial, I-Industrial, and CB-Central Business Districts, vehicle dealership, restaurants, bank, church.

West – C-Commercial District, State Highway 35, restaurants, some commercial with single-family dwellings to the south.

The applicant is proposing that the lot will serve as a newly constructed and updated Dairy Queen restaurant with a drive-through. Restaurants with drive-throughs are a permitted use in the Commercial District. In considering the site plan, because the property is also located in the Shoreland Overlay District, the property development must comply with regulations from both zoning districts. The following table summarizes the regulations associated with the site, noting both the Commercial District requirements and Shoreland Overlay standards:

Zoning District	<u>C- Commercial District</u>	<u>Shoreland Overlay (General Development)</u>	<u>Proposed</u>
Lot Width	115 feet	*underlying zoning applies	165 feet (existing condition)
Lot Size	20,000 sq. ft. (minimum)	*underlying zoning applies	77,933 sq. ft. (existing condition)
Front Yard Setback	135 feet from centerline of highway, 20 feet from ROW of local street	*underlying zoning applies	135 feet, 66 feet
Side Yard Setback	0 feet (principal building)	*underlying zoning applies	290 feet and 53 feet
Rear Yard Setback	20 feet (principal building)	*underlying zoning applies	20 feet
OHWL Setback	*overlay zoning applies	50 feet	Approx.. 162 feet
Building Height	*overlay zoning applies	35 feet	20 feet
Impervious Surface	75% (maximum)	25% (maximum)	57%*

*CUP required

Architecture

A property developing in the Commercial District must adhere to the architectural standards and exterior materials contained in Division 5 Architectural Standards, Section 40-451(2). As part of these standards, commercial structures must be composed of at least sixty-five percent (65%) Class I materials; and not more than thirty-five percent (35%) percent Class II or Class III materials. As depicted, there the building will have over 35% of the exterior in EIFS, a stucco-like material that is classified as a Class III material. A recommended condition of approval requires modifications to the building elevations to comply with the ordinance architectural standards.

Other standards are met by having a consistent architectural expression on all sides of the building and being compatible with its surroundings.

Landscaping

City standards require landscaping with a combination of overstory trees, understory trees, and shrubs within one year following the completion of development. The site must have a minimum of one overstory tree and two understory trees per 1/10 acre, which will require at least 17 overstory trees and 34 understory trees. As proposed, the site plan exceeds these minimum requirements by providing 20 overstory trees and 58 understory trees. All site areas not covered by buildings, sidewalks, parking lots, driveways or similar hard surface materials must be covered with plantings or an equivalent groundcover – excluding site areas that are preserved in a natural state. The landscaping plan illustrates compliance with this standard. In addition, proposed plantings align with minimum screening requirements as they are placed in hedges along the two major streets abutting the property. These hedges meet screening height requirements as they will be 2 ft in height at the time of planting and have a mature height of 4 ft to 6 ft. Screening standards also require a fully enclosed gate surrounding any trash storage facility and the site has a planned trash enclosure to the southwest of the main structure that is not visible from public streets.

Because the site has already been previously developed, there is no need for the applicant to supply a woodland preservation plan. No additional grading or tree removal is proposed to occur.

Utilities

The proposed development will utilize the same 4” sanitary sewer service as the current building. The existing service will be removed back to the right of way and then extended to the building with the introduction of a grease interceptor.

The proposed development will remove/abandon the existing water service and connect a new 2” domestic service to the existing 8” watermain located in the Fallbrook Avenue right-of-way.

Roads, Traffic, and Access

The proposed development would utilize the same access points and curb cuts as the previous development. The accessway from E. Viking Boulevard is a right-in only. There will need to be coordination with the neighboring building to the south for the proposed apron entrance and southerly curb line as they now have a shared apron entrance and parking/drive area at the joint property line.

Drainage/Natural Resource/Wetlands

The site is outside of the Comfort Lake – Forest Lake Watershed District (CLFLWD) and permitting will not be required through the CLFLWD. Based on the proposed disturbance area being under an acre, a NPDES permit is not required. Sunrise River has a floodplain in this area however it appears all work will be outside of the floodplain and will not require any additional floodplain permitting. The proposed building is meeting all freeboard requirements with respect to the Sunrise River Floodplain. The site is reducing the overall impervious area in the proposed condition, so volume control requirements were not triggered for this site. Since the site drains directly to the Sunrise River which is listed as

an impaired water, a water quality structure or at a minimum a sump should be added to the last structure prior to discharging to provide some water quality treatment for the site. Since the site is maintaining existing drainage patterns, the site is meeting rate control requirements with the reduction in impervious surface.

Parking

Restaurants are required by city code to have 1 off-street parking space for every 4 dining seats and 1 space for every 2 employees. This restaurant will have 94 total seats (68 interior and 26 exterior) and its busiest shift could have up to 14 employees working. Based upon the ordinance requirements the site should have 31 parking stalls. At present, the site plan indicates 30 stalls which is one short. The 31 standard also includes the outdoor patio seating which often is seasonal and not used. It is suggested that the applicant install the parking per plan and add additional stripping in the west should additional parking be needed. It would be preferable not to have additional parking in the west as it may confuse drivers due to the intended circulation. However, the area in the west previously had parking and the hard surfacing will remain in the new plan. Customers may use that space whether stripped or not. A condition of approval notes that additional parking should be stripped in the west should the city note parking issues interior to the site. Ultimately a lack of on-site parking could negatively impact operation on Fallbrook Ave if there were backups occurring.

All proposed parking spaces have the required 9 feet of stall width, and they meet the stall depth and minimum aisle width requirements based on the specific angle of each parking spot. To further increase parking lot efficiency, the newly designed drive-through will provide stacking for 23 cars before circulation would be obstructed.

Lighting

Lighting standards require that any development cannot have a light intensity that exceeds 1 foot candle on the right-of-way line of a public street or a residential property – which this plan does not. Compliance is achieved in part by the use of light fixtures with downward directed lighting. Also, the light fixtures are not taller than 25 ft, which limits potential spillover lighting on public streets. Lighting location performance standards state that light fixtures must be setback a minimum of 10 ft from a street right-of-way and 5 ft from interior and rear lot lines. Furthermore, there shall be no light fixtures on the roof of the building. Both locational standards are met by the site plan.

Drive-Through Standards

Division 8 Section 40-480 of the City of Wyoming's municipal code outlines the requirements for any business with drive-through. Because the proposed development will have a drive-through, the following standards should be met:

Sec. 40 – 481. Site Plan Requirements.

- (1) The site plan shall clearly indicate suitable storage containers for all waste material. All commercial refuse containers shall be screened.

This standard can be met with site plan modifications which is a condition of approval. .

- (2) A landscaping plan shall be provided.

This standard has been met.

- (3) Adequate area shall be designated for snow storage such that clear visibility shall be maintained from the property to any public street.

This standard has been met.

- (4) The design of any structure shall be compatible with other structures in the surrounding area or future planned uses.

This standard has been met.

- (5) Electronic devices such as loudspeakers, automobile service order devices, drive-in theater car speakers and similar instruments shall not be located within two hundred (200) feet of any residentially zoned or used property, nor within one hundred (100) feet of any adjacent lot used or zoned non-residential.

This standard has been met.

- (6) No service shall be rendered, deliveries made, or sales conducted within the required front yard. Customers served in vehicles shall be parked to the sides and/or rear of the principal structure.

This standard has been met.

- (7) No permanent or temporary signs visible from the public street shall be erected without specific approval in the permit.

This standard can be met.

- (8) No plan shall be approved which will in any way constitute a hazard to vehicular or pedestrian circulation.

This standard has been met.

Sec. 40 – 482. Design Standards.

- (1) The entire area of any drive-in/drive-through business shall have an engineered drainage system approved by the City Engineer.

This standard has been met.

- (2) The entire area other than that occupied by structures or planting shall be surfaced with concrete or blacktop.

This standard has been met.

- (3) A fence or screen of an acceptable design to the Zoning Administrator shall be constructed along the property line abutting a residential district and such fence or screen shall be adequately maintained.

This standard has been met.

Sec. 40 – 483. General.

- (1) Any drive-in/drive-through business serving food or beverages may also provide, in addition to vehicular service areas, in-door food and beverage seating areas.

The plan proposes indoor and outdoor patio seating along with a drive through facility.

- (2) The hours of operation may be set forth as a condition of approval for drive-in/drive-through business.

There is no recommendation to limit the hours at this time.

- (3) Each drive-in/drive-through business serving food may have outside seating.

The plan proposes outdoor seating.

- (4) Each food or beverage drive-in/drive-through business shall place refuse receptacles at all exits as well as one (1) refuse receptacle per ten (10) vehicle parking spaces within the parking area

The presented architectural and site plans show all requirements except the location of trash containers. Drive-through business standards require trash receptacles be placed at all exits and one for every ten parking spaces in the parking area. This means that the site plan must have at least three trash receptables in the parking area.

Sec. 40 – 484. Location.

- (1) No drive-in/drive-through business shall be located such that it may unduly increase traffic volumes on nearby residential streets.

This standard has been met.

- (2) No drive-in/drive-through business shall be located on any street other than one designated as a thoroughfare on which businesses are located.

This standard has been met.

Conditional Use Permit

Shoreland Management Overlay Requirements

The site is entirely within the Shoreland Management Overlay because of its proximity to Sunrise River, a tributary river. The Overlay District requires a CUP for any non-residential development that wishes to exceed 25% impervious surface coverage, regulated in Section 40-328 4(a)ii. This site plan states an impervious surface coverage will be 57%, slightly under that currently on the site.

Staff recognizes that having additional hard surfacing over and above the ordinance requirement is not ideal given its proximity to the river. However, it should be noted that the Applicant is not increasing the amount of hard surfacing on the site, in fact is reducing it slightly. The paved areas will be no closer to the river than the existing condition. In cases such as this, where there are significant upgrades to the property, with some benefit in hard surface reduction, staff can support the proposal.

Sec. 40 – 328. Stormwater Management. In addition to City Code Chapter 39, and the rules promulgated by the Comfort Lake/Forest Lake Watershed District the following standards will apply to stormwater management in the shoreland district.

- (1) When possible, existing natural drainage ways, wetlands, and vegetated soil surfaces must be used to convey, store, filter, and retain stormwater runoff before discharge to public waters.

- (2) Development must be planned and conducted in a manner that will minimize the extent of disturbed areas, runoff velocities, erosion potential, and reduce and delay runoff volumes. Disturbed areas must be stabilized and protected as soon as possible and appropriate facilities or methods used to retain sediment on the site.

(3) When development density, topographic features, and soil and vegetation conditions are not sufficient to adequately handle stormwater runoff using natural features and vegetation, various types of constructed facilities such as diversions, settling basins, skimming devices, dikes, waterways, and ponds may be used. Preference must be given to surface drainage, vegetation, and infiltration rather than buried pipes and constructed materials and facilities.

(4) The following specific standards apply:

(a) Impervious surface coverage of lots must not exceed twenty-five percent (25%) of the buildable lot area, except as provided below:

1. For non-single-family residential, impervious surface coverage of up to a maximum of 75 percent of the buildable lot area when the following stipulations are met:

i All structures and practices are in place for the treatment of stormwater runoff.

ii A conditional use permit is submitted and approved as provided for in Section 40-333 of this Ordinance, subject to the criteria listed in Section 40-333 (3) and the conditions listed in Section 40-333 (3), (4) and (5) of this Ordinance. (ORDINANCE NO. 2020-02)

(b) When constructed facilities are used for stormwater management, documentation must be provided by a qualified individual that they are designed and installed consistent with the field office technical guide of the local soil and water conservation districts or the Minnesota Stormwater Manual, as applicable.

(c) New constructed stormwater outfalls to public waters must be consistent with Minnesota Rules, part 6115.0231

Sec. 40 – 333. Notification of Variances and Conditional Uses

In Section 40-333 the ordinance addresses variance and conditional use permits in the shoreland overlay district. The following is the applicable evaluative criteria for granting of a conditional use permit:

(3) Conditional uses allowed within shoreland areas shall be subject to review and approval procedures, criteria, and conditions for review as established in Article V, Division 6, of the Zoning Ordinance. The following additional evaluation criteria and conditions apply within shoreland areas:

(a) Prevention of soil erosion or other possible pollution of public waters, both during and after construction.

(b) The visibility of structures and other facilities as viewed from public waters is limited.

(c) The site is adequate for water supply and on-site sewage treatment.

(d) The types, uses, and number of watercraft that the project will generate are compatible in relation to the suitability of public waters to safely accommodate these watercrafts.

(e) The removal of significant trees shall not exceed those in accordance with Section 40-556 of this Ordinance.

These standards can be met.

(4) In evaluating all variances, conditional uses, and zoning applications, the zoning authority shall require the property owner to address, when appropriate, the following conditions, when related to and proportional to the impact, to meet the purpose of this ordinance, to protect adjacent properties, and the public interest:

- (a) Advanced storm water runoff management treatment;
- (b) Reducing impervious surfaces;
- (c) Increasing setbacks from the ordinary high water level;
- (d) Restoration of wetlands;
- (e) Limiting vegetation removal and/or riparian vegetation restoration;
- (f) Provisions for the location, design, and use of structures, sewage treatment systems, water supply systems, watercraft launching and docking areas, and parking areas;
- (g) Screening of the non-water-orientated structures as viewed from public waters;

As mentioned above, the site is already developed and the change in development relates to the principal structure and site layout. However, the applicant is not proposing any increase in hard surfacing, or decreasing setbacks or removing more vegetation. These standards are met.

General Conditional Use Permit Standards

Chapter 40, Article V, Division 6, Conditional Use Permits, Section 40 – 112, sets forth the general standards that shall be met in order to grant a CUP. These standards are as follows:

1. The use is in conformity with the Comprehensive Plan and development policies of the City.
This standard has been met.
2. The use will not create an excessive demand on existing parks, schools, streets and other public facilities and utilities which serve or are proposed to serve the area.
This standard has been met.
3. The use will be sufficiently compatible or separated by distance or screening from adjacent development or land so that existing development will not be depreciated in value and there will be no deterrence to development of vacant land.
This standard has been met.
4. The structure and site will have an appearance that will not have an adverse effect upon adjacent properties.
This standard has been met.

5. The use in the opinion of the City is reasonably related to the overall needs of the City and to the existing land use.
This standard has been met.
6. The use will be consistent with the purpose of this and other City Ordinances.
This standard has been met.
7. The use will be located, designed, maintained, and operated to be compatible with the existing or intended character of the zoning district in which it is to be located.
This standard has been met.
8. The use will generate only minimal vehicular traffic on local streets and shall not create traffic hazards or unsafe access or parking needs.
This standard has been met.
9. Existing businesses nearby will not be adversely affected because of the curtailment of customer trade brought about by intrusion of noise, glare, or general unsightliness.
This standard has been met.
10. The establishment or maintenance of the use shall not be detrimental to the public, health, safety, or general welfare.
This standard has been met.
11. The use will not be hazardous, detrimental, or disturbing to present and potential surrounding land use due to water pollution, odor, fumes, general unsightliness, or other nuisances.
This standard has been met.
12. The use will preserve and incorporate the site's important natural and scenic features into the development design.
This standard has been met.
13. The use will cause minimal adverse environmental effects.
This standard has been met.

Next Steps

The City Council will review the Planning Commission's site plan review and conditional use permit recommendation at the next regularly scheduled meeting.



City Of Wyoming
26885 Forest Blvd., PO Box 188
Wyoming, MN 55092
Phone (651) 462-4947 Fax (651) 462-3938

SITE PLAN REVIEW
LAND USE APPLICATION

A site plan review application requests a use permitted in a particular zoning district, but regulated and controlled through conditions placed upon it by the City Council after review by the Planning Commission.

Property Address: 5111 East Viking Boulevard Wyoming, MN 55092

Applicant(s) Information:

Name(s) Fourteen Foods, LLC
Address 6442 City West Parkway, Suite 400
City Eden Prairie State MN Zip 55344

Home _____
Work (952) 944-1304
Email njohnson@fourteenfoods.com

Owner(s) Information: (if other than Applicant(s))

Name(s) D7 Wyoming, LLC
Address 6442 City West Parkway, Suite 400
City Eden Prairie State MN Zip 55344

Home _____
Work (952) 944-1304
Email njohnson@fourteenfoods.com

Owner(s) Signature(s) Just J. Kim

Date 6-30-22

Legal description of property: S 1/2 of NE 1/4 of Section 19, Township 33, Range 21, Chisago County, Minnesota

Property Identification Number: R.21. 00020.00 Present zoning: Commercial (C)

Present use of property: Current Dairy Queen QSR Restaurant

Proposed use of property: Brand New Dairy Queen QSR Restaurant Build

This application and the following attachments must be submitted to be considered a complete application:

1. A detailed site plan showing the information listed in Section 40 - 82, 1-6 as well as the following:
 - a. The grading and drainage plan must be designed in accordance with Article VII, Division 21 of the Zoning Ordinance and the City of Wyoming Surface Water Resource Guidance Document.
 - b. Elevation drawings of all sides of the proposed building to show compliance with the architectural standards of the zoning district the use will be located in.
 - c. Landscaping and Screening in accordance with Article VII, Divisions 14 & 26.
 - d. Lighting Plan in accordance with Article VII, Division 15.
2. A letter explaining the proposed use and how it will be operated.
3. Applications for uses described in Article VI, Divisions 7, 18, & 19 and Article VII, Divisions 2, 8, 10, 17-20, and 25 of the Zoning Ordinance must include the information necessary to show compliance with the applicable section of the ordinance.
4. Applications for uses that are within the Highway 8 Overlay District or that utilize Highway 8 for access must include the information necessary to show compliance with Article VI, Division 14 of the Zoning Ordinance.
5. The application fee and escrow must be paid at the time of application. The fee is not refundable. The unused portion of the escrow will be returned to the applicant.
6. Any other information deemed necessary by the Zoning Administrator or Planning Commission.

Signature of applicant(s) Just J. Kim Date 6-30-22

As the applicant for this request, I agree to reimburse the City for all expenses incurred by the City in employing planning, engineering, legal, and other professional consultants in reviewing this application. This may include the replenishment of any escrow funds as required as part of this application. Such costs shall be paid by me, the applicant, regardless of the outcome of the review and prior to commencing any work on the project. All of Article V, Division 4, Site Plan Review is attached to this application and by signing this application, the applicant acknowledges that it has been read and understood.

A public meeting can be scheduled only after a complete application has been received.

Application # SP-22-001 OFFICE USE ONLY Date Application Received 6/30/22
Date Complete Application Received ____/____/____ 60 Days ____/____/____ By: [Signature]
Official
Fee **\$220.00 + Escrow \$1,000.00** Date Paid 6/30/22 Check # CC



City Of Wyoming
26885 Forest Blvd., PO Box 188
Wyoming, MN 55092
Phone (651) 462-4947 Fax (651) 462-0576

CONDITIONAL/INTERIM USE PERMIT
LAND USE APPLICATION

A conditional use permit application requests a use permitted in a particular zoning district, but regulated and controlled through conditions placed upon it by the City Council after review by the Planning Commission.

Property Address: 5111 East Viking Boulevard Wyoming, MN 55092

Applicant(s) Information:

Name(s) Fourteen Foods, LLC
Address 6442 City West Parkway, Suite 400
City Eden Prairie State MN Zip 55344

Home _____
Work (952) 944-1304
Email njohnson@fourteenfoods.com

Owner(s) Information: (if other than Applicant(s))

Name(s) D7 Wyoming, LLC
Address 6442 City West Parkway, Suite 400
City Eden Prairie State MN Zip 55344

Home _____
Work (952) 944-1304
Email njohnson@fourteenfoods.com

Owner(s) Signature(s) [Signature]

Date 6-30-22

Legal description of property: S 1/2 of NE 1/4 of Section 19, Township 33, Range 21, Chisago County, Minnesota

Property Identification Number: R.21. 00020.00 Present zoning: Commercial (C)

Present use of property: Current Dairy Queen QSR Restaurant

Proposed use of property: New Dairy Queen QSR Restaurant build

Is this an application for an Interim Use Permit ☐ YES ☒ NO If yes, on what date, or upon what event, would the applicant desire the interim use to expire? Date: [Redacted] OR Event: _____

This application and the following attachments must be submitted to be considered a complete application:

- A detailed site plan showing the information listed in Section 40 - 111, A-K as well as the following:
 - The grading and drainage plan must be designed in accordance with Article VII, Division 21 of the Zoning Ordinance and the City of Wyoming Surface Water Resource Guidance Document.
 - Elevation drawings of all sides of the proposed building to show compliance with the architectural standards of the zoning district the use will be located in.
 - Landscaping and Screening in accordance with Article VII, Divisions 14 & 26.
 - Lighting Plan in accordance with Article VII, Division 15.
- A letter explaining the proposed use and how it will be operated.
- A completed Conditional / Interim Use Permit Worksheet.
- Applications for uses described in Article VI, Divisions 7, 18, & 19 and Article VII, Divisions 2, 8, 10, 17-20, and 25 of the Zoning Ordinance must include the information necessary to show compliance with the applicable section of the ordinance.
- Applications for uses that are within the Highway 8 Overlay District or that utilize Highway 8 for access must include the information necessary to show compliance with Article VI, Division 14 of the Zoning Ordinance.
- The application fee and escrow must be paid at the time of application. The fee is not refundable. The unused portion of the escrow will be returned to the applicant.
- Any other information deemed necessary by the Zoning Administrator or Planning Commission.

Signature of applicant(s) [Signature] Date 6-30-22

As the applicant for this request, I agree to reimburse the City for all expenses incurred by the City in employing planning, engineering, legal, and other professional consultants in reviewing this application. This may include the replenishment of any escrow funds as required as part of this application. Such costs shall be paid by me, the applicant, regardless of the outcome of the review and prior to commencing any work on the project. All of Article V, Division 6, Conditional Use Permits is attached to this application and by signing this application, the applicant acknowledges that it has been read and understood.

A public hearing can be scheduled only after a complete application has been received.

Application # CE-22-002 OFFICE USE ONLY Date Application Received 6/30/22

Date Complete Application Received ____/____/____ 60 Days ____/____/____ By: [Signature]

Fee \$220.00 + Escrow (Commercial \$1,000.00; Residential \$750.00) Date Paid 6/30/22 Check # CC

Conditional / Interim Use Permit Worksheet


Applicant: Fourteen Foods, LLC.
Address: 6442 City West Parkway, Suite 400 Eden Prairie, MN 55344
Type of Business: Quick Service Restaurant Franchisee
Business name: Fourteen Foods, LLC.

Answer the following questions based on the standards contained in Sec. 40 – 112 of the City of Wyoming Zoning Ordinance for Conditional and Interim Use Permits. If needed use a separate page. All questions must be answered.

- 1) Is your proposed use in conformity with the Comprehensive Plan and development policies of the City?
Yes Explain: Both Commercial and CBD Zoning Districts allow as conditional use restaurants, drive-in or drive through
- 2) Will your proposed use create an excessive demand on existing parks, schools, streets and other public facilities and utilities which serve or are proposed to serve the area?
Yes Explain: Projected 1.586 million in sales, creating traffic around the area and helping out other businesses with visibility purposes
- 3) Will your proposed use be sufficiently compatible or separated by distance or screening from adjacent development or land so that existing development will not be depreciated in value and so there will be no deterrence to development of vacant land?
Yes Explain: All commercial zoning area, dumpster enclosure included as well as property enhancements and routine upkeep
- 4) Will the structure and site have an appearance that will not have an adverse effect upon adjacent properties?
Yes Explain: Building and site have been laid out to adhere to all city ordinances and permitting laws
- 5) Is the proposed use reasonably related to the overall needs of the City and to the existing land use?
Yes Explain: We are improving upon our current Dairy Queen store and the area surrounding it, making it more pleasant to the eye and environmentally friendly.
- 6) Will the proposed use be consistent with the purpose of the Zoning Ordinance and other City Ordinances?
Yes Explain: Site and building plans have been and will be consistent with All zoning and City ordinances.
- 7) Will the proposed use be located, designed, maintained, and operated to be compatible with the existing or intended character of the zoning district in which it is to be located?
Yes Explain: Our restaurant will be held to Corporate Dairy Queen's high standards of design/upkeep as well as meet the city of Wyoming's zoning and city ordinances
- 8) Will the proposed use generate only minimal vehicular traffic on local streets?
Yes Explain: We will average about 1700 cars per day in /around this area. Likely see a decrease in traffic due to the removal of the gas station on site
- 9) Will the proposed use create traffic hazards or unsafe access or parking needs?
No Explain: Access/Entrances to the site are remaining as/is. Will meet parking codes
- 10) Will existing businesses nearby be adversely affected by your proposed use because of the curtailment of customer trade brought about by intrusion of noise, glare, or general unsightliness?
No Explain: We are putting a new building in, same service, only removing the gas station and the traffic that came along with that
- 11) Will the establishment or maintenance of the proposed use be detrimental to the public health, safety or general welfare?
No Explain: Operating as per usual in the past
- 12) Will the proposed use be hazardous, detrimental, or disturbing to present and potential surrounding land uses due to water pollution, odor, fumes, general unsightliness or other nuisances?
No Explain: Operating as per usual in the past, removing the Gas Station and the fuel tanks that came with it.
- 13) How will the proposed use preserve and incorporate the site's important natural and scenic features into the development design?
Explain: Decreasing impervious areas, creek area in the back is all remaining undisturbed Adding landscaping and grass areas/Shrubs
- 14) Will the proposed use cause adverse environmental effects?
No Explain: It will be improved due to gas station removal and removal of the gasoline storage tanks.

PROJECT:
DAIRY QUEEN
5111 East Viking Boulevard
Wyoming, MN 55092
Chisago County

ARCHITECT:
JOHN S. ODOM
99 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MO 63011
PH: 1.417.343.2602



June 30, 2022

PROJECT NARRATIVE

We are requesting site plan approval by the Planning Commission for a new Dairy Queen development to be in Wyoming Minnesota. This will be a re-development of the current 1.79 acre site the current Wyoming Dairy Queen sits on, with the demolition of the current building on site and the removal of the gas tanks.

Under this request a new 3,163 square foot building would be constructed, the proposed building will provide 68 interior seats / 26 exterior patio seats / guest bathrooms / production kitchen. The proposed site plan shows a double drive thru menu board with a drive thru lane that converges shortly before the drive thru window. The building will provide three drive thru windows; pay window, pickup window, and a pull ahead window. The drive thru provides stacking for 23 cars before internal vehicular circulation would be obstructed. The drive thru also provides for an escape lane in the event of an emergency or canceled order. The proposed parking lot provides 32 total parking spaces.

Sincerely,

John S. Odom, Architect



VICINITY MAP

NOT TO SCALE

TITLE DISCLAIMER:

IT IS NOT WARRANTED THAT THESE DRAWINGS CONTAIN COMPLETE INFORMATION REGARDING EASEMENTS, RESERVATIONS, RESTRICTIONS, RIGHT-OF-WAYS, BUILDING LINE SETBACKS, AND OTHER ENCUMBRANCES. FOR COMPLETE INFORMATION, A TITLE OPINION OR COMMITMENT FOR TITLE INSURANCE SHOULD BE OBTAINED AND THOROUGHLY REVIEWED.

UTILITY INFORMATION:

UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE DO NOT NECESSARILY REFLECT THE ACTUAL EXISTENCE, NON-EXISTENCE, SIZE, TYPE, NUMBER, OR LOCATION OF THESE FACILITIES., STRUCTURES, AND UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL LOCATION OF ALL UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS. THE UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES SHALL BE LOCATED IN THE FIELD PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS.



MINNESOTA UTILITY LOCATION SERVICE
PHONE: 800.252.1166 OR WWW.GOPHERSTATEONECALL.ORG

CONTRACTOR NOTE:

THE CONTRACTOR AND/OR ALL SUBCONTRACTORS SHALL INVESTIGATE, ASCERTAIN, AND CONFORM TO ANY AND ALL PERMIT REQUIREMENTS OF ALL THE AFFECTED UTILITY COMPANIES AND/OR REGULATORY AGENCIES WITH REGARDS TO MAKING CONNECTIONS TO; OR CROSSING OF THEIR FACILITIES; WORKING WITHIN THEIR RIGHT OF WAY OR EASEMENTS; INSPECTIONS AND ASSOCIATED MONETARY CHARGES; AND/OR SPECIAL BACKFILL REQUIREMENTS. SUCH INVESTIGATION SHALL INCLUDE BUT NOT LIMITED TO THE MAKING OF NECESSARY APPLICATIONS AND PAYMENTS OF ALL REQUIRED FEES.

THE LOCATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS OR PROFILES ARE APPROXIMATE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR/SUBCONTRACTOR TO VERIFY THE FIELD LOCATIONS, ANTICIPATED CLEARANCES, AND THE EXISTENCE OF ANY FACILITIES NOT SHOWN HEREON, AS PART OF THE INVESTIGATIONS IN THE PARAGRAPH ABOVE.

SURVEY/TOPOGRAPHY NOTE:

THE BOUNDARY AND TOPOGRAPHIC SURVEY INFORMATION SHOWN ON THESE PLANS WAS PREPARED FROM AN ACTUAL FIELD SURVEY PROVIDED BY REHDER & ASSOCIATES, INC. ALL EXISTING INFORMATION PRESENTED IN THESE PLANS SHALL BE VERIFIED IN THE FIELD BY THE CONTRACTOR. ANY DISCREPANCIES IN THE PLANS SHALL BE MADE AWARE TO THE OWNER, ARCHITECT, AND ENGINEER PRIOR TO BEGINNING CONSTRUCTION.

SIGNAGE NOTE:

ALL BUILDING AND MONUMENT SIGNAGE WILL BE PERMITTED SEPARATELY.

FINAL DEVELOPMENT PLANS FOR



Dairy Queen Wyoming, Minnesota

CITY OF WYOMING
CHISAGO COUNTY, MINNESOTA

SITE INFORMATION

PARCEL ID: 21.00020.00

AREA OF LOT: 77,933 S.F. (1.79 ACRES)

PROPOSED GROSS FLOOR AREA: 3,163 S.F.

PERCENTAGE (%) OF BUILDING COVERAGE: 4.06%

EXISTING ZONING: C - COMMERICAL

PARKING SPACES REQUIRED
(RESTAURANTS-5 SPACE FOR EACH 1,000 S.F.)
DAIRY QUEEN - 3,163 S.F.

PARKING SPACES REQUIRED:	16
ADA PARKING SPACES REQUIRED:	1
PARKING SPACES PROVIDED:	30
ADA PARKING SPACES PROVIDED:	2

EXISTING IMPERVIOUS AREA:	49,938 S.F. (1.15 ACRES) (64.1%)
EXISTING PERVIOUS AREA:	27,995 S.F. (0.64 ACRES) (35.9%)

PROPOSED IMPERVIOUS AREA:	44,432 S.F. (1.02 ACRES) - 57.0%
PROPOSED PERVIOUS AREA:	33,501 S.F. (0.77 ACRES) - 43.0%

OWNER/DEVELOPER

FOURTEEN FOODS
STEVE GIORGI
6442 CITY WEST PARKWAY
EDEN PRARIE, MN 55344
612.578.2864

ARCHITECT

JSO SERVICES, LLC
JOHN ODOM, R.A.
99 MEADOWBROOK
COUNTRY CLUB ESTATES
BALLWIN, MO 63011
417.343.2602

CIVIL ENGINEER

RDC, LLC
TODD REYLING, P.E.
4516 BOARDWALK
SMITHTON, IL 62285
618.530.1694

REHDER & ASSOCIATES, INC.
GARY HUBER, PLS
3440 FEDERAL DRIVE, SUITE 110
EAGAN, MN 55122
651.452.5051

SURVEYOR

SITE LEGEND

BENCHMARK
CONTROL POINT

Not shown on plans. Add benchmark information and note datum used.

EXISTING

LIGHT POLE	⊗
FLARED END SECTION	⏏
TRAFFIC SIGN	Ⓢ
FIRE HYDRANT	⦿
WATER VALVE	⊗
TREE	Ⓢ
DRAINAGE MANHOLE	Ⓢ
DRAINAGE CATCHBASIN	Ⓢ
SANITARY MANHOLE	Ⓢ
SANITARY CLEANOUT	Ⓢ

EXISTING

EDGE OF SHOULDER	_____
FLOW LINE	-----
TOP OF BANK	-----
CONTOUR	-----
SILT FENCE	—[D]— [D]— [D]— [D]— [D]—
PROPERTY LINE	—PL— PL— PL— PL— PL—
EASEMENT	—EA— EA— EA— EA— EA—
FENCE	_____
GAS LINE	—GAS— GAS— GAS— GAS— GAS—
FIBER OPTIC	—FO— FO— FO— FO— FO—
OVERHEAD ELECTRIC	—OE+— OE+— OE+— OE+— OE+—
UNDERGROUND ELECTRIC	—UE— UE— UE— UE— UE—
OVERHEAD TELEPHONE	—OPH— OPH— OPH— OPH— OPH—
UNDERGROUND TELEPHONE	—UPH— UPH— UPH— UPH— UPH—
SANITARY SEWER	—SS— SS— SS— SS— SS—
STORM SEWER	—SS— SS— SS— SS— SS—
WATERLINE	—W— W— W— W— W—

PROPOSED

LIGHT POLE	⊗
FLARED END SECTION	⏏
TRAFFIC SIGN	Ⓢ
FIRE HYDRANT	⦿
WATER VALVE	⊗
TREE	Ⓢ
DRAINAGE MANHOLE	Ⓢ
DRAINAGE CATCHBASIN	Ⓢ
SANITARY MANHOLE	Ⓢ
SANITARY CLEANOUT	Ⓢ

PROPOSED

EDGE OF SHOULDER	_____
FLOW LINE	-----
TOP OF BANK	-----
CONTOUR	-----
SILT FENCE	—[D]— [D]— [D]— [D]— [D]—
PROPERTY LINE	—PL— PL— PL— PL— PL—
EASEMENT	—EA— EA— EA— EA— EA—
FENCE	_____
GAS LINE	—GAS— GAS— GAS— GAS— GAS—
FIBER OPTIC	—FO— FO— FO— FO— FO—
OVERHEAD ELECTRIC	—OE+— OE+— OE+— OE+— OE+—
UNDERGROUND ELECTRIC	—UE— UE— UE— UE— UE—
OVERHEAD TELEPHONE	—OPH— OPH— OPH— OPH— OPH—
UNDERGROUND TELEPHONE	—UPH— UPH— UPH— UPH— UPH—
SANITARY SEWER	—SS— SS— SS— SS— SS—
STORM SEWER	—SS— SS— SS— SS— SS—
WATERLINE	—W— W— W— W— W—


CIVIL SHEET INDEX

C000	COVER SHEET
C001	CIVIL CONSTRUCTION NOTES
C100	EXISTING TOPOGRAPHY AND DEMOLITION PLAN
C200	CIVIL SITE PLAN
C201	CIVIL SITE PLAN - HORIZONTAL CONTROL
C300	GRADING PLAN
C400	EXISTING DRAINAGE AREA PLAN
C401	PROPOSED DRAINAGE AREA PLAN
C500	SITE UTILITY PLAN
C600	SEDIMENT AND EROSION CONTROL PLAN
C700-C703	CONSTRUCTION DETAILS

UTILITY CONTACTS

WATER:	WYOMING PUBLIC WORKS 651.462.0580
ELECTRIC:	XCEL ENERGY 800.895.4999
GAS:	XCEL ENERGY 800.895.4999
SANITARY SEWER:	WYOMING PUBLIC WORKS 651.462.0580
STORM SEWER:	WYOMING PUBLIC WORKS 651.462.0575
COMMUNICATIONS:	FRONTIER 866.226.5170

Architect:



JOHN S. ODOM, ARCHITECT
99 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM


Civil Engineer:



REYLING DESIGN & CONSULTING

4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE: 
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Cover
Sheet

C000

EXISTING CONDITIONS/DEMOLITION PLAN NOTES:

CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL AND/OR PROTECTION OF THE EXISTING ITEMS AS NOTED ON THIS PLAN.

THE CONTRACTOR SHALL TAKE ALL PRECAUTIONS NECESSARY TO AVOID PROPERTY DAMAGE TO ADJACENT PROPERTIES DURING THE CONSTRUCTION PHASES OF THIS PROJECT. THE CONTRACTOR WILL BE HELD SOLELY RESPONSIBLE FOR ANY AND ALL DAMAGES.

CONTRACTOR IS TO DISPOSE OF ALL MATERIAL RESULTING FROM PREVIOUS AND CURRENT DEMOLITION IN ACCORDANCE WITH ALL LOCAL, STATE, AND/OR FEDERAL REGULATIONS.

THE CONTRACTOR IS CAUTIONED TO LOCATE ALL EXISTING UTILITIES AND CONFLICTS. CONTRACTOR SHALL CONTACT THE APPROPRIATE UTILITY COMPANIES AT LEAST 72 HOURS BEFORE ANY CONSTRUCTION ACTIVITY IN ORDER TO FIELD VERIFY EXISTING UTILITY INFORMATION.

CONTRACTOR SHALL PROTECT EXISTING STREET LIGHTS & POSTS, TRAFFIC CONTROL DEVICES, SIGNS, UTILITY BOXES, ELECTRIC, TELEPHONE, GAS, FIBER OPTIC, CABLE, WATER, STORM SEWER, SANITARY SEWER, AND ALL OTHER UTILITIES UNLESS OTHERWISE NOTED ON THE PLANS.

CONTRACTOR TO CLEAR AND GRUB THE EXISTING SITE AS NECESSARY TO PERFORM DEMOLITION, PROPOSED CONSTRUCTION, AND FINAL IMPROVEMENTS.

EXISTING CONDITIONS KEY NOTES:

- 1 EXISTING UTILITY LINES TO REMAIN, CONTRACTOR PROTECT IN PLACE.
- 2 EXISTING STORM SEWER TO REMAIN, CONTRACTOR PROTECT IN PLACE.
- 3 EXISTING WATER LINE TO REMAIN, CONTRACTOR PROTECT IN PLACE.
- 4 EXISTING SANITARY SEWER MAIN TO REMAIN, CONTRACTOR PROTECT IN PLACE.
- 5 EXISTING PAVEMENT TO REMAIN, CONTRACTOR TO PROTECT IN PLACE AND MATCH INTO NEW PAVEMENT.
- 6 EXISTING RETAINING WALL AND FENCE TO REMAIN, CONTRACTOR PROTECT IN PLACE.

DEMOLITION LEGEND/KEY NOTES:

- CLEAR AND GRUB AREAS OF PROPOSED GRADING. REFER TO GEOTECHNICAL REPORT FOR ALL SPECIFICATIONS.
- A SAWCUT PAVEMENT AND CONFORM TO A CLEAN, NEAT EDGE. CONTRACTOR TO COORDINATE WITH CITY BEFORE REMOVAL.
- B LIMITS OF DISTURBANCE, CLEARING AND GRUBBING, AND SOIL STRIPPING.
- C CONTRACTOR REMOVE EXISTING BUILDING IN ITS ENTIRETY.
- D CONTRACTOR TO REMOVE EXISTING ASPHALT PAVEMENT.
- E CONTRACTOR TO REMOVE EXISTING CONCRETE CURB.
- F CONTRACTOR TO REMOVE EXISTING CONCRETE SIDEWALK.
- G CONTRACTOR TO REMOVE EXISTING MENU BOARD AND SPEAKER.
- H CONTRACTOR TO REMOVE EXISTING FUEL TANKS.
- I CONTRACTOR TO REMOVE EXISTING COLUMNS AND CANOPIES.
- J CONTRACTOR TO REMOVE EXISTING UTILITY SERVICE CONNECTIONS.

FLOOD PLAIN NOTE:

THE SUBJECT PROPERTY IS LOCATED IN ZONE X AND A. ACCORDING TO THE FLOOD INSURANCE RATE MAP (FIRM), COMMUNITY PANEL NO. 27025C0350D WITH AN EFFECTIVE DATE OF APRIL 17, 2012.

TITLE DISCLAIMER:

IT IS NOT WARRANTED THAT THESE DRAWINGS CONTAIN COMPLETE INFORMATION REGARDING EASEMENTS, RESERVATIONS, RESTRICTIONS, RIGHT-OF-WAYS, BUILDING LINE SETBACKS, AND OTHER ENCUMBRANCES. FOR COMPLETE INFORMATION, A TITLE OPINION OR COMMITMENT FOR TITLE INSURANCE SHOULD BE OBTAINED AND THOROUGHLY REVIEWED.

UTILITY INFORMATION:

UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE DO NOT NECESSARILY REFLECT THE ACTUAL EXISTENCE, NON-EXISTENCE, SIZE, TYPE, NUMBER, OR LOCATION OF THESE FACILITIES, STRUCTURES, AND UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL LOCATION OF ALL UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS. THE UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES SHALL BE LOCATED IN THE FIELD PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS.


LEGAL DESCRIPTION:

THAT PART OF THE SOUTH HALF OF THE NORTHEAST QUARTER (S1/2 OF NE1/4) OF SECTION NINETEEN (19), TOWNSHIP THIRTY-THREE (33), RANGE TWENTY-ONE (21), CHISAGO COUNTY, MINNESOTA AND THAT PART OF LOTS ONE (1) AND TWO (2), BLOCK ONE (1), OF THE RECORDED PLAT OF TOMBLERS ADDITION TO THE VILLAGE OF WYOMING DESCRIBED JOINTLY AS FOLLOWS:

COMMENCING AT THE POINT OF INTERSECTION OF THE EAST LINE OF SAID SECTION 19 WITH THE NORTHERLY RIGHT-OF-WAY LINE OF PENNSYLVANIA AVENUE, SAID POINT ALSO BEING THE NORTHEAST CORNER OF SAID SOUTH HALF OF NORTHEAST QUARTER (S1/2 OF NE1/4); THENCE WEST, ALONG SAID NORTHERLY RIGHT-OF-WAY LINE A DISTANCE OF 718 FEET; THENCE SOUTH AT RIGHT ANGLES A DISTANCE OF 83 FEET, MORE OR LESS, TO THE INTERSECTION OF THE SOUTHERLY RIGHT-OF-WAY LINE OF INTERSTATE HIGHWAY 35 AND THE WESTERLY LINE OF A PUBLIC STREET, BEING THE POINT OF BEGINNING; THENCE CONTINUING SOUTH, ALONG SAID WESTERLY LINE OF PUBLIC STREET, A DISTANCE OF 210 FEET; THENCE WEST AT RIGHT ANGLES TO THE EASTERLY RIGHT-OF-WAY LINE OF INTERSTATE HIGHWAY 35; THENCE NORTHERLY, ALONG SAID EASTERLY RIGHT-OF-WAY LINE A DISTANCE OF 145 FEET, MORE OR LESS; THENCE EASTERLY ALONG THE SOUTHERLY RIGHT-OF-WAY LINE OF INTERSTATE HIGHWAY 35, A DISTANCE OF 442 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

LEGEND:

- Iron Monument Found
- S— Sanitary Sewer
- ST— Storm Sewer
- W— Watermain
- Hyd. ⚡ Hydrant
- GV ● Gate Valve
- MH ○ Manhole
- CB ○ Catch Basin
- CO ○ Cleanout
- Guard Post
- PP ○ Power Pole
- LP ⚡ Light Pole
- ⊠ Electrical Transformer
- Communications Pedestal
- Concrete Surface
- Bituminous Surface
- G— Buried Gas
- C— Buried Communications
- E— Buried Electric
- Guy Wire
- GM ■ Gas Meter
- EM ■ Electric Meter
- COL □ Column
- CS ● Curb Stop
- MW ○ Monitoring Well
- Chain Link Fence




Coordinate with MPCA for removals with potential environmental impact or soils remediation

Saw cut with adjacent property

Either the FEMA floodplain elevation for this area or the extents of the FEMA floodplain should be shown on the plan to confirm all work will be outside of the FEMA floodplain (all sheets).

There will need to be a discussion regarding how the proposed apron and southerly curb line impacts the existing shared parking area and apron/access with the neighboring property -Minimal distance in remaining driveway between proposed apron in front of adjacent property and existing power pole

Architect:



JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:



4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE: 
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Building:
Dairy Queen
5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Existing
Topography
and Demolition
Plan
C100



MINNESOTA UTILITY LOCATION SERVICE
PHONE: 800.252.1166 OR WWW.GOPHERSTATEONECALL.ORG

GENERAL SITE NOTES:

ALL CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST CITY OF WYOMING AND THE MINNESOTA DEPARTMENT OF TRANSPORTATION CODES, STANDARDS AND SPECIFICATIONS.

ANY CITY OF WYOMING INFRASTRUCTURE (ABOVE OR BELOW GRADE, VISIBLE OR NOT) OR PROPERTY DAMAGED AS A RESULT OF CONSTRUCTION SHALL BE REPAIRED BY THE CONTRACTOR TO THE SATISFACTION OF THE CITY.

ALL CONSTRUCTION SHALL CONFORM TO THE APPLICABLE LOCAL, STATE, AND FEDERAL CODE REQUIREMENTS. WHEN CODES ARE IN CONFLICT, THE MORE STRINGENT SHALL APPLY.

ALL SIGNAGE AND PAVEMENT MARKINGS SHALL COMPLY WITH THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), OR AS OTHERWISE SPECIFIED. INSTALLATION OF ALL SIGNS SHALL BE GOVERNED BY LOCAL CODES.

THE CONTRACTOR IS RESPONSIBLE TO HAVE ALL EXISTING UTILITIES LOCATED AND PROTECTED DURING CONSTRUCTION. THE CONTRACTOR SHALL NOTIFY THE UTILITY PROTECTION CENTER AT LEAST THREE (3) DAYS PRIOR TO ANY SITE WORK FOR IDENTIFICATION OF EXISTING UTILITIES.

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AT THE PROJECT SITE BEFORE BEGINNING CONSTRUCTION.

SITE PAVING LEGEND:

- PROPOSED PCC CONCRETE SIDEWALK
(4"PCC/4"AB), SEE DETAIL
- PROPOSED PCC CONCRETE PAVEMENT
(7"PCC/4"AB), SEE DETAIL
- PARKING LOT-PROPOSED ASPHALT
(3.5" AC/6" AB), SEE DETAIL
- PROPOSED LANDSCAPE AND GRASS AREA,
SEE LANDSCAPE PLAN

CIVIL SITE KEY NOTES:

- 1

PROPOSED 6" PCC BARRIER CURB, SEE DETAIL.
- 2

PROPOSED ACCESSIBLE PARKING STALL STRIPING AND SIGNAGE, SEE DETAIL.
- 3

EXISTING ROADWAY AND ASPHALT PAVEMENT TO REMAIN PROTECT IN PLACE.
- 4

PROPOSED PIPE BOLLARD, SEE DETAIL.
- 5

PROPOSED 4" WIDE PARKING STALL STRIPING AND WHITE PAVEMENT MARKING, TRAFFIC WHITE PAINT PER DETAIL. SEE PLAN FOR TYPICAL DIMENSIONS.
- 6

PROPOSED CONCRETE PARKING BLOCK, SEE DETAILS.
- 7

CONTRACTOR TO SAWCUT EXISTING PAVEMENT TO MAKE SMOOTH TRANSITION FROM PARKING LOT/DRIVE LANE PAVEMENT.
- 8

PROPOSED PCC CURB TAPER TO MATCH PAVEMENT AND/OR SIDEWALK GRADE.
- 9

PROPOSED DETECTABLE WARNING (TRUNCATED DOMES) TO MEET ADA STANDARDS, SEE DETAIL. PROPOSED FLUSH PCC SIDEWALK TO PAVEMENT.
- 10

PROPOSED PEDESTRIAN ACCESS, CONTRASTING PAVEMENT PER ADA STANDARDS.
- 11

PROPOSED CONCRETE SIDEWALK, CONTRACTOR SHALL CONSTRUCT TO MEET CURRENT ADA STANDARDS.
- 12

PROPOSED INTEGRAL/TURNDOWN CURB AND SIDEWALK, SEE DETAIL. CONTRACTOR SHALL CONSTRUCT TO MEET CURRENT ADA STANDARDS.
- 13

PROPOSED TRASH ENCLOSURE WITH PIPE BOLLARDS. SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
- 14

PROPOSED PARKING LOT LIGHTING. SEE SITE LIGHTING PLAN FOR DETAILS.
- 15

PROPOSED PYLON SIGN, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 16

PROPOSED OUTDOOR CONCRETE PATIO AREA.
- 17

PROPOSED HANDRAIL, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 18

PROPOSED PATIO LIGHTING. SEE SITE LIGHTING PLAN FOR DETAILS.
- 19

PROPOSED CLEARANCE BAR AND SIGN, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 20


PROPOSED PREVIEW BOARD, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 21

PROPOSED SPEAKER AND LOOP INDICATOR SYSTEM, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 22

PROPOSED DRIVE THRU MENU BOARD, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 23

PROPOSED DO NOT ENTER SIGN, SEE ARCHITECTURAL PLANS FOR DETAILS.
- 24

PROPOSED BICYCLE PARKING AREA TO MEET CITY STANDARDS.



Patch (+/-1.5') bituminous between proposed curb and saw cut match line

Match existing B618 curb

There will need to be a discussion regarding how the proposed apron and southerly curb line impacts the existing shared parking area and apron/access with the neighboring property
-Are there existing cross access agreements in place?



Architect:

JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:

REYLING DESIGN & CONSULTING
4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE:

NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen
5111 East Viking Blvd.
Wyoming, MN 55092
Chicago County

Civil Site Plan
C200

ALL CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST CITY OF WYOMING AND THE MINNESOTA DEPARTMENT OF TRANSPORTATION CODES, STANDARDS AND SPECIFICATIONS.

ALL CONSTRUCTION SHALL CONFORM TO THE APPLICABLE LOCAL, STATE, AND FEDERAL CODE REQUIREMENTS. WHEN CODES ARE IN CONFLICT, THE MORE STRINGENT SHALL APPLY.

THE CONTRACTOR IS RESPONSIBLE TO HAVE ALL EXISTING UTILITIES LOCATED AND PROTECTED DURING CONSTRUCTION. THE CONTRACTOR SHALL NOTIFY THE UTILITY PROTECTION CENTER AT LEAST THREE (3) DAYS PRIOR TO ANY SITE WORK FOR IDENTIFICATION OF EXISTING UTILITIES.

HORIZONTAL CONTROL NOTES

ALL DIMENSIONS ARE TO FACE OF CURB/EDGE OF PAVEMENT UNLESS OTHERWISE NOTED.

[illegible]

JOHN S. ODOM, ARCHITECT
 WYBROOK COUNTRY CLUB ESTATES
 BALLWIN, MISSOURI 63011
 PH. 1.417.343.2602
 WWW.JOHNSDODOM.COM
 E-MAIL: JOHN@JOHNSODOM.COM



REYLING DESIGN & CONSULTING

I HEREBY CERTIFY THAT THIS PLAN,
SPECIFICATION, OR REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT SUPERVISION AND
THAT I AM A DULY LICENSED PROFESSIONAL
ENGINEER UNDER THE LAWS OF THE STATE
OF MINNESOTA.

SIGNATURE: 

NAME: TODD JEFFREY RETLING

DATE: 06.29.2022 LICENSE NUMBER: 50973

[illegible]

PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Civil Site Plan
Horizontal
Control
C201

GENERAL GRADING AND DRAINAGE NOTES:

CONTRACTOR SHALL COORDINATE WITH THE CITY OF WYOMING REGARDING THE ENTRANCE CURB CUTS. IT SHALL BE THE CONTRACTORS RESPONSIBILITY TO OBTAIN ALL PERMITS FOR THE ENTRANCE CURB CUT RECONSTRUCTION. THE CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR ALL TRAFFIC CONTROL REQUIREMENTS.

CONTRACTOR SHALL VERIFY AND PROVIDE POSITIVE DRAINAGE FROM THE PROPOSED BUILDING TO THE EXISTING PAVEMENT/GROUND TIE-IN POINTS.

ALL CONSTRUCTION SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST CITY OF WYOMING CODES, STANDARDS AND SPECIFICATIONS.


ANY CITY OF WYOMING INFRASTRUCTURE (ABOVE OR BELOW GRADE VISIBLE OR NOT) OR PROPERTY DAMAGED AS A RESULT OF CONSTRUCTION SHALL BE REPAIRED BY THE CONTRACTOR TO THE SATISFACTION OF THE CITY OR COUNTY.

ALL CONSTRUCTION SHALL CONFORM TO THE APPLICABLE LOCAL, STATE, AND FEDERAL CODE REQUIREMENTS. WHEN CODES ARE IN CONFLICT, THE MORE STRINGENT SHALL APPLY.


GRADING LEGEND/KEYNOTES:

ALL GRADES ARE PAVEMENT ELEVATIONS UNLESS OTHERWISE NOTED

- XXX.XX MATCH EX. MATCH EXISTING GRADE
- XXX.XX PV PROPOSED SPOT GRADE PAVEMENT
- XXX.XX BC PROPOSED SPOT GRADE AT BACK OF CURB
- XXX.XX SW PROPOSED SPOT GRADE AT SIDEWALK
- XXX.XX BLD PROPOSED SPOT GRADE AT BUILDING
- XXX EXISTING 1-FT CONTOUR LINE
- XXX EXISTING 5-FT CONTOUR LINE
- XXX PROPOSED 1-FT CONTOUR LINE
- XXX PROPOSED 5-FT CONTOUR LINE



Architect:



JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM


Civil Engineer:



REYLING DESIGN & CONSULTING

4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE: 
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Up Building:

Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chicago County

Grading
Plan

C300

STORMWATER MANAGEMENT NOTE:

PER THE CITY OF WYOMING REQUIREMENTS THE CONSTRUCTION OF THE PROPOSED DAIRY QUEEN SITE, THE STORMWATER FLOWS FOR THE NEW PROJECT WERE CONSIDERED. THE PROPOSED SITE WILL HAVE LESS IMPERVIOUS AREA THAN THE EXISTING SITE THEREFORE, NO ADDITIONAL ON-SITE DETENTION/RETENTION WILL BE PROVIDED. ALL EXISTING AND PROPOSED STORMWATER DRAINAGE WILL DRAIN INTO THE EXISTING STORM SEWER SYSTEM. BASED BMP'S, AS SHOWN ON THESE PLANS HAVE BEEN PROPOSED.

STORM DRAIN KEY NOTES:


- 1
- PROPOSED STORM DRAIN INLET IN PAVEMENT AREAS, STORM DRAIN INLETS SHALL HAVE TRAFFIC RATED CAST IRON FRAME WITH SITE CAST CONCRETE

HYDRAULIC ANALYSIS:

ANALYSIS OPTIONS

FLOW UNITS CFS
SUBBASIN HYDROGRAPH METHOD..... RATIONAL
TIME OF CONCENTRATION..... SCS TR-55
RETURN PERIOD..... 2,10,100 YEARS
LINK ROUTING METHOD HYDRODYNAMIC
STORAGE NODE EXFILTRATION.. CONSTANT FLOW
STARTING DATE JUL-17-2022 00:00:00
ENDING DATE JUL-17-2022 02:00:00
REPORT TIME STEP 00:00:10

IDF DATA (2,10,100-YEAR STORM)



CATCHMENT SUMMARY (2-YEAR STORM)


SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.9000	0.71	0.64	5.19	3.227	0 00:13:09

CATCHMENT SUMMARY (10-YEAR STORM)

SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.9000	1.03	0.93	7.54	4.693	0 00:13:09

CATCHMENT SUMMARY (100-YEAR STORM)

SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.9000	1.54	1.39	11.28	7.024	0 00:13:09



Architect:

JSD

JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:

RDC

REYLING DESIGN & CONSULTING

4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE:

NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Up Building:

Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chicago County

Existing
Drainage Area
Plan

C400

STORMWATER MANAGEMENT NOTE:

PER THE CITY OF WYOMING REQUIREMENTS THE CONSTRUCTION OF THE PROPOSED DAIRY QUEEN SITE, THE STORMWATER FLOWS FOR THE NEW PROJECT WERE CONSIDERED. THE PROPOSED SITE WILL HAVE LESS IMPERVIOUS AREA THAN THE EXISTING SITE THEREFORE, NO ADDITIONAL ON-SITE DETENTION/RETENTION WILL BE PROVIDED. ALL EXISTING AND PROPOSED STORMWATER DRAINAGE WILL DRAIN INTO THE EXISTING STORM SEWER SYSTEM, BASED BMP'S, AS SHOWN ON THESE PLANS HAVE BEEN PROPOSED.

STORM DRAIN KEY NOTES:


- 1
- PROPOSED STORM DRAIN INLET IN PAVEMENT AREAS, STORM DRAIN INLETS SHALL HAVE TRAFFIC RATED CAST IRON FRAME WITH SITE CAST CONCRETE

HYDRAULIC ANALYSIS:

ANALYSIS OPTIONS

FLOW UNITS CFS
SUBBASIN HYDROGRAPH METHOD..... RATIONAL
TIME OF CONCENTRATION..... SCS TR-55
RETURN PERIOD..... 2,10,100 YEARS
LINK ROUTING METHOD HYDRODYNAMIC
STORAGE NODE EXFILTRATION.. CONSTANT FLOW
STARTING DATE JUL-17-2022 00:00:00
ENDING DATE JUL-17-2022 02:00:00
REPORT TIME STEP 00:00:10

IDF DATA (2,10,100-YEAR STORM)



CATCHMENT SUMMARY (2-YEAR STORM)


SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.8500	0.71	0.60	4.90	3.227	0 00:13:09

CATCHMENT SUMMARY (10-YEAR STORM)

SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.8500	1.03	0.88	7.12	4.693	0 00:13:09

CATCHMENT SUMMARY (100-YEAR STORM)

SN	Element ID	Area	Drainage Node ID	Weighted Runoff Coefficient	Accumulated Precipitation	Total Runoff	Peak Runoff	Rainfall Intensity	Time of Concentration
		(acres)			(inches)	(inches)	(cfs)	(inches/hr)	(days hh:mm:ss)
1	{AREA}.Catchment : 1	1.79	Out-02	0.8500	1.54	1.31	10.66	7.024	0 00:13:09



Architect:
JSD
JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:
RDC
REYLING DESIGN & CONSULTING
4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.
SIGNATURE:
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973
ISSUED / REVISED DATE
ISSUED FOR REVIEW 06.29.2022
PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen
5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Proposed
Drainage Area
Plan
C401

1. PROPOSED 4" PVC SDR-35 GREASE SANITARY SEWER SERVICE TO BUILDING AT INVERT = 893.00±. SEE PLUMBING PLANS FOR CONNECTION INTO BUILDING.
2. PROPOSED 4" PVC SDR-35 SANITARY SEWER SERVICE TO BUILDING AT INVERT = 893.00±. SEE PLUMBING PLANS FOR CONNECTION INTO BUILDING.
3. PROPOSED SANITARY SEWER CLEANOUT, SEE DETAIL.
4. PROPOSED 18 LF OF 4" PVC SDR-35 GREASE SANITARY SEWER LATERAL AT 2.00%.
5. PROPOSED 5 LF OF 4" PVC SDR-35 GREASE SANITARY SEWER LATERAL AT 2.00%.
6. PROPOSED GREASE INTERCEPTOR, TOP ELEVATION 895.30. SEE PLUMBING PLANS FOR DETAILS, UPSTREAM INV.-892.54, DOWNSTREAM INV.-892.29
7. PROPOSED 18 LF OF 4" PVC SDR-35 SANITARY SEWER LATERAL AT 4.61%.
8. PROPOSED 16 LF OF 4" PVC SDR-35 SANITARY SEWER LATERAL AT 2.00%.
9. PROPOSED 112 LF OF 4" PVC SDR-35 GREASE SANITARY SEWER LATERAL AT 2.47%.
10. CONTRACTOR TO CONNECT PROPOSED 4" PVC SDR-35 SANITARY SEWER SERVICE TO EXISTING SANITARY SEWER AT 489.20±. CONTRACTOR TO COORDINATE WITH SANITARY SEWER DISTRICT FOR SERVICE AND CONNECTION.

1. PROPOSED 2" DOMESTIC WATER SERVICE STUB INTO BUILDING. SEE PLUMBING PLANS FOR CONNECTION INTO BUILDING.
2. PROPOSED 2" DOMESTIC WATER LINE (FLEXIBLE TYPE "K" COPPER) TO BUILDING. MINIMUM BURY DEPTH 42" BELOW FINISHED GRADE.
3. PROPOSED 2" DOMESTIC WATER METER AND CURB STOP . CONTRACTOR TO COORDINATE INSTALLATION AND SERVICE WITH THE WATER DEPARTMENT.
4. PROPOSED 2" DOMESTIC WATER SERVICE TAP. CONTRACTOR TO COORDINATE INSTALLATION OF TAP AND SERVICE WITH THE WATER DEPARTMENT.

- 1 PROPOSED ELECTRICAL SERVICE STUB TO BUILDING WITH TWO BOLLARDS TO PROTECT METER.
- 2 PROPOSED ELECTRICAL SERVICE FROM BUILDING TO NEW PAD MOUNTED TRANSFORMER. CONTRACTOR TO COORDINATE WITH ELECTRIC COMPANY AND ELECTRICAL ENGINEER FOR SERVICE.
- 3 PROPOSED PAD MOUNTED TRANSFORMER WITH BOLLARDS. CONTRACTOR TO COORDINATE WITH ELECTRIC COMPANY ON LOCATION AND SERVICE.
- 4 PROPOSED ELECTRICAL SERVICE FROM NEW PAD MOUNTED TRANSFORMER TO EXISTING POWER SOURCE. CONTRACTOR TO COORDINATE WITH ELECTRIC COMPANY AND ELECTRICAL ENGINEER FOR SERVICE.
- 5 EXISTING ELECTRICAL SERVICE. CONTRACTOR TO COORDINATE WITH ELECTRIC COMPANY ELECTRICAL ENGINEER FOR CONNECTION AND SERVICE.
- 6 PROPOSED TELEPHONE AND DATA SERVICE STUB TO BUILDING.
- 7 PROPOSED TELEPHONE AND DATA CONNECTION TO EXISTING DATA SOURCE.
- 8 EXISTING TELEPHONE AND DATA SERVICE. CONTRACTOR TO COORDINATE WITH TELECOMMUNICATION COMPANY FOR CONNECTION AND SERVICE.
- 9 PROPOSED GAS SERVICE STUB AND METER TO BUILDING, WITH TWO BOLLARDS TO PROTECT METER. CONTRACTOR TO COORDINATE METER, BOLLARD AND POC LOCATION WITH MEP ENGINEER CONSTRUCTION PLANS.
- 10 PROPOSED GAS SERVICE. CONTRACTOR TO COORDINATE WITH GAS COMPANY AND MEP ENGINEER FOR SERVICE.
- 11 EXSITING GAS SERVICE. CONTRACTOR TO COORDINATE WITH GAS COMPANY AND MEP ENGINEER FOR TAP AND SERVICE.
- 12 PROPOSED SITE LIGHTING, SEE ELECTRICAL SITE LIGHTING PLAN FOR DETAILS.


UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES HAVE BEEN PLOTTED FROM AVAILABLE SURVEYS AND RECORDS, AND THEREFORE DO NOT NECESSARILY REFLECT THE ACTUAL EXISTENCE, NON-EXISTENCE, SIZE, TYPE, NUMBER, OR LOCATION OF THESE FACILITIES, STRUCTURES, AND UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE ACTUAL LOCATION OF ALL UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES, EITHER SHOWN OR NOT SHOWN ON THESE PLANS. THE UNDERGROUND FACILITIES, STRUCTURES, AND UTILITIES SHALL BE LOCATED IN THE FIELD PRIOR TO ANY GRADING, EXCAVATION, OR CONSTRUCTION OF IMPROVEMENTS.




MINNESOTA UTILITY LOCATION SERVICE
PHONE: 800.252.1166 OR WWW.GOPHERSTATEONECALL.ORG

ALL BUILDING POC SIZES AND LOCATIONS ARE FOR REFERENCE ONLY. CONTRACTOR TO CONSULT THE MECHANICAL, ELECTRICAL, AND PLUMBING ENGINEER TO CONFIRM EXACT BUILDING SIZES AND LOCATIONS.

WATER:	WYOMING PUBLIC WORKS 651.462.0580
ELECTRIC:	XCEL ENERGY 800.895.4999
GAS:	XCEL ENERGY 800.895.4999
SANITARY SEWER:	WYOMING PUBLIC WORKS 651.462.0580
STORM SEWER:	WYOMING PUBLIC WORKS 651.462.0575
COMMUNICATIONS:	FRONTIER 866.226.5170



Architect




JOHN S. ODOM, ARCHITECT
99 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSTODOM.COM
E-MAIL: JOHN@JOHNSTODOM.COM

Civil Engineer:



4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN,
SPECIFICATION, OR REPORT WAS PREPARED BY
ME OR UNDER MY DIRECT SUPERVISION AND
THAT I AM A DULY LICENSED PROFESSIONAL
ENGINEER UNDER THE LAWS OF THE STATE
OF MINNESOTA.

SIGNATURE: 

NAME: TODD JEFFREY REELING

DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

[illegible]

PROJECT NUMBER: 22-142

New Ground Up Building:

Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Site Utility Plan

C500

SEDIMENT AND EROSION CONTROL NOTES:

ALL SEDIMENT AND EROSION CONTROL PRACTICES SHALL BE IN COMPLIANCE WITH CITY OF WYOMING, MN. AND THE MINNESOTA POLLUTION CONTROL AGENCY.

APPROVAL OF THIS EROSION AND SEDIMENTATION CONTROL (ESC) PLAN DOES NOT CONSTITUTE AN APPROVAL OF PERMANENT ROAD OR DRAINAGE DESIGN.

THE IMPLEMENTATION OF THESE ESC PLANS AND THE CONSTRUCTION, MAINTENANCE, REPLACEMENT, AND UPGRADING OF THESE ESC FACILITIES IS THE RESPONSIBILITY OF THE CONTRACTOR/ESC RESPONSIBLE PARTY UNTIL ALL CONSTRUCTION IS APPROVED. THE CONTRACTOR IS ALSO RESPONSIBLE FOR ALL EROSION AND SEDIMENT CONTROL PERMITTING.

THE BOUNDARIES OF THE CLEARING LIMITS SHOWN ON THIS PLAN SHALL BE CLEARLY FLAGGED BY SURVEY TAPE OR FENCING, PRIOR TO CONSTRUCTION. DURING THE CONSTRUCTION PERIOD, NO DISTURBANCE BEYOND THE CLEARING LIMITS SHALL BE PERMITTED. THE CLEARING LIMITS SHALL BE MAINTAINED BY THE CONTRACTOR/ESC RESPONSIBLE PARTY FOR THE DURATION OF THE CONSTRUCTION.

THE STABILIZED CONSTRUCTION ENTRANCE SHALL BE INSTALLED AT THE BEGINNING OF CONSTRUCTION AND MAINTAINED THROUGHOUT THE DURATION OF THE PROJECT. ADDITIONAL MEASURES, SUCH AS CONSTRUCTED WHEEL WASH SYSTEMS OR WASH PADS, MAY BE REQUIRED TO ENSURE THAT ALL PAVED AREAS ARE KEPT CLEAN AND THAT TRACK OUT TO ROAD RIGHT OF WAY DOES NOT OCCUR FOR THE DURATION OF THE PROJECT.

THE ESC FACILITIES SHOWN ON THIS PLAN MUST BE CONSTRUCTED PRIOR TO OR IN CONJUNCTION WITH ALL CLEARING AND GRADING SO AS TO ENSURE THAT THE TRANSPORT OF SEDIMENT TO SURFACE WATERS, DRAINAGE SYSTEMS, AND ADJACENT PROPERTIES IS MINIMIZED.

THE ESC FACILITIES SHOWN ON THIS PLAN ARE THE MINIMUM REQUIREMENTS FOR ANTICIPATED CONSTRUCTION ACTIVITIES. DURING THE CONSTRUCTION PERIOD, THESE ESC FACILITIES SHALL BE UPGRADED AS NEEDED FOR UNEXPECTED STORM EVENTS AND MODIFIED TO ACCOUNT FOR CHANGING SITE CONDITIONS.

THE ESC FACILITIES SHALL BE INSPECTED DAILY BY THE CONTRACTOR/ESC RESPONSIBLE PARTY AND MAINTAINED TO ENSURE CONTINUED PROPER FUNCTIONING. WRITTEN RECORDS SHALL BE KEPT OF WEEKLY REVIEW OF THE ESC FACILITIES.

ANY AREAS OF EXPOSED SOILS, INCLUDING ROADWAY EMBANKMENTS, THAT WILL NOT BE DISTURBED FOR TWO DAYS DURING WET SEASON OR SEVEN DAYS THE DRY SEASON SHALL BE IMMEDIATELY STABILIZED WITH THE APPROVED ESC COVER METHODS (SEEDING, MULCHING, ETC.)

ANY AREA NEEDING ESC MEASURES, NOT REQUIRING IMMEDIATE ATTENTION SHALL BE ADDRESSED WITHIN SEVEN DAYS.

THE ESC FACILITIES ON INACTIVE SITES SHALL BE INSPECTED AND MAINTAINED A MINIMUM OF ONCE A MONTH OR WITHIN 24 HOURS FOLLOWING A STORM EVENT.

ANY PERMANENT RETENTION/DETENTION FACILITY USED AS A TEMPORARY SETTLING BASIN SHALL BE MODIFIED WITH THE NECESSARY EROSION CONTROL MEASURES AND SHALL PROVIDE ADEQUATE STORAGE CAPACITY. IF THE PERMANENT FACILITY IS TO FUNCTION ULTIMATELY AS AN INFILTRATION SYSTEM, THE TEMPORARY FACILITY MUST BE ROUGH GRADED SO THAT THE BOTTOM AND SIDES ARE AT LEAST THREE FEET ABOVE THE FINAL GRADE OF THE PERMANENT FACILITY.

PRIOR TO THE BEGINNING OF THE WET SEASON, ALL DISTURBED AREAS SHALL BE REVIEWED TO IDENTIFY WHICH ONES CAN BE SEEDED IN PREPARATION FOR THE WINTER WEATHER. DISTURBED AREAS SHALL BE SEEDED WITHIN ONE WEEK OF THE BEGINNING OF THE WET SEASON. A SKETCH MAP OF THOSE AREAS TO BE SEEDED AND THOSE AREAS TO REMAIN UNCOVERED SHALL BE SUBMITTED TO THE ESC INSPECTOR FOR REVIEW.

EROSION CONTROL BLANKETS, SOIL BINDERS, OR HYDROSEEDING SHALL BE USED TO PREVENT SOIL EROSION. AREAS THAT ARE EXPOSED FOR 14 DAYS OR MORE ARE INACTIVE AND MUST BE COVERED. ALL OTHER AREAS SHALL BE PROTECTED AS REQUIRED TO PREVENT SOIL EROSION.

STREET SWEEPING NOTE:

CONTRACTOR SHALL SWEEP/REMOVE ALL SEDIMENT AND DEBRIS WITHIN THE ROADWAY AT THE END OF EACH DAY

LAND DISTURBANCE NOTE:

THE TOTAL SITE DISTURBANCE FOR THIS DEVELOPMENT IS 0.98 ACRES. THIS IS LESS THAN ONE (1.00) ACRE, THEREFORE A NOTICE OF INTENT (NOI), LAND DISTURBANCE PERMIT WILL NOT BE REQUIRED. THE CONTRACTOR WILL STILL BE REQUIRED TO PROVIDE AND MEET THE EROSION AND SEDIMENT CONTROL MEASURES PER THE MINNESOTA POLLUTION CONTROL AGENCY AND THE CITY OF WYOMING, MN.

EROSION AND SEDIMENT CONTROL BASIC PRACTICES:

PRESERVE AND PROTECT AREAS OF NATURAL VEGETATION. AREAS TO BE PRESERVED SHALL BE PROTECTED WITH SILT FENCING TO PREVENT DAMAGE FROM CONSTRUCTION OPERATIONS.

TAKE SPECIAL PRECAUTIONS TO PREVENT DAMAGE THAT COULD RESULT FROM DEVELOPMENT ACTIVITIES NEAR WATERCOURSES, LAKES, AND WETLANDS.

MINIMIZE THE EXTENT AND DURATION OF THE DEVELOPMENT AREA EXPOSED AT ONE TIME.

APPLY TEMPORARY EROSION CONTROL PRACTICES AS SOON AS POSSIBLE TO STABILIZE EXPOSED SOILS AND PREVENT ON-SITE DAMAGE.

INSTALL SEDIMENT BASINS OR TRAPS, FILTER BARRIERS, DIVERSIONS, AND PERIMETER CONTROL MEASURES PRIOR TO SITE CLEARING AND GRADING TO PROTECT THE DISTURBED AREA FROM OFF-SITE AND ON-SITE RUNOFF AND TO PREVENT SEDIMENT TRANSPORT TO AREAS DOWNSTREAM OF THE DEVELOPMENT SITE.

KEEP RUNOFF VELOCITIES LOW, AND RETAIN RUNOFF ON SITE AS MUCH AS POSSIBLE.

PROVIDE MEASURES TO PREVENT SEDIMENT FROM BEING TRACKED ONTO PUBLIC OR PRIVATE ROADWAYS.

IMPLEMENT FINAL GRADING AND INSTALL PERMANENT VEGETATION ON DISTURBED AREAS AS SOON AS POSSIBLE.

SITE AND BEST MANAGEMENT PRACTICE (BMPs) INSPECTIONS MUST BE COMPLETED WEEKLY, OR AFTER EACH STORM EVENT RESULTING IN MORE THAN 0.5 INCH OF RAINFALL. THE PURPOSE OF THE INSPECTIONS IS TO ASSESS AND DETERMINE WHETHER THE SOIL EROSION AND SEDIMENT CONTROL MEASURES IDENTIFIED IN THE EROSION CONTROL PLAN ARE OPERATING PROPERLY AND EFFECTIVELY, AND TO INITIATE MAINTENANCE AS NEEDED. INSPECTIONS SHOULD INCLUDE A VISUAL OBSERVATION OF ALL DISTURBED AREAS OF THE REGULATED DEVELOPMENT, MATERIAL STORAGE AREAS, SEDIMENT AND EROSION CONTROL MEASURES, LOCATIONS WHERE VEHICLES ENTER AND EXIT THE SITE, AND ACCESSIBLE DISCHARGE POINTS/OUTFALLS.

INSPECTIONS SHOULD BE COMPLETED AND CONDUCTED BY QUALIFIED INSPECTORS WHO ARE FAMILIAR WITH THE EROSION CONTROL PLAN AND THE BMPs IMPLEMENTED AT THE SITE. IN GENERAL, IF INSPECTIONS INDICATE THAT A BMP IS NOT OPERATING PROPERLY, IT IS RECOMMENDED THAT MAINTENANCE AND MODIFICATION OF THE BMP BE PERFORMED AS SOON AS POSSIBLE AND BEFORE THE NEXT STORM EVENT WHENEVER PRACTICABLE AND NO LATER THAN SEVEN (7) CALENDAR DAYS FROM THE INSPECTION DATE, TO ENSURE ITS CONTINUED EFFECTIVENESS. MINIMUM MAINTENANCE STANDARDS FOR EACH SPECIFIC BMP ARE INCLUDED IN THE EROSION CONTROL PLAN.

THE REGULATED DEVELOPMENT MUST KEEP A COPY OF THE EROSION CONTROL PLAN ON SITE AT ALL TIMES DURING CONSTRUCTION AND MAKE THE PLAN AVAILABLE FOR REVIEW BY A FIELD REPRESENTATIVE UPON REQUEST.

EROSION AND SEDIMENTATION CONTROL
RECOMMENDED CONSTRUCTION SEQUENCE:




- CONTRACTOR TO CONDUCT A PRE-CONSTRUCTION MEETING.
- CONTRACTOR TO POST A SIGN WITH NAME AND PHONE NUMBER OF ESC RESPONSIBLE PARTY.
- CONTRACTOR TO FLAG AND FENCE CLEARING LIMITS.
- INSTALL CATCH BASIN PROTECTION, IF REQUIRED.
- GRADE AND INSTALL CONSTRUCTION ENTRANCE(S).
- CONTRACTOR TO INSTALL PERIMETER BARRIER, SILT FENCE, ETC.
- CONSTRUCT SEDIMENT PONDS AND TRAPS, IF REQUIRED.
- GRADE AND STABILIZE CONSTRUCTION ROADS.
- CONSTRUCT SURFACE WATER CONTROLS (INTERCEPTOR DIKES, PIPE SLOPE DRAINS, ETC.) SIMULTANEOUSLY WITH CLEARING AND GRADING FOR PROJECT DEVELOPMENT.
- MAINTAIN EROSION CONTROL MEASURES IN ACCORDANCE WITH APPLICABLE STANDARDS AND MANUFACTURER RECOMMENDATIONS.
- RELOCATED EROSION CONTROL MEASURES OR INSTALL NEW MEASURES AS SITE CONDITIONS CHANGE TO ENSURE THE SEDIMENT AND EROSION CONTROL IS ALWAYS IN ACCORDANCE WITH APPLICABLE STANDARDS.
- COVER ALL AREAS THAT WILL NOT BE WORKED ON FOR MORE THAN SEVEN DAYS DURING THE DRY SEASON OR TWO DAYS DURING THE WET SEASON WITH STRAW, WOOD FIBER MULCH, COMPOST OR EQUIVALENT.
- STABILIZE ALL AREAS THAT REACH FINAL GRADE WITHIN SEVEN DAYS.
- SEED OR SOD ANY AREAS THAT WILL NOT BE WORKED ON FOR MORE THAN 30 DAYS.
- UPON COMPLETION OF THE PROJECT, ALL DISTURBED AREAS MUST BE STABILIZED AND BMPs REMOVED IF APPROPRIATE.

EROSION AND SEDIMENT CONTROL KEY NOTES:

- A LIMITS OF CONSTRUCTION
- B.X PERIMETER EROSION BARRIER SILT FENCE
- C.X PAVEMENT INLET/PIPE SEDIMENT PROTECTION

- TEMPORARY CONSTRUCTION SANITARY FACILITIES
- STAGING AREA FOR VEHICLE AND EQUIPMENT CLEANING, FUELING, AND MAINTENANCE
- STAGING AREA FOR MATERIAL DELIVERY AND STORAGE

- WASTE STORAGE AREA
- TEMPORARY CONCRETE WASHOUT AREA
- STABILIZED CONSTRUCTION ENTRANCE



Show existing and proposed contours on the erosion control plans to confirm perimeter control is being provided at all locations which drain offsite. It appears silt fence may be needed along the east side of the site based on the grading plan.

Architect:
JSD
JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM


Civil Engineer:
RDC
REYLING DESIGN & CONSULTING
4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.
SIGNATURE: *[Signature]*
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973


ENGINEER OF RECORD: Todd J. Reyling, PE Minnesota PE 50973	
ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022
PROJECT NUMBER: 22-142	

New Ground Up Building:
Dairy Queen
5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Sediment and
Erosion Control
Plan
C600





SANITARY SEWER CLEANOUT DETAIL
NOT TO SCALE



- GREASE TRAP REQUIRED MAINTENANCE:
1. REMOVE COVER.
 2. REMOVE GREASE FROM TOP OF SEPARATION CHAMBER.
 3. REMOVE ANY SOLIDS FROM BOTTOM OF CHAMBER.
 4. INSPECT INTERCEPTOR AND CLEAN IF NECESSARY.
 5. MAKE CERTAIN ALL PASSAGES INCLUDING RELIEF ARE CLEAR OF OBSTRUCTIONS.
 6. CHECK INTEGRITY OF BAFFLES AND MAKE SURE THEY ARE IN PLACE.
 7. REPLACE COVER.
 8. TIGHTEN COVER HOLD DOWN BOLTS, SCREWS OR LATCHES.
 9. CLEAN GREASE TRAP WEEKLY, IF GREASE TRAP IS MORE THAN 50% FULL.
 10. INCREASE FREQUENCY OF CLEANING.
 11. KEEP A MAINTENANCE LOG LISTING THE FREQUENCY OF CLEANING AND VOLUME OF GREASE.

GREASE INTERCEPTOR DETAIL
NOT TO SCALE



PAVEMENT INLET DETAIL
NOT TO SCALE

Architect:

JSO


JOHN S. ODOM, ARCHITECT
99 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:

RDC

REYLING DESIGN & CONSULTING
4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE: 

NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973


ENGINEER OF RECORD:
Todd J. Reyling, PE
Minnesota PE 50973

ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022


PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen
5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County


Construction
Details
C702




PARKING SPACE DETAIL
NOT TO SCALE




PARKING BLOCK DETAIL
NOT TO SCALE



ACCESSIBLE PARKING SPACE DETAIL
NOT TO SCALE




DETECTABLE WARNING (TRUNCATED DOMES) DETAIL
NOT TO SCALE




60° PARKING SPACE DETAIL
NOT TO SCALE




ACCESSIBLE PARKING SIGN DETAIL
NOT TO SCALE




PIPE BOLLARD DETAIL
NOT TO SCALE




SIGN POST DETAIL
NOT TO SCALE




TYPICAL CONCRETE DETAIL
NOT TO SCALE




TURN DOWN CURB AND SIDEWALK
NOT TO SCALE




CONCRETE BARRIER CURB DETAIL
NOT TO SCALE




PEDESTRIAN ACCESS PAVEMENT MARKING DETAIL
NOT TO SCALE



PARKING LOT PAVEMENT DETAIL
NOT TO SCALE



CONCRETE PAVEMENT DETAIL
NOT TO SCALE



CURB TAPER DETAIL
NOT TO SCALE


Architect:

JOHN S. ODOM, ARCHITECT
89 MEADOWBROOK COUNTRY CLUB ESTATES
BALLWIN, MISSOURI 63011
PH. 1.417.343.2602
WWW.JOHNSODOM.COM
E-MAIL: JOHN@JOHNSODOM.COM

Civil Engineer:

REYLING DESIGN & CONSULTING
4516 Boardwalk | Smithton, IL | 62285
reylingdc@gmail.com

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

SIGNATURE: 
NAME: TODD JEFFREY REYLING
DATE: 06.29.2022 LICENSE NUMBER: 50973

ENGINEER OF RECORD: Todd J. Reyling, PE Minnesota PE 50973	
ISSUED / REVISED	DATE
ISSUED FOR REVIEW	06.29.2022

PROJECT NUMBER: 22-142

New Ground Up Building:
Dairy Queen

5111 East Viking Blvd.
Wyoming, MN 55092
Chisago County

Construction
Details
C703



2022 Comprehensive Plan

City Council Members, 2022

Lisa Iverson, Mayor
Claire Luger, Linda Nanko/Yeager, Brett Ohnstad, Dennis Schilling,

Planning Commission, 2022

Roger Carr, Mark Lobermeier, Bryan Murdock, Kevin Teel, Katie West,

City Staff

Robb Linwood, City Administrator
Fred Weck, Zoning Administrator

Technical Consultants

WSB & Associates – Planning & Engineering

City of Wyoming
26885 Forest Boulevard
Wyoming, Minnesota 55092-0188
651-462-0575
<https://www.wyomingmn.org/>

Draft Number 3 – April 12, 2022

Table of Contents

Introduction	1
What is a Comprehensive Plan?	1
Implementing the Plan	1
The Official Map	2
The Planning Process.....	3
Wyoming’s Initial Comprehensive Plan	3
2019 Resident Survey	3
Prior Plans and Studies	4
Community Profile.....	5
History	5
Regional Setting & Population Trends	8
Economic Conditions/Leading Employers	9
Existing Conditions	10
General Demographics	10
Environmental Setting	10
Existing Land Use.....	10
Highways and Transportation.....	10
Current Trends	11
Planning Factors Affecting Development (challenges and opportunities).....	12
Vision, Goals and Objectives.....	14
Vision and Objectives	14
Plan Overview.....	16
Land Use Plan	16
Transportation Plan.....	16
Utilities	17
Parks, Open Space, and Trails.....	17
Housing.....	17
Environmental Resources.....	18

Economic Development	18
Implementation.....	18
Land Use Plan	19
Land Use Types and Descriptions	20
Urban Service Area	25
Land Use Plan	28
Transportation Plan	31
Functional Classification	31
Roadway Capacity	34
Access Management	37
Road Design and Right of Way	38
Jurisdictional Classification Plan	39
Intergovernmental Coordination.....	39
Utilities	42
Urban Service Area	42
Sanitary Sewer System Plan.....	42
Private Individual or Community Wastewater Systems.....	50
Water System	51
Housing	56
Housing Conditions	56
Future Housing Needs	58
Housing Plan.....	58
Parks, Trails and Recreation	61
Comprehensive Park Plan.....	63
Trails System.....	66
Natural Environment and Sustainability	68
Natural Environment.....	68
Sustainability	71
Economic Development	72
Economic Development Goals.....	72
Comprehensive Planning and Economic Development.....	73
Plan Implementation	75
Official Controls.....	75
Guidelines for Adjusting the Zoning Map	76

Annual Report	76
Formal Reviews	76
Periodic Amendments	77
Priority Actions	78
List of References	84

List of Tables

Table 1	Population Growth	7
Table 2	Population Trends	8
Table 3	Racial Makeup of Wyoming.....	8
Table 4	Recent Development Projects	11
Table 5	Land Use and Zoning Descriptions	23
Table 6	Acreage by Land Use Category	24
Table 7	Land Use Categories and Urban Service Area Acreage	28
Table 8	Functional Classification and Jurisdiction by Street.....	33
Table 9	Planning Level Roadway Capacity.....	35
Table 10	Motor Vehicle Crashes in Wyoming (2016-2020)	36
Table 11	Top Eight Crash Locations in Wyoming (2016-2020) (by total crashes	37
Table 12	Characteristics of Future Residential Streets.....	38
Table 13	Sanitary Sewer Service Areas	46
Table 14	Ultimate Sanitary Sewer System Costs.....	50
Table 15	Wyoming Interceptor Capacity Allocation.....	50
Table 16	Water Service Area.....	53
Table 17	Cost of Proposed Ultimate Water System	54
Table 18	Housing Unit History	57
Table 19	Housing Unit Types.....	57
Table 20	Housing unit Values.....	57
Table 21	Existing City Parks.....	61
Table 22	Major Plan Implementation Actions.....	79

List of Figures

Figure 1	1888 Map of Wyoming.....	6
Figure 2	Estimated Number of Workers.....	9
Figure 3	Plan Vision and Objectives	15
Figure 4	Interim Service Area	26
Figure 5	Ultimate Service Area	27
Figure 6	Land Use Plan	29
Figure 7	Downtown Core Planning Area	30
Figure 8	Road System Plan	32
Figure 9	Highway 8 Corridor.....	40
Figure 10	Chisago Lakes Joint Sewage Collection and Treatment System	43
Figure 11	Existing Sanitary Sewer Residual Capacity.....	45

Figure 12	Ultimate Sanitary Sewer System	48
Figure 13	Sanitary Sewer System Expansion Areas	49
Figure 14	Existing Water Supply System	52
Figure 15	Ultimate Water Supply System.....	55
Figure 16	Life Cycle Housing	59
Figure 17	Parks, Trails and Open Space.....	62
Figure 18	Future Park Program	63
Figure 19	Regional Trails	67
Figure 20	Watersheds	69

Introduction

What is a Comprehensive Plan?

A comprehensive plan is an extension of the community's vision for future growth and development. It is also a strategic road map to reach that goal. Comprehensive planning is an important tool to guide future development of land to ensure a safe, pleasant, and economically viable environment for residential, commercial, industrial, and public activities (Ref. 1).

The Comprehensive Planning process helps to:

- Protect important resources, agricultural, and other open lands.
- Create the opportunity for residents to participate in guiding a community's future.
- Identify issues, stay ahead of trends, and accommodate change.
- Ensure that growth makes communities better; not just bigger.
- Foster sustainable economic development.
- Provide an opportunity to consider future implications of today's decisions.
- Protect property rights and values.
- Enable other public and private agencies to plan their activities in harmony with City plans.

As a result, the comprehensive plan lays out a vision for future development and land use. It dictates where growth should occur, the type of growth that is allowed in various areas of the City, and the density of such growth. The plan should also establish the following:

- Public facilities plan (water and sewer).
- Thoroughfare or transportation plan.
- Parks and open space plan.
- Capital Improvement Plan.

Once adopted, the plan guides local officials in making their day-to-day decisions and becomes a factor in their decision process. Comprehensive plans assist the City in articulating the basis for zoning decisions, providing legal support to ensure that zoning ordinances are reasonable and have a rational basis.

Implementing the Plan

Once a Comprehensive Plan is adopted, the Planning Commission is tasked to study and propose to the City Council a reasonable and practicable means for putting the plan or sections of the plan into effect (Ref. 2). Reasonable and practicable means for putting the plan into effect, include:

- Zoning regulations.
- Subdivision regulations.
- A program for coordination of the normal public improvements and services.

- A program for development and redevelopment.
- A capital improvement program.
- An official map.

The Official Map

The official map is a unique map designed to help carry out the policies of the major thoroughfare plan and municipal facilities plan. The official map can cover parts of the City or the entire City. The purpose of the official map is to identify land for future public uses such as streets and other public facilities. It also allows property owners to make plans that align with the planned future land use.

The Planning Process

The Comprehensive Plan is meant to be a living document, grounded in real challenges and opportunities. It is meant to be revisited frequently and revised as conditions change. The Plan looks out to a horizon of twenty years; however, it is meant to be reexamined every ten years. The City will use the continuous input of the public, whether through formal or informal means, to make sure that the vision, goals, and policies are still relevant.

Wyoming's Initial Comprehensive Plan

In the Fall of 2007, the City of Wyoming and Wyoming Township formed a Comprehensive Plan Task Force to combine the Township's 2004 Comprehensive Plan and the City's 2001 Comprehensive Plan into a single, cohesive document to guide the future of the community (the two communities were merged in August of 2008). Some of the initial guiding principles for the inaugural meeting of the task force included (Ref. 3):

- Rural Character – Small town feel.
- Balance rural setting and urbanization.
- Property Rights.
- Orderly extension of sewer and water.
- Compatibility of adjoining uses.
- Natural Resources.
- Agriculture.

Ultimately, the Taskforce completed the combined comprehensive plan, which was officially adopted on January 21, 2009. The 2009 Comprehensive Plan was, for the most part, a land use map, that did not include a realistic development plan. In 2015, the Planning Commission kicked-off an effort to update the plan. The effort proceeded slowly, retaining much of the 2009 document. In the fall of 2019, an effort was undertaken to seek public input. Progress slowed again in 2020 in part due to the Covid-19 pandemic.

2019 Resident Survey

An online resident survey was made available during October 2019. The questions engaged respondents on a variety of subjects, from how they commute within the City, to what business they would like to see, to how they feel about the parks and trails system. A majority of respondents preferred the description of Wyoming that emphasized its small-town feel and that it was a nice and quiet community. The community's small-town qualities were highlighted in responses to other questions, for which many respondents believed that the small-town feel was the most important quality. Other survey findings included an emphasis on planning and growth, lowering taxes, and improvements to roads and infrastructure.

Open House

A public open house was held on November 20, 2019 at City Hall. Staff arranged three stations which were organized around specific themes, and prompted attendees to respond to questions addressing those themes.

The **Community Identity and Culture** station identified the low intensity nature of a “small town feeling”, the rural setting, and consideration and trust amongst neighbors.

The **Wyoming is Open for Business** station identified a desire for a larger variety of restaurants and retail businesses, actions that would increase job growth, and more specifically further development of the M Health Fairview Medical Center Campus area.

Station Three, the **Developing Wyoming** station prompted participants to identify prime areas of development, specific types of development that support a “bedroom-type” community, and other specific tenant types.

Prior Plans and Studies

This plan builds on a considerable amount of previous planning done by the City. A complete list of references is included in the appendix. Some of the critical resources relied on for the completion of this plan include the following:

- City of Wyoming Comprehensive Plan, 2009.
- City of Wyoming Zoning Ordinance and Map.
- City of Wyoming Strategic Plan, 2017.
- City of Wyoming Urban Service Area.
- Chisago County Housing Study, 2018.
- Comprehensive Water Plan, 2010.
- Comprehensive Sewer Plan, 2010.

Community Profile

History

To help understand the future of Wyoming, it is important to acknowledge the rich history of the community. The City of Wyoming began as the Township of Wyoming. The initial survey of the Township dates back to 1847.

The first settlers arrived in Wyoming in 1855. They were six German and Dutch families from Pennsylvania, shortly joined by families from Chicago and St. Paul. Wyoming Township was organized in 1858. They named the site “Wyoming” because it reminded them of the Wyoming Valley in Pennsylvania. “Wyoming” is an Algonquin word for “large plains” or “extensive meadows”. Many descendants of the original settlers still thrive in the area. The spot where the first structure was built is marked by a memorial stone. It’s in a small park on the southeast corner of 270th Street and Felton Avenue. In those days, it would have overlooked the Sunrise River, just to the North. When Wyoming was founded, there were only 225 houses in St. Paul (Ref. 4).

The original City was platted in 1869, taking its name from the Township.



Source: Minnesota Digital Photo Collection

Wyoming’s growth was closely linked to transportation. Wyoming was the first stop on the stagecoach route from Rice Street in St. Paul to Duluth. The house where travelers stayed overnight still exists. After the era of the stagecoach, the same travelers’ house served as a train crew house when the St. Paul & Duluth Railroad Company laid tracks down the old stage road. In the 1960’s the I-35 freeway was built and the population increased from 1,074 residents in 1960 to 7,839 residents in 2018.



Figure No. 1: 1888 Map of Wyoming Township.

Source: Chisago Historical Society. Gold line illustrates current City Boundary. The Red line depicts the City boundary prior to the merger with the Township.

Table 1 – Population Growth				
	Wyoming Township		City of Wyoming	
Census Year	Population*	Percent change	Population*	Percent change
1860	240	117.5%		
1870	522	-13.8%		
1880	450	28.9%		
1890	580	29.7%		
1900	752	-19.5%		
1910	605	17.4%	207	22.2%
1920	710	-10.1%	253	-15.4%
1930	638	-5.2%	214	18.2%
1940	605	-6.4%	253	28.5%
1950	566	12.9%	325	33.8%
1960	639	97.5%	435	59.8%
1970	1262	83.2%	695	124.3%
1980	2312	28.3%	1559	37.4%
1990	2967	47.6%	2142	42.3%
2000	4379	117.5%	3048	22.2%

*U.S. Decennial Census – Wikipedia

Up until the 1980s, the Township was primarily an agricultural community. Slowly, the transformation of the community began, from rural to small town, and towards metropolitan suburb. The City of Wyoming had also grown steadily, and it had developed infrastructure to support additional development, including its own water and wastewater systems.

Township and City Merger

In 1994, Wyoming Township and the City of Wyoming began merger discussions. In 2003, the City and the Township adopted a joint resolution for the orderly annexation of 611 acres for the site of Polaris Industries in the north east part of the Township. At the same time, the City extended sewer and water service to the site (Ref. 4).

Prior to annexation, approximately 200 - 250 acres of land remained within the City for development. Without annexation of the Township, the City's ability to accommodate growth would be significantly limited. Annexation would allow for further commercial, residential and industrial expansion. At the time, the Township was the fastest growing township in Chisago County, but the growth was almost entirely on one-, two- and five-acre lots with individual wells and individual sewage treatment systems (ISTs).

On August 15, 2008, the majority of Wyoming Township was merged with the City of Wyoming, with the remaining portions of the Township being annexed into the City of Stacy and Chisago City.

Regional Setting & Population Trends

Wyoming is located in the very southwest corner of Chisago County. The City of Wyoming borders Washington County and the City of Forest Lake to the south, Anoka County and the City of Columbus and Linwood Township to the west, Chisago City to the east, and the City of Stacy to the north. Wyoming is not included in the Seven County Metropolitan Planning Area; the City is not subject to the planning authority of the Metropolitan Council of the Twin Cities.

Over 33 percent of the City is open space (Ref.5), including the Carlos Avery Wildlife Area, numerous wetlands and other natural areas. From the rural origins of Wyoming Township, the City continues to transition to becoming more suburban. The municipal water and sewer services extended to the pre-merger City core area. Generally, the City core area has smaller residential lots and exhibiting a more suburban feel. Commercial and industrial land use is also prominent within the City core. The City core includes a mix of medium to higher density residential, while outside the core, semi-rural and rural land uses predominate, and the Highway 8 Corridor supports residential, commercial and industrial uses. Agricultural uses, including row crops, hay, and livestock operations, still dot the landscape, contributing to the small town feel of the community. Table 2 summarizes the population trends for Wyoming:

Table 2 – Population Trends		
Year	Population	Number of households
2008	6,940	2,361
2009	7,013	2,402
2010	7,791	2,845
2011	7,796	2,745
2012	7,777	2,746
2013	7,800	2,754
2014	7,854	2,776
2015	7,877	2,794
2016	7,906	2,804
2017	7,955	2,818
2018	8,037	2,847
2019	8,123	2,878

Source: Minnesota State Demographer

Table 3 illustrates the makeup of community:

Table 3 – Racial Makeup of Wyoming		
Race	2010	July 1, 2019
White	95.5%	90%
Hispanic	1.5%	2.6%
Two or more races	1.3%	1.4%
Asian	0.8%	0.0%
African American	0.3%	7.0%
Native American	0.3%	0.1%
Other races	0.3%	0.8%


Source: Wikipedia, 2010 Census, Data USA, US Census 2019

In 2018, Chisago County commissioned a housing study. The study indicated that the Wyoming area had the highest population growth in the County with the 2017 – 2030 population expected to increase by almost 30% and the number of households to grow by more than 33% (Ref.6).

Economic Conditions/Leading Employers

The Wyoming Economic Development Authority (EDA) reports that there are over 100 businesses in Wyoming (Ref. 7). The diversity of small businesses is illustrated in the following chart:

Figure 2 – Estimated Number of Workers



Major employers in the community include:

- M Health Fairview Lakes Medical Center.
- Polaris Industries.
- Rosenbauer Motors.
- Hallberg Marine.



Existing Conditions

Before the City of Wyoming can effectively plan the future, it must first understand existing conditions, including the environmental setting, current land uses, highways and transportation, municipal utilities, and current trends.

General Demographics

With a 2020 population of 8,228, it is the 118th largest city in Minnesota and the 3,548th largest city in the United States. Wyoming is currently growing at a rate of 0.99% annually, and its population has increased by 5.61% since the most recent census, which recorded a population of 7,791 in 2010. **Spanning almost 22 square miles**, Wyoming has a population density of 398 people per square mile.

The average household income in Wyoming is \$97,474, with a poverty rate of 2.02%. The median rental cost in recent years is \$1,096 per month, and the median house value is \$242,600. The median age in Wyoming is 42.4 years, 38.6 years for males, and 44.7 years for females. For every 100 females there are 112.1 males. **(Ref. 7)**.

Environmental Setting

The total land area of the City is approximately **21.74 square miles** that occupies the southwest corner of Chisago County. The City land area is comprised of approximately **25% shallow wetland, 25% wooded upland, 25% agricultural land, and 25% developed land**. The topography is mostly flat to rolling, with surface water drainage following the Sunrise River branches to the north and northeast. Surface soil consists mostly of unconsolidated glacial till where the associated surface groundwater is very susceptible to spills of pollutants.

Existing Land Use

Today the City of Wyoming boasts approximately 84.58 acres of land designated for parks and open spaces, miles of scenic views and a multitude of breathtaking lakes and nature areas.

Highways and Transportation

The City continues to benefit from an efficient transportation system proximal to the I-35 interstate, and easy routes to the Twin Cities, St. Cloud, and Duluth, Minnesota.

Interstate I-35

Interstate 35 is the major transportation corridor that connects Wyoming to other Twin Cities to the south and the City of Duluth to the north. The I-35 / East Viking Boulevard interchange serves local businesses and connects businesses and residents alike to the local road system described in the following chapter.

US Highway 8

US Highway 8 traverses the south eastern corner of the City, providing a key transportation connection between I-35 and multiple communities from Wyoming to Taylors Falls and on further into north central Wisconsin. US Highway 8 is a busy roadway with a long history of safety issues. The corridor has been studied extensively to develop solutions for controlled access (signalized) intersections as well as proposed access control improvements, eliminating numerous low volume roadway access point and residential and business entrances.

US Highway 61

US Highway 61 once stretched from the southeast Minnesota community of La Crescent to Grand Portage. The majority of the route was paved by 1926. Construction of the I-35 interstate absorbed the bulk of the traffic. However, US 61 continues to serve as a major corridor through the north metro cities of White Bear Lake, Hugo, Forest Lake, Wyoming, Stacy and North Branch. Former Highway 61 north of East Viking Boulevard was recently turned-back to Chisago County and is now maintained as County State Aid Highway 30 (CSAH 30). US 61 and the associated historic railroad right of way is a major corridor for residents and businesses including service to the M Health Fairview campus and Wyoming Elementary School.

Community Services and Facilities

- City Hall.
- County Library.
- Hallberg Center for the Arts.
- Parks.
- Regional Trails.
- Regional Health Care.
- Industrial/Manufacturing Industries.
- Entertainment Venues.
- Elementary School.
- Open Space.

Current Trends

Our current moderate and deliberate commercial and residential development model appears to also be a logical future trend given our current municipal sewer and water infrastructure limitations. Future development will focus on land areas that can easily be serviced by City sewer and water services. Examples of recent development activity are included in the following table:

Table 4 – Recent Development Projects		
2015	Heims Lake Villas	33 units of 55+ detached townhomes
2019	Katies Glen PUD	51 units off of Goodview Avenue
2020	Summer Field	Kettle River Boulevard and
2021	Heims Lake Villas – North Addition	34 units of 55+ detached townhomes
2021	Hunter Hill	
2021	Midco Tech Building	

The future involves a balanced build out of the ultimate urban service area (described in the Land Use Chapter) while preserving the character of the community, and keeping taxes competitive with area communities. The build out is expected to include redevelopment within the City's Downtown Core to increase services and improve walkability and accessibility.

Planning Factors Affecting Development (challenges and opportunities)

Natural Resources

Wyoming is valued for its extensive conservation open space areas, including the Carlos Avery Wildlife Area across the northern third of the City, and the extensive and diverse wetland resources distributed across the entire City. These natural resources contribute to the small town feel and rural setting that attracted many of the area's residents. However, for a City that encompasses over 21 square miles, only about 41% of the property is "dry land" that is available to be developed.

Municipal Utilities

The City is part of the Chisago Lakes Joint Sanitary Treatment Commission (CLJSTC) that serves Wyoming and several surrounding communities with a regional wastewater treatment plant and regional conveyance systems (interceptors and lift stations). Extension of future sanitary sewer to the unsewered and undeveloped parts of the City is limited by the cost to construct gravity sewers, lift stations, forcemains (pressure sewer), and by the overall treatment capacity of the regional CLJSTC plant (See "Utilities Plan"). For that reason, the City has established Urban Service Areas to prioritize those parts of the City most easily served with municipal sewer during the next 20 years and beyond. As part of that analysis, it is understood that a significant part of the City will likely not ever be fully served with municipal utilities.

Housing

In 2018, Maxfield Research and Consulting LLC completed a housing study for Chisago County (Ref. 6). Maxfield presented initial findings to the City All Boards Meeting on January 30, 2018. Maxfield forecasted that Wyoming would see a 27% increase in population by 2030, to over 10,000 residents. Maxfield also predicted the potential housing demand for the City would amount to 4,760 new housing units through the year 2030. Maxfield observed that the lack of housing options could dampen economic development, as employees for future business expansion will not find place to live in the community. In particular, multi-family and rental housing stock for the City is very low.

Kettle River / Viking Boulevard Future Congestion

Several significant projects have been proposed for the northwest quadrant of I-35 and East Viking Boulevard. The area was part of the former Greenwood Golf Course. The development proposals included mixed-use development, including a range of residential housing and lot sizes to meet current demand. Major issues related to development in this area include traffic. The increase in traffic to the East Viking Boulevard / Kettle River Intersection, which is already congested (Ref. 8), and further complicated by the I-35 on and off ramps and several business entrances, represents a major issue to be overcome before development can move forward. Developing a transportation solution for this area will be a critical factor for future development proposals.

Inconsistent Stormwater Permitting

The Comfort Lake Forest Lake Watershed District (CLFLWD) has regulatory control over the southern third of Wyoming. The CLFLWD has taxing and permitting authority relating to land use and stormwater management. The area lying north of the watershed boundary falls under City jurisdiction meaning there are two sets of permitting rules and responsibilities which can create enforcement inconsistencies and confusion for developers.

Watershed Boundary

The Comfort Lake Forest Lake Watershed District (CLFLWD) has what is known as a watershed (drainage) boundary and an administrative boundary. Ideally, these two lines should be the same, resulting from those properties taxed by the watershed district actually being located in the watershed, i.e., the area that drains to Comfort Lake. Differences in the boundaries is somewhat common place but should be rectified if it has not already been addressed by the district.

Vision, Goals and Objectives

The Comprehensive Plan is based upon a shared vision of the citizenry and stakeholders of what Wyoming should and will become. The Comprehensive Plan establishes goals and objectives that will help to shape and direct growth. Plan envisions what the community will look like in 2030 and beyond, and what strategies will be necessary to get there.

Objectives developed for this plan will guide the community as it grows, matures, transitions, and ultimately attains the anticipated growth. The Comprehensive Plan objectives were formulated from input received from the public, City staff, elected and appointed officials, and other interested individuals.

Vision and Objectives

The City of Wyoming seeks to become an attractive, well-balanced place to live and work, with an appropriate combination of amenities and services. Wyoming will succeed with public-private partnerships focused on opportunities to live, work and play – for a reasonable investment.

When the Council adopted the 2009 Comprehensive Plan for the City, the first for the combined City/Township, an advisory group was formed to develop a set of plan objectives to give direction to the plan. In the process of developing this plan, The Planning Commission further refined these objectives, informed by the 2019 Community Engagement process and survey.

Based on the Commission's work, the following Vision Statement and Objectives were developed to guide the planning effort:

Vision: A thriving and inviting community that preserves our small town feel and natural landscape.

The Figure 3 illustrates the action-oriented plan objectives that support the plan vision.



Figure No. 3 – Plan Vision and Objectives

Plan Overview

Based on the priorities identified through public input, as well as demographic, physical, social, and economic changes affecting the City, the Plan is divided into the following chapters, each with corresponding action-oriented goals:

Land Use Plan

Utilize land efficiently:

- *Plan for more intensive use of land for housing, shops, or industries to allow more resources to be available for other uses, such as farming or urban development.*
- *Pursue a broader mix of residential housing options including more higher density development.*
- *Encourage development in balance with natural resource protections.*

Efficient use of land for a variety of housing types, shops and industries, with sensible requirements for parking, stormwater and green space, will ensure the availability for other uses, such as farming, parks or open space in harmony with planned urban development. As land is developed more efficiently, property tax revenues for city, school district, county and state governments will rise, which will make it more feasible to pay for the many facilities and services needed to support quality of life in the community. In addition, efficient land use can reduce the cost of municipal utilities over time.

Transportation Plan

Integrate Transportation Systems:

- *Interconnect neighborhoods with multiple modes of transportation and safe transportation systems.*
- *Reduce reliance on auto driving.*
- *Ensure that residents can travel throughout the community as pedestrians, while bicycling, and in motor vehicles.*
- *Ensure that these traveling opportunities are accessible to residents of all capabilities through constructing and improving infrastructure to Americans with Disabilities Act (ADA) standards.*

The Transportation Systems Plan addresses the pattern of existing and planned major roads, road design standards and intergovernmental coordination for road improvements.

Utilities

Expand municipal utilities:

- *Increase the use of public potable water and wastewater.*
- *Extend water and wastewater lines in staged and efficient manner in response to market demand and according to City capability.*
- *Equitably finance for public infrastructure related to development and redevelopment.*
- *Consider shared private wastewater disposal systems until public wastewater is available or when public wastewater is infeasible.*

The Utilities Chapter is intended to serve as a guide to completing the future water and sanitary sewer system to serve future development as outlined in the Land Use component.

Parks, Open Space, and Trails

Enhance Recreation Opportunities:

- *Develop, maintain, and improve public parks that provide diverse opportunities for active sports and passive recreation.*
- *Identify, establish, and develop trail corridors that connect the neighborhoods to the park system and to regional trail corridors.*
- *Plan for changes in recreational activities that accommodate changing demands.*
- *Integrate parks and trail systems with significant natural resources.*

The City of Wyoming Parks, Open Space and Trails System chapter guides acquisition of land or fees in lieu of land for municipal parks, promoting the protection of public and private open space and preservation of corridors for multiple-use paths. A greater focus is on neighborhood connectivity and pedestrian access will be applied to future development.

Housing

Diversify Housing Options:

- *Increase the range of housing options for people in all stages of life to retain and attract residents.*
- *Emphasize housing options like starter homes for young families and senior housing in locations that provide additional uses within walking distance.*
- *Preserve the integrity of neighborhoods by ensuring the neighborhoods are maintained to a high standard that reflects the values of the community.*

The City's housing stock is predominantly single family. Recent development has included larger lots and price points well above those for many first-time home buyers. The City will continue to attract multi-family developers and embrace new developments with a variety of life cycle housing options.

Environmental Resources

Protect the Natural Environment:

- *Protect and enhance the quality of our lakes, rivers and wetlands.*
- *Manage and treat stormwater in an effective manner to protect our water resources.*
- *Consider different strategies for equitable stormwater treatment suitable for different levels of land use intensities including on-site treatment, regional treatment and fees-in leu of best management practices.*
- *Protect significant woodlands.*
- *Enforce the regulatory protections for the shoreland of designated lakes and streams.*
- *Link woodlands, wetlands and other undisturbed natural areas into “greenways” will be established through the development process.*

The City must continue to address stormwater in an cost-effective manner to protect our water resources. At the same time, the City must allow for development to pursue for equitable stormwater treatment strategies suitable for different levels of land use intensities, including on-site treatment, regional treatment and fees-in leu of best management practices. The City will continue to enforce the regulatory protections for the shoreland of designated lakes and streams. The City will seek to link woodlands, wetlands and other undisturbed natural areas into “greenways”. The City will pursue opportunities to acquire public access to local natural areas. The City’s plan will ensure that our lakes and rivers are not bounded completely by homes and private properties without access for the general public.

Economic Development

Pursue a Thriving Local Economy:

- *Plan for and allow the creation of additional stores, offices and industries consistent with this comprehensive plan and regulated by zoning ordinance amendments including, but not limited to, encouraging mixed use opportunities.*
- *Diversify the range of local employment opportunities.*
- *Attract well-paying jobs plus goods and services that are needed locally.*
- *Realize increasing property tax revenues for city, school district, county and state governments.*

The Economic Development chapter details the priorities and goals to build upon the economic strength of the community.

Implementation

The Plan is meant to be a living document, grounded in real challenges and opportunities. It is meant to be revisited often and revised as conditions change. The Plan looks out to a horizon of twenty years for further refinement. The City will use the continuous input of the public, whether through formal or informal means, to make sure that the vision, goals and policies are still relevant.

Land Use Plan

Utilize land efficiently:

- *Plan for more intensive use of land for housing, shops, or industries to allow more resources to be available for other uses, such as farming or urban development.*
- *Pursue a broader mix of residential housing options including more higher density development.*
- *Encourage development in balance with natural resource protections.*

The Land Use Plan guides public and private actions regarding the pattern of land use and development and to express ideas from other plan chapters as they relate to land use. Its purpose is to encourage the orderly development of Wyoming, create an attractive and efficient urban environment and protect key natural resources. An efficient use of land for a variety of housing types, shops, and industries, with sensible requirements for parking, stormwater and green space, will ensure the availability for other uses, such as farming, parks or open space in harmony with planned urban development. As land is developed more efficiently, property tax revenues for city, school district, county and state governments will rise, which will make it more feasible to pay for the many facilities and services needed to support quality of life in the community. In addition, efficient land use can reduce the cost of municipal utilities over time.

The Land Use Plan is the central element of the Comprehensive Plan, and many people will think of this chapter as the comprehensive plan. The other plan chapters each related to the Land Use Plan as they each have a geographic component. Consequently, there is some overlap, and other elements provide more detail on certain subjects mentioned in this chapter.

The Land Use Plan translates the community vision for growth and conservation into a recommended physical pattern of neighborhoods, commercial and employment areas, road, and parks. Land use policies seek to influence the location, types, amount, and timing of future growth through private real estate development, public investment in infrastructure and community facilities, and conservation of natural areas. In addition, the policies are intended to ensure that the environment and other long-term public interests are given adequate consideration and protection.

The Land Use Plan will be used by the City in making decisions about private development proposals, and the location, size and timing of public improvements. This chapter serves as the basis for preparing more specific small-area or sketch plans for smaller subsections of the community, such as the central business district or a mixed-use development.

This chapter will be implemented through the City's zoning and subdivision ordinances, which will be amended after the adoption of this plan, and through the administration of that ordinance by City staff, the Planning Commission and the City Council.

The Land Use Plan should not be construed as a final blueprint for specific site development, nor as a prospective zoning map. The identification of preferred land uses does not imply that rezoning a specific area is immediately appropriate. While the zoning and subdivision ordinances must be consistent with this plan, the rezoning process is separate from the planning process and must consider the timing of zoning decision, availability of similar land, and the impact of the rezoning decision on other City objectives and policies.

The Land Use Plan may be amended occasionally as circumstances warrant. The City intends the policy direction of this plan will to be relatively consistent over time. Guidelines for reviewing and updating the plan are included in the Plan Implementation chapter of this comprehensive plan.

Land use patterns play a significant part of defining community identity. The organization of residential, business, and public uses influences how people choose to live, work, and play in the community. Land use relationships that help Wyoming achieve its vision will ultimately create a desirable community. Within the context of this Comprehensive Plan, the Land Use Plan promotes strong residential neighborhoods, a flourishing industrial base, a vibrant Downtown Core, focused commercial areas, and numerous recreational opportunities.

The Land Use Plan looks at broad community patterns; How much growth should be anticipated and accommodated? Where should growth occur? How do land uses relate to the natural environment and to one another?

Land Use Types and Descriptions

The Land Use Plan includes a variety of land use types described below. The land use descriptions identify the future plan for the City, while zoning regulates the actual current and future use. Zoning may need to be updated from time to time to reflect the Comprehensive Plan, while minimizing the creation of non-conforming parcels.

Semi-Rural Neighborhoods

The Semi-Rural Housing Areas are locations that are presently subdivided into parcels of approximately one to ten acres. This may include the present Agricultural, Rural Residential I and Rural Residential II zoning districts. Most of those locations cannot easily be subdivided further into smaller parcels that could economically accommodate public or shared private wastewater systems. The majority of the Semi-Rural Housing Area will continue to be unsewered – that is, continue to be served with individual on-site wastewater treatment systems.

Single Family Residential Neighborhoods

The Single-Family Residential Neighborhoods are areas that can be subdivided and economically served with either public or private shared wastewater treatment systems. Parcel sizes for Single Family Residential Neighborhoods should be in the range of 9,000 to 18,000 square feet. These neighborhoods may also include types of housing that have more than one dwelling per building and have an outdoor entrance for each dwelling, such as townhouses. Neighborhoods with a combination of detached and attached housing types may be approved through a public review process that ensures:

- That nearby housing and roads are adequately protected.
- That the neighborhood provides more natural open space and/or public park than would result if it contained only detached housing.
- That the overall average density of the neighborhood is not more than 20 percent greater than what would be possible only using detached (single-family) housing.
- That no more than 50% percent of the dwelling units are of the attached variety.

Prior to Single Family Residential Neighborhoods being served with municipal or private shared wastewater treatment systems, they will be zoned to allow an average of 1 house per 20 acres (not 20-acre lots) on unsewered sites, and farming activities on sites of 20 acres or larger. Higher average housing densities may be allowed if the applicant receives approval from the City for a plan showing how the property could realistically be re-subdivided in the future and developed with lot sizes of 9,000 to 18,000 square feet that will be served with public or private shared wastewater treatment systems.

Multi-Family Suburban Neighborhoods

Multi-family Suburban Neighborhoods allow townhouses (2, 4 and 8 units) and similar forms of housing that have an individual exterior entrance for each dwelling unit. These neighborhoods may also include detached single-family houses on small lots (approximately 5,000) That are developed and maintained through an association or similar arrangement.

High Density Residential Neighborhoods

High Density Residential includes senior housing and apartment buildings. High Density Residential Neighborhoods should be:

- Permitted only by a “conditional use permit” under the zoning regulations.
- Limited through the zoning regulations to not more than 20 dwelling units per net acre (not counting streets, wetlands, parks, etc.).
- Required to have at least one garage space for every dwelling unit, either under the main building or in a separate building.

Commercial

The Commercial Areas will allow a wide range of businesses that serve the individual consumer, whether for goods or services. These designations are located along the major traffic arteries and can be expected to generate large amounts of traffic. Trash handling, service docks, signs and lighting must be softened through site planning and landscaping. Protecting nearby housing will be an important consideration during the review of site plan applications. Apply zoning regulations to control building materials, landscaping, parking, lighting, signs and access. Access to all parcels must be via City streets.

Two areas designated for commercial development outside of the “Downtown Core” (that are along East Viking Boulevard and Highway 61/County Road 30) include:

- West of the interchange of I-35 and County Road 22.
- Along US Highway 8.

Mixed Use

Mixed Use development must include two or more types of land use, and may include retail businesses or service businesses, office buildings, single-family housing, multi-family housing, and high density housing. Developers will be required to negotiate a unified and high-quality comprehensive design plan with the City. Any development in this category should be required to obtain a conditional use permit, or go through the planned-unit development process. Where Mixed Use development abuts an area either planned for or developed as single family residential, the design for the Mixed-Use site must be compatible with the nearby residential site.

Four areas planned as “Mixed Use” include:

- The southeast quadrant of Highway 61 and 250th Street.
- East of and adjacent to County Road 30 and directly south of the Wyoming – Stacy border.
- Between Kettle River Boulevard and I-35, directly west of the hospital.
- North of and adjacent to US Highway 8 bounded by Heath Avenue to the east and West Comfort Drive to the north.

Downtown Core

The Downtown Core is the location presently known as “Downtown” Wyoming. This area is located east of I-35, generally centered around Highway 61 and East Viking Boulevard. The Downtown Core is intended to be a more densely developed area with retail and service businesses, City Hall, County library and high-density residential neighborhoods.

In the area between Highway 61 and Fenwick Avenue, access should be limited to Highway 61 and/or the east-west streets (as opposed to Fenwick Avenue) and the houses east of Fenwick Avenue should be protected through careful building placement, parking design, landscaping, lighting, trash handling, signage and other site planning. To the extent that the market will allow, buildings in this area should follow the traditional pattern of being located adjacent to the public sidewalk, particularly if adjacent to one of the historic buildings that were constructed in that manner.

Urban design guidelines may be included in the zoning ordinance that is written to implement this plan category. A high level of site landscaping, building façade materials and signage should be required through zoning and site plan review in this highly visible part of the community.

Office and Health Care Business

The Office and Health Care Business land use category allows corporate or professional office buildings, hospital and health clinic buildings, hotels, nursing homes, and high density residential neighborhoods. Intensive site coverage should be sought in order to maximize the economic benefit. This district is intended to be an attractive employment area; approximately 15 percent of each site should be devoted to generously landscaped green space. A high level of site planning, landscaping and façade treatment will be required through zoning and site plan review. Coordinated campus-style developments are encouraged. Retail or service business will be allowed if they are a secondary component of an office or health care building. No manufacturing or outdoor storage will be allowed.

Industrial and General Business Area

This area provides for the development of a range of industrial and general business uses. This area includes light manufacturing, offices, sales, and research and development. It may also selectively allow retail or service business by conditional use permit, particularly in the industrial area south of the Downtown Core. Locations for industries designated by this plan include portions of the Highway 61 corridor and the site of the former landfill operation along Railroad Avenue. Zoning regulations will be used to control site planning, landscaping, lighting, parking, truck handling, outdoor storage, signs, and access. Access to all parcels must be via City streets. Private redevelopment of properties that have aging buildings and outdoor storage will be encouraged, especially adjacent to the Highway 61 and Sunrise River Trail right of way between Fairview Boulevard and East Viking Boulevard.

The Industrial and General Business Area will allow a variety of light manufacturing, office-showroom, and office buildings. Outdoor storage of goods and materials should only be allowed under a “conditional use permit” that specifies visual screening with buildings, walls, fences, berms, and/or landscaping.

Public and Semi-Public Facilities

This planning district includes public schools the Public Safety Building (former Township Hall site), and other properties owned by the City, the County, or the State of Minnesota. Places of worship, are also included in this category.

Parks and Open Space

Parks and Open Space includes lands designated for active and passive recreation. This use does not include any parks that may be privately owned. The exact locations of future neighborhood parks will be determined during the land development process.

Conservation and Open Space

This land use plan category includes all wetlands, which will continue to be protected under the regulations of Chisago County, the Comfort Lake–Forest Lake Watershed District, and other applicable state and federal entities. It also includes the Carlos Avery State Wildlife Management Area, which covers a large portion of the City.

Shoreland and Floodplain Areas

The City of Wyoming will continue to administer its Shoreland regulations for consistency with development, and natural resources protection. The Zoning Map shows the approximate location of the Shoreland Management Overlay Areas within 1,000 feet of state-designated lakes and 300 feet of state-designated streams. The Floodplain areas are encompassed within the Shoreland Management Overlay; however, the Overlay includes lands outside the Floodplain zones.

Table 5- Land Use and Zoning Descriptions	
Comprehensive Plan Land Use Categories	Current Zoning Equivalent
Semi-Rural Housing	Agricultural (A), Rural Residential I (R1), and Rural Residential II (R2)
Lower Density Suburban Neighborhoods	Single Family Residential (R3)
Medium and Higher Density Suburban Neighborhoods	One and Two Family Residential (R4), and Medium and High Density Housing District (R6)
Downtown Core	Central Business District (CBD)
Commercial	Commercial (C)
Mixed Use	Mixed Use (MXD)
Office and Health Care Business	Office and Health Care (OHC)
Light Industry and General Business Area	Industrial (I) and Commercial (C)
Public and Semi-Public Facilities	No specific zoning district. Government uses are conditional uses in R1, R2, R3, R4, & R6
Public Park	No specific zoning district. Parks are the same district as the surrounding properties
Conservation and Open Space	No specific zoning district. Parks are the same district as the surrounding properties
Shoreland and Floodplain Areas	Shoreland District Overlay and Floodplain Overlay
	Manufactured Home District (R5). Current map has both manufactured home parks as R1
	Highway 8 Overlay
	Solar Energy Systems Overlay
	Closed Landfill Restricted (CLR) District

Table 6 - Acreage by Land Use Category		
Land Use Plan Category	Acreage	Percent
Open Space	4,698	33.8%
Agriculture	351	2.5%
Low Density Residential	6,157	44.2%
High Density Residential	380	2.7%
Central Business District	136	1.0%
Mixed Use	275	2.0%
Commercial	307	2.2%
Medical	171	1.2%
Industrial	1,394	10.0%
Landfill	45	0.3%
Totals	13,913	100.0%

Source: 2022 Draft Comprehensive Plan (WSB)

Urban Service Area

Future development must reflect the ultimate buildout potential and future urban service goals for the City. There are three different urban service area classifications, each with a different set of goals and land development objectives. The three area classifications are as follows:

1. Interim Urban Service Area
2. Ultimate Urban Service Area
3. Permanently Unserved Area

Development that occurs today, depending on where it is located, must be mindful of the ultimate buildout potential and future urban service goals for that portion of the City, and should be sized and designed appropriately.

Interim Urban Service Area

The goal for the Interim Urban Service Area is to extend urban services concurrent with the timing of new development. This is the portion of the City where urban services are either currently available, or where the opportunity to supply urban services has been evaluated and determined to be feasible (given current infrastructure) within the time 20-year horizon of this Plan. The City will revisit the boundary of this area as development occurs and improvements are brought online. This boundary will be amended during the update of this plan ten years after adoption. Figure 4 illustrates the Interim Urban Service Area.

Ultimate Urban Service Area

The development goal for the Ultimate F Urban Service Area is to utilize one of the two following methods in unserved residential subdivision development:


1. Develop at densities no greater than allowed by the Agriculture or Rural Residential zoning district so that future re-subdivision is feasible when utilities are extended.
2. Plan for a community septic system to support the subdivision development.

This area of Wyoming lies outside of the current urban service area, but includes the portions of the City that may become eligible for urban service connections at some time beyond the 20 year planning horizon. Proposed development in this area will not be served at this time, but should anticipate the potential for ultimate urban service density and connectivity.

Regardless of which method of development occurs, the City may require a “ghost plat” - a subdivision to show how future subdivision lots could allow for eventual urban density served with municipal utilities. For commercial development in the Ultimate Urban Service area, all new development should undergo a site a plan review to evaluate the capacity of the site to support septic and ensure sufficient water supply for operation and fire suppression. Figure No. 5 depicts the Ultimate Urban Service Area.

Permanently Un-Served Area


In this portion of the City, the development goal is to conform to the regulations of the governing zoning district with respect to minimum lot size and developable land requirements. These areas of Wyoming are anticipated to never be served with urban services. The natural features, existing lot sizes, lack of connectivity, and rural nature of these areas make it poorly suited for development at urban densities.




Wyoming Comprehensive Plan

Figure 4
Interim Service Area

-  CLJSTC Lift Station
-  Existing Service Area
-  Interim Service Area
-  Unserved Area
-  Wyoming Boundary
-  Parcel Boundaries






Wyoming Comprehensive Plan

Figure 5
Ultimate Service Area

-  CLJSTC Lift Station
-  Ultimate Service Area
-  Existing Service Area
-  Interim Service Area
-  Permanently Unserviced Area
-  Wyoming Boundary
-  Parcel Boundaries




Land Use Plan

The City of Wyoming Land Use Plan map is a guide to zoning land for future use or conservation. It is not a zoning map and does not have the force of law that a zoning ordinance and zoning map do. Consequently, the zoning districts may not correspond perfectly with this land use plan map. The zoning ordinance and zoning map should be revisited after the adoption of this comprehensive plan.


Table 7 – Land Use Categories and Urban Service Areas (acres)					
Land Use	Existing Service Area	Interim Service Area	Ultimate Service Area	Permanently Unserved Area	Entire City
Open Space	156	613	1,503	2,426	4,698
Agriculture	-	-	-	351	351
Low Density Residential	893	708	3,205	1,352	6,157
High Density Residential	53	64	263	-	380
Central Business District	136	-	-	-	136
Mixed Use	4	96	173	1	275
Commercial	4	23	276	5	308
Medical	171	0	-	0	171
Industrial	782	367	188	57	1,394
Landfill	-	5	40	-	45
Totals	2,199	1,876	5,647	4,191	13,914


Source: 2022 Draft Comprehensive Plan (WSB)




Wyoming Comprehensive Plan

Figure 6 Updated Land Use Plan

-  State Property and Boat Landing
-  Wyoming Boundary
-  Parcel Boundaries
-  Waterbody
- Land Use**
 -  Agriculture
 -  Central Business District
 -  Commercial
 -  Industrial
 -  Low Density Residential
 -  High Density Residential
 -  Mixed Use
 -  Medical
 -  Land Fill
 -  Open Space




Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 7 Central Business District Date Saved: 5/24/2022



Wyoming Comprehensive Plan

Figure 7
Central Business District

- Parcel Boundaries
- Land Use**
- Central Business District



Transportation Plan

Integrate Transportation Systems:

- *Interconnect neighborhoods with multiple modes of transportation and safe transportation systems.*
- *Reduce reliance on auto driving.*
- *Ensure that residents can travel throughout the community as pedestrians, while bicycling, and in motor vehicles.*
- *Ensure that these traveling opportunities are accessible to residents of all capabilities through constructing and improving infrastructure to Americans with Disabilities Act (ADA) standards.*

The City of Wyoming Transportation Plan describes the pattern of existing and planned major roads, establishes road design standards, and addresses intergovernmental coordination for road improvements.

Functional Classification

Functional classification is a method of categorizing streets by the type of transportation service provided, and the roadway's relationship to surrounding land uses. The purpose of a functional classification system is to create a hierarchy of roads that collect and distribute traffic from neighborhoods to the metropolitan highway system, in an efficient manner given the topography and other physical constraints of the area. This system is intended to create an orderly pattern of roads with appropriate spacing, access control, traffic capacity, and speed limits so as to accommodate planned land use densities and provide for safe and efficient movement.

The major road system functional classifications include:

- Principal Arterial
- Minor Arterial
- Collector
- Local

The functional classifications provide for freeway, urban, and rural standards. Figure 8 illustrates the planned pattern of the road functional classification. Table 8 lists roads by functional class, number of lanes, jurisdictional class and sub-class. Wyoming will work with the adjacent municipal jurisdictions, Chisago County and the Minnesota Department of Transportation to implement the proposed functional classification plan shown in Figure 8.

Figure 8 Road System Plan

-  Wyoming Boundary
-  Parcel Boundaries
-  Principal Arterial
-  Minor Arterial
-  Collector
-  Future Collector
-  **44,000** Existing Traffic Volumes




Table 8 - Functional Classification and Jurisdiction by Street		
Classification	Jurisdiction	Lanes
Principal Arterials		
I-35	State	4
US 8	State	2 or 4
Minor Arterials		
US 61	State	2 or 3
County Road 22	Chisago County	2
County Road 30	Chisago County	2
Collectors		
County Road 36	Chisago County	2
Viking Boulevard (west of US 61)	City of Wyoming	2
Goodview Avenue (south of CSAH 22)	City of Wyoming	2
Glen Oak Drive (north of CSAH 22)	Chisago County	2
Pioneer Road	City of Wyoming	2
250 th Street (partial)	City of Wyoming	
West Comfort Lake Drive	City of Wyoming	2
Kettle River Boulevard	Chisago County	2
Innsbrook Avenue (future road)	City of Wyoming	2

Principal Arterials

Principal arterials are roadways that provide the greatest level of mobility and access control. Within the metropolitan area, the great majority of principal arterials are under MnDOT jurisdiction. Principal arterials are typically interstate highways or other state or federal freeways or expressways. These facilities are intended to serve trips greater than eight miles, and express transit trips. Spacing of principal arterials varies within developing areas of the metropolitan area. Typically, these facilities are spaced between two and six miles apart. These facilities connect regional business and commercial concentrations, transportation terminals, and large institutions within the metropolitan area. Principal arterials also connect other cities, regions, and states outside of the metropolitan area.

Principal arterials are intended to maintain average speeds of 40 mph during peak traffic periods. To maintain mobility and speeds on principal arterials, land access and transportation system connections are limited. There is little to no direct land access from principal arterials. Intersections are limited to interstate freeways, other principal arterials, and “A” Minor arterials. Access points are typically grade-separated, or controlled with a signal, and are spaced one to two miles apart.

Minor Arterials

Minor arterials maintain a focus on mobility, but provide more land access than principal arterials. Minor arterials are intended to serve trips of four to eight miles in length. Within developing areas of the metro, these facilities are spaced between one and two miles apart. Minor arterials connect cities and towns within the region, and link to regional business and commercial concentrations. Access points along minor arterials are generally at-grade, and typically controlled with signals or stop signs.

During peak traffic, minor arterials in developing areas are intended to maintain 30 mph average speeds. As a result, transportation system connections are limited to interstate freeways, other principal arterials, other minor arterials, collectors, and some local streets. Land access is limited to concentrations of commercial and industrial land uses.

Collector Roadways

Collector roadways provide linkages to larger developments and community amenities. They generally do not link communities to one another. Collector roadways generally favor access to the system over mobility, but try to balance the two competing needs. These roadways are generally lower speed than the principal or minor arterial routes. They are usually owned and operated by cities, although counties operate some of these facilities. Collectors are intended to serve trips of one to four miles in length. Collectors link minor arterials, other collectors, and local streets.

Future Innsbrook Avenue should be constructed in the corridor suggested by Figure 8, but may be aligned differently to avoid natural or man-made features. The Innsbrook Avenue right-of way would also serve as a critical future utility corridor.

Local Streets

Local streets provide access to adjacent properties and neighborhoods. Local streets are generally low speed, and designed to discourage through traffic. All the remaining roadways in the City that were not listed under the previous functional classifications above fall under the local road designation. Wyoming has a unique street system due to the presence of many large natural features, including Carlos Avery Wildlife Refuge, lakes, wetlands and streams. Sensitivity to and preservation of these natural features is important and has played a large role in the development of the street system within the City. This has resulted in an interconnected street system that differs from the traditional grid system evident in other communities. Connectivity and continuity of roadways within the City is an issue that will persist as the City continues to balance the need to preserve these natural features with the need to provide accessibility, mobility, and efficiency within its transportation system.

Local and collector streets may be designed to either urban standards (curbing) or rural standards (shoulders and swales or ditches).

Roadway Capacity

Roadway capacity deficiencies and needs were determined using the existing Average Daily Traffic (ADT) volumes, based on data from the MnDOT traffic volume website, and City traffic counts. Figure 8 shows the existing traffic volumes on the area roadway system. Roadway capacity and roadway safety are two key indicators of how well the roadway system is meeting the City's transportation needs.

Existing Roadway Capacity

A roadway's capacity indicates how many vehicles may use a roadway before it experiences congestion. Capacity is largely dependent upon the number of lanes. Table 9 illustrates the planning-level thresholds that indicate a roadway's capacity. Additional variation (more or less capacity) on an individual roadway segment is influenced by a number of factors including amount of access, type of access, peak hour percent of traffic, directional split of traffic, truck percent, opportunities to pass, amount of turning traffic, the availability of dedicated turn lanes, parking availability, intersection spacing, signal timing and a variety of other factors. At the planning level, capacity problems are identified by comparing the existing number of lanes with current traffic volumes.

Table 9 - Planning Level Roadway Capacity			
Facility Type		Daily Two-Way Volume	
		Lower Threshold	Higher Threshold
Arterials	Two-lane undivided	10,000	12,000
	Two-lane divided or three-lane undivided	15,000	17,000
	Four-lane undivided	18,000	22,000
	Four-lane divided or five-lane undivided	28,000	32,000
Freeways	Four-lane freeway	60,000	80,000
	Six-lane freeway	90,000	120,000
	Eight-lane freeway or higher	Calculated on a segment-by-segment basis	

Source: FHWA Highway Capacity Manual and WSB Experience from Previous Projects

Using the methodology described above, existing capacity deficiencies were identified by comparing existing average daily traffic (ADT) volumes to the thresholds noted in Table 9. The existing traffic volumes (Figure 8), and the existing number of lanes, were used to develop the existing capacity deficiencies. Congested roadway segments are defined as those with a volume-to-capacity ratio at or above 1.0, which signifies that a segment of road has observed volumes which exceed its design capacity. Roadways that are approaching capacity have a volume-to-capacity ratio of 0.85 to 1.0.

All City of Wyoming existing volumes on local City streets are below or within the planning level capacity thresholds shown in Table 9. However, some congestion does occur along some primary routes, such as TH 8, TH 61 and CSAH 22 due to operational constraints at intersections.

Based on this review, the following road segment currently exceeds its design capacity:

- TH 61 – CSAH 22 (Wyoming Trail) to CSAH 22 (Viking Blvd)
- TH 8 - TH 61 to east City Limit

In addition, the following roadways are currently approaching congestion:

- TH 61 – South of CSAH 22 (Wyoming Trail)
- CSAH 22 (Viking Blvd) – I-35 to TH 61

The methodology described above is a planning-level analysis that uses average daily traffic volumes, and is not appropriate for all traffic conditions. Traffic conditions that do not fit the average daily traffic criteria (i.e., weekend travel, holiday travel, special events, etc.) are likely to produce different levels of congestion. Further, this methodology does not take into account specific geometric conditions that exist at the intersection nodes, potential peaking characteristics of these roadways, or directional flow disparities, which can greatly impact the order of magnitude of the deficiency (either meaning there is not a deficiency, or it is more significant than what is indicated by the average daily traffic (ADT) alone). For purposes of the transportation planning process, this volume-to-capacity (v/c) methodology is widely accepted and applicable. For detailed design consideration of access management, intersection traffic control and congestion mitigation, the City may require a traffic study, providing detailed operational analysis for specific developments.

Safety Issues

A central transportation issue is roadway safety. MnDOT maintains a database of crash records from around the State of Minnesota. These records identify the location, severity and circumstances associated with each crash. This dataset is useful for identifying crashes within the City, but it should be noted that the crash location data input may not always be extremely accurate. Therefore, further evaluation may be needed to determine if safety issues exist at locations identified as having a high frequency of crashes. MnDOT's dataset was reviewed to identify the number, location and severity of crashes in the City of Wyoming for the years 2016 - 2020. Overall, there were 451 crashes, of which 5 involved fatalities, 119 involved personal injury, and 327 involved property damage (see Table 10). These crashes were generally widely distributed throughout the City, with most locations accounting for only one or two incidents, suggesting that a crash at that location was a random event. However, several of these crashes were concentrated at a limited number of locations.

Table 10. Motor Vehicle Crashes in Wyoming (2016-2020) *						
Number of Crashes						
Year	Fatal Crashes	Personal Injury Crashes			Property Damage Crashes	Total Crashes
		Type A - Incapacitating Injury	Type B - Non-Incapacitating Injury	Type C - Possible Injury		
2016	0	2	7	16	61	86
2017	1	0	6	13	63	83
2018	2	3	5	16	70	96
2019	1	2	9	17	78	107
2020	1	2	10	11	55	79
5-Year Total	5	9	37	73	327	451
5-Year Average	1	2	7	15	65	90

*Includes Interstate and Trunk Highway Facilities

There is a high correlation between the frequency of crashes and traffic volumes. Roadways with high volumes have a tendency to have more crashes than a lower volume roadway. A planning-level safety analysis was conducted to identify locations in Wyoming with a high frequency of crashes. Further investigation is warranted at these locations to evaluate the types of crashes and to calculate crash rates at these locations to determine their relevance. The intersections with the most crashes are listed in Table 11.

Table 11. Top Eight Crash Locations in Wyoming (2016-2020) (by total crashes)						
Crash Location Descriptions	Number of Crashes					
	Fatal Crashes	Personal Injury Crashes			Property Damage Crashes	Total Crashes
		Type A	Type B	Type C		
1. TH 8 at Greenway Ave	0	1	3	9	24	37
2. CSAH 22 at NB I-35 Ramp	0	1	1	0	14	16
3. TH 61 at CSAH 30	0	0	0	4	7	11
4. TH 61 at CSAH 22	0	0	1	3	5	9
5. CSAH 22 at Kettle River Blvd	0	0	1	1	7	9
6. CSAH 22 at SB I-35 Ramp	0	2	0	2	7	9
7. TH 61 at 257 th St	0	0	0	4	2	8
8. TH 61 at 250 th St	0	0	1	0	6	7

In keeping with the State's goal of "Toward Zero Deaths", additional analysis of the fatal crashes within the City over the five-year study period was also conducted using crash reports. Based on the reports, roadway geometry was not cited as contributing factors in the fatal crashes. Instead, the reports showed that 4 of the 5 fatal crashes occurred on I-35 and the other on 250th Street west of Kettle River Blvd.

Access Management

The purpose of access management is to provide adequate access to adjacent land development while maintaining acceptable traffic flow on higher level roadways. Management consists of carefully controlling the spacing and design of public street intersections and private access points to the public roadway system. Arterials, being designed for higher speed, and longer distance trips, generally have reduced or restricted access, while local streets can accommodate much greater access. Collector roadways fall in between arterials and local roadways regarding the amount of access that is permitted. The agency with jurisdiction over a roadway establishes access management guidelines. Access to US 61 and US 8 must meet MnDOT access management guidelines, and is permitted subject to conditions.

Chisago County has established access management guidelines for urban and rural areas. Chisago County requires permits for new driveway access to County roads, and when land uses change at a site adjacent to a County road. Chisago County typically requires that new access points meet its guidelines; however, the County can make exceptions to the guidelines with sufficient justification. The City of Wyoming does not have access management guidelines for City streets. The City evaluates new and modified accesses to its City streets through a permitting process on a case-by-case basis.

It should be noted that there are existing access points that do not meet County and MnDOT access spacing guidelines. In many cases, these access points were established prior to agency access spacing guidelines. In other cases, the agency has granted an exception to the existing guidelines. As roadways are reconstructed, each of these agencies generally works to modify and/or relocate access points that do not meet current access spacing guidelines.

Road Design and Right of Way

A system of design guidelines is an effective tool to help provide safe, efficient, and consistent roadway networks. Some situations may require additional analysis due to unusual or unforeseen conditions but established baseline standards will minimize design uncertainties in most circumstances. This is not a purely technical issue, and individual communities may have different preferences for design standards.

Table 12 represents recommended typical roadway cross-sections based upon each functional class. This table represents a range of traffic levels for each roadway functional class and the corresponding design requirements. Right of way standards for the various roadway categories are also presented in Table 12. It may be noted that the City prefers and supports an integrated transportation network, with good circulation properties and limited cul-de-sacs. The City also prefers efficient connectivity with neighboring communities.

Table 12 - Characteristics of Future Residential Streets ⁽¹⁾							
	Right-of-Way Width ⁽³⁾	Road Width (to back of curb) ⁽³⁾	Through Lanes	On-Street Parking	Side-walks	Curb and Gutter	Drainage System
Collector ⁽²⁾	80	36	2 to 4	Yes	2 @ 5'		
Urban Local: Parking on both sides	60	32	Not striped	Both sides	1 @ 5'		
Urban Local: Parking one side only or cul-de-sac	60	28	Not striped	One side	1 @ 5'		
Rural Local: No parking	66	24 – 28 May be unpaved	Not striped	No parking	None		

⁽¹⁾ As part of a planned unit development (PUD), developments may include reduced pavement widths for local streets, based on a review by the City Engineer of other benefits of narrower roads (e.g. sidewalks/trails, saving trees, stormwater plans, etc.).

⁽²⁾ If State Aid Street, parking will need to be reviewed with newer impact width.

⁽³⁾ Cross-section and right-of-way width are not inclusive of intersection locations, when additional right-of-way and cross-section width may be necessary.

Sidewalks

Require that developers include a five-foot concrete sidewalk on at least one side of each new local and collector street in residential neighborhoods.

Traffic Calming

Traffic calming is an approach which is generally used to accomplish one or more of the following primary objectives:

- Reduce speeds on local streets.
- Reduce cut-through (non-local) traffic levels on local streets.
- Improve safety and usability for non-motorized traffic.

Under certain circumstances, traffic calming can be used on collector level roadways to reduce speeds, primarily at intersections. The focus is on “returning neighborhood streets to the neighborhood.” Traffic calming efforts are best evaluated and implemented within the context of the overall transportation network serving the City. It is never advisable

to simply shift a problem from one street or area to another. Since so much of Wyoming is rural in nature, traffic calming may not have the same application as in more typical urban settings. However, the types of measures identified below should be kept in mind as possible “tools in the toolbox:”

- Traffic circles/roundabouts.
- Lateral lane shifts – roadway striping.
- Curb extensions/neckdowns at intersections.
- Speed humps/tables.
- Raised crosswalks.
- Diverters – close access to street.
- Driver feedback signs.

It has been suggested that narrowed streets reduce speeds. However, empirical data on this is not conclusive. Traffic calming measures as listed above, should be reviewed on a case-by-case basis but should be evaluated within the context of the overall street network and from the perspective broad based policy objectives.

Complete Streets

“Complete Streets” refers to the planning, scoping, design, implementation, operation, and maintenance of roads as described in Minnesota Statutes (MINN. STAT. 174.75, Subd. 1.). Complete Streets is a process for developing a transportation network that best accommodates all modes of transportation. Roadway planners and designers must systematically consider all modes when developing their long-range plans and short-term maintenance and construction projects. The City of Wyoming supports considering implementing a Complete Streets process in roadway reconstruction projects where appropriate and feasible.

Jurisdictional Classification Plan


Jurisdiction over the City's roadway system is shared among three levels of government including the State of Minnesota, Chisago County and the City. The Minnesota Department of Transportation (Mn/DOT) maintains the Interstate and State trunk highway systems. Chisago County maintains the County State Aid Highway (CSAH) and County Road systems. The City maintains the remaining streets. The City is required to designate which local roads are included in the Municipal State Aid (MSA) system and thereby eligible to receive funding for construction projects. The program is administered by the Minnesota Department of Transportation (MnDOT). The City is part of MnDOT’s Metro region.

Intergovernmental Coordination

Minnesota Department of Transportation

Highway 8 Capacity and Safety Improvements


The Hwy 8 Corridor Study began in 2008 and is now complete. The study considered a range of roadway alternatives to address Hwy 8 capacity, including access and safety issues between Greenway Avenue North and Karmel Avenue in the cities of Wyoming and Chisago. Chisago County is now leading a project to identify a long-term solution to improve safety and mobility along U.S. Highway 8 from I-35 in Forest Lake to Karmel Avenue in Chisago County. The County is looking at a few options for a new corridor design, which will to address safety and mobility issues, while taking pedestrian and bicyclist needs into consideration. Currently, work is being done on the environmental review, traffic analysis, hydraulics and preliminary design of the corridor. Figure 9 shows the current concept being considered.



Wyoming Comprehensive Plan

Figure 9
US Highway 8 Corridor

- New US Highway 8
- Sidewalk
- Ponding Locations
- Wyoming Boundary
- Parcel Boundaries



Rush Line Corridor

The Rush Line Corridor is a transportation corridor extending 80 miles from Hinckley to the north, to Union Depot in downtown St. Paul, roughly following Interstates 35 and 35E and Trunk Highway (TH) 61. This corridor has been identified by the Metropolitan Council/Metro Transit, the Minnesota Department of Transportation (MnDOT), the Rush Line Corridor Task Force, and the corridor counties for transportation improvements based on current and future population, employment, and travel demand.

The Minnesota Department of Transportation initially studied the feasibility of commuter rail service on the former rail corridor that runs along Highway 61 through Wyoming and other communities known as the Rush Line. Ultimately, bus rapid transit was selected in 2017 as a result of a Pre-Project Development Study. Wyoming will monitor the development process and participate in decision-making; particularly as it relates to providing access for residents and employees to facilities in the corridor.

Ride-share Services

Wyoming currently has ride share services available to residents. Arrowhead Transit currently serves the community.

Chisago County

Kettle River and Viking Boulevard Transportation Plan

The City of Wyoming will continue to work with Chisago County to find a workable solution to the access, operation, and safety issues on East Viking Blvd from I-35 west through the Kettle River Blvd intersection. Based on existing land use and future potential development, the current location and capacity of the existing intersections and driveway accesses in the corridor create significant operational and safety issues.

Over the past 12 years, significant mixed-use development proposals have been brought before the City for the former Greenwood Golf Course site in the northwest quadrant of I-35 and Viking Boulevard. In 2019, an Environmental Assessment Worksheet was prepared for the “Greenwood at Carlos Avery” project. One of the issues related to the environmental review was the expected complexity, congestion, costs and cost sharing for developing an intersection that could serve the development and address the existing traffic from Viking Boulevard, Kettle River Boulevard, I-35 exit and entrance ramps and multiple business access points. Economic development in this area will depend on a public-private partnership to plan for, develop and pay for the improvements. Entities include MnDOT, Chisago County, the City, adjacent properties, and developers (future development agreements). The City of Wyoming will work with Chisago County and MnDOT on possible future improvements for this area.

Transportation Corridor Overlay District

Wyoming is committed to managed and orderly development. One tool in this effort is the creation of a Transportation Corridor Overlay, much like the Shoreland Management Overlay and the Solar Energy Systems Overlay. The creation of the Transportation Corridor Overlay District is based on the following beliefs:

1. Transportation improvements will create a catalyst for development.
2. The City should preserve future opportunities for economic development within these highly visible corridors.
3. The corridors are highly visible and any proposed development should adhere to design guidelines specific to the corridor.

A future overlay could be applied to Highway 8, and to a lesser extent, Highway 61 and County Road 30.

Utilities

Expand municipal utilities:

- *Increase the use of public potable water and wastewater.*
- *Extend water and wastewater lines in staged and efficient manner in response to market demand and according to City capability.*
- *Equitably finance for public infrastructure related to development and redevelopment.*
- *Consider shared private wastewater disposal systems until public wastewater is available or when public wastewater is infeasible.*

The Utilities Chapter is intended to serve as a guide to completing the future water and sanitary sewer systems to serve future development as outlined in the Land Use Chapter of the Comprehensive Plan.

Urban Service Area


The urban service areas, as described in the Land Use chapter of the Comprehensive Plan, define where the City anticipates the future extension of municipal water and sewer service. To a great extent, the availability of sewer capacity defines the urban service areas, along with the cost of extending trunk water and sewer through undeveloped areas to meet disconnected development.

The portion of the City where urban services are either currently offered, or where the opportunity to supply public facilities, has been evaluated and determined to be feasible (given current infrastructure) within the time 20-year horizon of this Plan. The City will revisit the boundary of this area as development occurs, when improvements are brought online, and during the update of this plan ten years after adoption. The Utilities goal for the Comprehensive Plan is to extend urban services concurrent with the timing of new development.

Sanitary Sewer System Plan

The City of Wyoming's sanitary sewer system serves approximately 1400 acres in the central part of the City. The existing service area generally covers the original pre-merger City limits. Wastewater from the City is conveyed by the Wyoming Interceptor. The City built and owned the interceptor which carried sanitary sewage to the City's wastewater ponds on the south side of Viking Boulevard to a location now part of the Polaris property. Ultimately, a regional sanitary district was formed to serve Wyoming and several surrounding communities. The Chisago Lakes Joint Sanitary Treatment Commission (CLSTC) was organized to develop a regional wastewater treatment facility, as well as a regional conveyance and treatment system to serve member cities. The CLJSTC purchased the Wyoming Interceptor and related lift stations as part of the regional conveyance system. In addition to the central service area, the Polaris Industries property on Viking Boulevard is also served by the regional system. Figure 10 illustrates the existing service area and the regional conveyance system


Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 10 CLJSTC System Date Saved: 5/24/2022



Wyoming Comprehensive Plan

**Figure 10
Chisago Lakes Joint Sewage
Collection and Treatment System**

-  Wastewater Treatment Plant (WWTP)
-  CLJSTC Lift Station
-  CLJSTC Forcemain
-  CLJSTC Gravity Main
-  Wyoming Boundary



The City's existing wastewater sytem has an average daily flow of 257,000 gallons per day (GPD) and a peak hourly flow of 0.95 million gallons per day (MGD), based on flow meter data from 2014 to 2020, and after excluding wastewater flow from Polaris. The City has 14 sewer districts and a total of 13 lift stations, not including the County Road 84 Lift Station and the Viking Boulevard Lift Station, both of which are owned by the CLJSTC. At present, the City has adequate capaciity in its collection system, interceptors, lift stations and in its allocation of treatment capacity at the CLJSTC regional treatment facility (Ref. 9).

Wyoming currently has a treatment capacity of 478,000 gallons per day (GPD) average flow at the CLJSTC treatment plant. CLJSTC has indicated they will add treatment capacity as demand increases, as necessary. If treatment capacity is not added quickly enough to serve Wyoming's growth, Wyoming will be able to purchase treatment capacity from other member Cities. When Wyoming has reached its interceptor capacity, CLJSTC will be responsible for adding capacity to serve the remaining future developable acres within Wyoming. Wyoming will be assessed the increased capacity cost by CLJSTC to serve the remaining future development. Veolia North America assumed operations of the CLJSTC system in the fall of 2020.

A SewerCAD model was used to evaluate the capacity of the existing system in 2010. The model indicated that existing trunk sewer mains have adequate capacity to serve those parts of the City that have existing sanitary sewer availability (existing service area) under full development, including the Wyoming interceptor.

Interim Sanitary Sewer System


The interim sanitary sewer system includes full development within the existing service area, based on the remaining capacity. Figure 11 shows the remaining capacity of the lift stations.

Document Path: K:\016494-0001\GIS\MapSeries\WyomingCompPlan\Figure 11 Existing Residual Capacity Date Saved: 5/24/2022



Wyoming Comprehensive Plan


Figure 11 Existing Residual Capacity



- Lift Station
- Sewer Gravity Main
- Sewer Forecmain
- Future Growth Focus Area
- Parcel Boundaries

Sanitary Sewer District

- | | |
|------------|-------------|
| District 1 | District 8 |
| District 2 | District 9 |
| District 3 | District 10 |
| District 4 | District 11 |
| District 5 | District 12 |
| District 6 | District 13 |
| District 7 | District 14 |



Under the interim condition, wastewater flows are expected to increase to 516,000 gpd, and 1.75 MGD peak hour. The City will have exceeded its treatment capacity at the CLJSTC regional treatment plant by 8%. Prior to the full build out of the Interim Service Area (a larger area than served by the interim sanitary sewer system), the CLJSTC will need to increase the capacity of the County Road 84 and Viking Boulevard Lift Stations, as well as the capacity of the Wyoming Interceptor (forcemain).

Ultimate Wastewater System

Future wastewater flows will increase as population growth and development continues. In general, new development will occur where there is existing sewer capacity and where new sewer capacity is provided. The pattern of expansion of the sewer system will then dictate the pattern of future development

The topography of the undeveloped, unserved areas was studied to determine the general direction of surface water flow. The design of the future system follows the existing ground topography as much as possible in order to minimize the number of required trunk lift stations, and to keep the maximum depth of gravity sewers to less than 40 feet deep. Based on the analysis, the general direction of surface water flows was determined, and future sewer sheds (districts) and subdistricts were determined.

The sewer districts generally flow north to Carlos Avery. This is intended to guide the preliminary route of future sanitary sewers through all sub-districts to collect wastewater generated in future developments. Based on the land use plan and estimated unit wastewater flow rates, future wastewater flow projections were developed. The ultimate service area includes 4720 acres of developable property, including 1817 acres of semi-rural housing which will remain unsewered.

As a rule of thumb, the number of households that could be served would be approximately two-times the residual capacity.

Table 13 - Sanitary Sewer Service Areas				
Service Area	Existing Developed Area (Acres)	Undevelopable Area (Acres)	Future Developable Area (Acres)	Total Area (Acres)
Existing System	1,096	279	149	1,524
Interim System	1,096	1,204	1,498	3,798
Ultimate System	1,096	6,820	5,832	13,748

The ultimate peak hour future wastewater flow for the City is projected to be approximately 3.62 MGD average day – a 13-fold increase over existing - and 9.05 MGD peak hour. The City’s treatment plant capacity will need to increase from 0.478 MGD to 3.62 MGD by purchasing capacity from other member communities (or a future expansion of the regional plant). The layout of the future trunk sewer system with capacity to collect the projected ultimate wastewater flow is shown in Figure 12.

The layout is general in nature. Exact routing will be determined at the time of future development and final design. It is important that the general concept and sizing be adhered to for assurance of an economical and adequate ultimate system to collect the ultimate projected wastewater flow. In addition, additional sewer infrastructure will be required to serve individual developments as proposed by developers not accounted for in this plan because it is assumed it will be funded by developers.

Future expansion of the sanitary sewer system will be driven by development demand. Based on information provided by the City, a development phasing map was completed as shown in Figure13. The map shows the order of likely development of property to which sewer service will be extended to meet anticipated development demand. Development demand was one of many factors taken into account in developing the ultimate trunk sewer system.

Future trunk sewers were designed to flow around the existing City service area because reconstruction of trunk sewers within the City would be more expensive than if constructed with new development. Unfortunately, not all sewers could be routed around the existing service area and flows from the northwest would have to flow through the City because the route is confined by Carlos Avery to the east. Also, the property immediately west of I-35 is anticipated to develop in the near future. Due to its development timing and location relative to the interceptor, future flows were routed through the existing service area. The existing SewerCAD model was expanded in 2010 to determine the adequacy of the existing system to serve future development where necessary and design the future trunk sewer system.


The future Innsbrook Avenue right of way, in the northeast part of the City, would serve as a critical sanitary sewer interceptor corridor. A future interceptor would connect to the Wyoming Interceptor in East Viking Boulevard and extend south to Wyoming Trail. The future interceptor would then provide a connection point for other future trunk sewer lines extending to the south and west.

Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 12 Ultimate Sanitary Sewer System Date Saved: 5/24/2022



Wyoming Comprehensive Plan


Figure 12
Ultimate Sanitary Sewer System




- Wyoming Boundary
- Parcel Boundaries
- Waterbody
- Wetland

Sanitary Sewer Piping

- 8 inch
- 10 inch
- 12 inch
- 15 inch
- 18 inch
- 21 inch
- 24 inch
- Forcemain
- Existing



Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 13 Sanitary Sewer System Expansion Areas Date Saved: 5/25/2022




Wyoming Comprehensive Plan

Figure 13
Sanitary Sewer System
Expansion Areas

-  Wyoming Boundary
-  Parcel Boundaries
-  Growth Areas

Development Phasing

-  Phase 1
-  Phase 2
-  Phase 3



The ultimate sanitary sewer system is estimated to cost more than \$39 million (2020 dollars). The ultimate system will include approximately six new trunk lift stations, at least three new non-trunk lift stations, and capacity upgrades to four existing lift stations. Costs will be shared between developers and future connection fees. Table 14 summarizes the major cost elements:

Table 14 - Ultimate Sanitary Sewer System Costs	
Major Element	Estimated Cost
Treatment Capacity	\$19,300,000
Municipal Sewer	\$13,300,000
Interceptor and Lift Stations	\$5,200,000
Interim System Improvements	\$1,800,000
Total	\$39,600,000

Source: Wyoming Comprehensive Wastewater System Plan, approved August 2010

As discussed previously, CLJSTC is responsible for collection and treatment of wastewater. The Wyoming interceptor collects wastewater from the City and conveys it to the existing CLJSTC treatment plant as shown in Figure U-2. The existing Wyoming interceptor consists of gravity sewers, lift stations, and force mains. Existing interceptor capacity, wastewater flow allocations, and Wyoming's projected ultimate peak wastewater flow has been listed in the Table 15 below.

Table 15 - Wyoming Interceptor Capacity Allocation							
Section	Capacity Allocation Agreement				Ultimate Capacity Remaining		
	Chisago City Capacity (gpm)	Stacy Capacity (gpm)	Wyoming Capacity (gpm)	Interceptor Design Flow (gpm)	Wyoming Ultimate Peak Flow (gpm)	Total Pipeline Flow (gpm)	Capacity Excess - Deficit (gpm)
CR 84 (force main)	0	0	1,450	1,450	6,286	6,286	-4,836
CR 36 (gravity)	357	0	8,724	8,724	6,286	6,643	2081
Hwy. 8 & CR 80 (force main)	1,318	0	2,600	2,600	6,286	7,604	-5,004
Liberty Lane (gravity)	2,108	0	8,724	8,724	6,286	8,394	330
Hwy. 77 (gravity)	2,400	0	8,724	8,724	6,286	8,686	38
Hwy. 19 (gravity)	2,400	800	9,548	9,548	6,286	9,486	62

Source: Table 5-3 Comprehensive Wastewater System Plan, Approved August 2010

Private Individual or Community Wastewater Systems

Many properties within the City have parcel sizes too large to be feasibly served by public or shared private wastewater systems, particularly those planned as Semi-Rural Housing. Those locations will continue to use individual on-site wastewater systems, while other individual wastewater systems are expected to be phased out over the years and replaced with municipal service. If indicated by the City's comprehensive wastewater plan, the City should require locations served by private community systems to be designed for eventual connection to the municipal collection system.

Some locations remain too far from the present municipal sewer lines to be served in the desired time frame. A feasible option for those locations to explore is shared private systems. Those systems typically include collection lines under the public streets that lead to a small private treatment plant that discharges either to a stream or onto land. They would also be regulated and monitored by the City in a manner consistent with its official, adopted design standards and the regulations of the Minnesota Pollution Control Agency.



Water System

The Comprehensive Water System Plan is intended to guide completion of a water system to serve future development as envisioned in the City's Comprehensive Plan.

The existing municipal water system is shown in Figure 14. The water system consists of three wells, two elevated storage tanks, disinfection, and fluoridation at each well site. Distribution mains includes pipes ranging in size from 6 to 16 inches in diameter. The total supply capacity, or well pumping capacity, of the three wells is 2,125 gallons per minute (gpm), and the firm capacity of the system (firm capacity assumes the largest well in the system is out of service) is 1,250 gpm. Each well pump discharges into the distribution system after the addition of chlorine, fluoride, and polyphosphate. System storage includes one-300,000 gallon tower and one-750,000 gallon tower. The existing system also includes a 16-inch watermain that serves the Polaris Industries property.


From 2011 to 2020, the average day water demand was approximately 350,000 gallons per day (gpd), and the maximum day demand was 782,000 gpd. A water distribution system computer model (WaterCAD v10), with both steady state and extended period simulation (EPS) scenarios, was used to evaluate the existing system's operating pressures and available fire flow. In addition, the existing system water quality was reviewed. Evaluation of the existing water system indicated:

- The system is capable of providing adequate supply and pressure during average day, maximum day, and peak hour demands while operating at supply firm capacity.
- System fire protection (available fire flow) is adequate throughout the system. The residential areas west of I-35 that previously had low available fire flows due to a single watermain crossing under I-35 now have available fire flows from 1,100 gpm to 3,400 gpm since a second watermain crossing was installed. The only locations with available fire flows from 750 gpm to 1,000 gpm are at dead-end 6-inch watermains in cul-de-sacs, as is expected and likely acceptable depending on building size, spacing, and materials.
- The Well No. 3 radium concentration continues to exceed the EPA Primary Drinking Water Regulations Maximum Contaminant Level (MCL). The Minnesota Department of Health (MDH) and City staff regularly monitor the combined radium concentrations in all three wells and limit the use of Well No. 3 in order to keep annual average combined radium levels within safe limits.



Wyoming Comprehensive Plan

Figure 14 Existing Water Supply System



- Wyoming Boundary
- Parcel Boundaries
- Well
- Elevated Storage

Watermain Pipe Size

- 6"
- 8"
- 10"
- 12"
- 16"
- 24"

Two future planning scenarios were developed – the interim system and the ultimate system. The interim system serves the Interim Urban Service Area as defined in the Land Use chapter, addressing those areas that presently have access to water but have not yet developed or connected to the water system. The ultimate system provides water to the majority of the City at full build-out. The water service areas discussed above are summarized in the Table 16.

Table 16 - Water Service Area				
Service Area	Existing Developed Area (Acres)	Undevelopable Area (Acres)	Future Developable Area (Acres)	Total Area (Acres)
Existing System	1,096	279	149	1,524
Interim System	1,096	1,204	1,498	3,798
Ultimate System	1,096	6,820	5,832	13,748

The quantity of future water demands was estimated based on the anticipated future land. A maximum day to average day demand ratio of 2.20 was used for estimating ultimate system demands. In the past ten years, maximum day to average day demand ratios have ranged from 1.8 to 2.8. This ratio is significant in that the maximum day demand and peak hour demand are used in sizing the water supply, treatment, storage, and distribution system for a community.

Interim System

The interim system is projected to have an average day demand of 1.37 million gallons per day (MGD) and a maximum day demand of 3.02 MGD. Previously identified storage capacity needs were satisfied by the construction of a 750,000 gallon composite water tower east of I-35 at 273rd Street. A future water main extension west and extending under I-35 will eventually address fire flow issues.

Based on projected water demands for full build-out of the Interim Urban Service Area, two additional wells and one additional storage facility will be required. The demand triggers for those facilities will occur beyond 2040. Trunk watermain improvements to serve anticipated growth prior to 2040 include a 12-inch trunk watermain crossing under I-35 and along Kettle River Boulevard and a 24-inch trunk watermain extension in Wyoming Trail. The cost for these watermain improvements total \$1.8 million. The costs for complete build-out of the Interim Urban Service Area, including trunk watermain, two production wells, and one storage facility, totals \$9.0 million. The costs for treatment are discussed under the Ultimate System (below), although treatment may be required before that time.

Ultimate System

The City's water system needs are met by first providing a water source capable of satisfying a maximum day water demand. When the source water is from groundwater, as is the case in Wyoming, the maximum day demand should be satisfied assuming the largest well is temporarily out service (firm capacity). It is anticipated that approximately 3,000 gpm of additional supply will be necessary to serve Wyoming's ultimate system demands. If each well produces approximately 700 gpm, as the City's geology indicates, 4 to 5 wells would be required. The ultimate system is projected to have an average day demand of 2.20 MGD and a maximum day demand of 4.83 MGD.

Considering the typical water quality from the region, it is anticipated that future water supply wells will first pump to treatment facilities prior to distribution. Well No. 3 currently exceeds the EPA Primary Drinking Water Regulations Maximum Contaminant Level (MCL), therefore it's use is limited based on the results of on-going water quality analysis. Additionally, secondary standards for iron and manganese will most likely be exceeded in future water sources. A future centralized water treatment facility would be designed for removal of radium, iron, and manganese, with capacity to treat water from all new supply. The future plant could be constructed in several phases to meet demand.

American Water Works Association (AWWA) standards indicate that water storage should equal 70 to 100 percent of average day demand, or the sum of required firefighting storage, equalization storage, and reserve storage, whichever is greater. Since projected future average day demands are projected to be greater than future equalization, firefighting, and reserve storage, the average day demand of 2.2 MGD was used for future storage planning. An additional storage volume of 1.0 MG to 1.5 MG is expected to meet the ultimate demand based on current ultimate population forecasts. If a new 0.75 MG tower were constructed to serve full build-out of the Interim Urban Service Area, then an additional 0.75 MG tower would be needed to serve the Ultimate Service Area.


The water distribution system will need to be expanded as development requires service. The future trunk water main system presented in Figure 15 consists of a 24-inch trunk main loop and several 12-inch trunk main loops. The system would provide capacity to distribute water throughout the City from one point, as would be the case for a centralized treatment plant. If treatment is not required of future water sources, and the City decides not to provide treated water to residents, then wells can be distributed throughout the system. The future trunk water main system illustrated in Figure 14 would be capable of providing adequate fire flow and pressure regardless of how water is supplied.

Future expansion of the water system will be driven by development demand. Development demand was one of many factors considered in developing the ultimate trunk water system. The City should begin to plan for a potential future well field and develop a corresponding well head protection plan.

The total estimated costs associated with the ultimate water system, including trunk watermain, three additional production wells, one additional storage facility, as well as treatment for all new supply, are summarized in Table 17. All estimated costs are based on 2020 construction costs and include a ten percent (10%) construction contingency and twenty-five percent (25%) for indirect costs.

Table 17 – Cost of Proposed Ultimate Water System	
Description	Estimated Cost
Growth Area Trunk Watermain	\$1,823,000
Interim Urban Service Area	\$8,995,000
Ultimate Service Area	\$46,918,000


Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 15 Ultimate Water Supply System Date Saved: 5/24/2022



Wyoming Comprehensive Plan

Figure 15
Ultimate Water Supply System

-  Wyoming Boundary
-  Parcel Boundaries
-  Waterbody
-  Wetland
-  Tower
-  Potential WTP Site
-  Existing Watermain
- Conceptual Future Watermain**
 -  8 inch
 -  12 inch



Housing

Diversify Housing Options:

- *Increase the range of housing options for people in all stages of life to retain and attract residents.*
- *Emphasize housing options like starter homes for young families and senior housing in locations that provide additional uses within walking distance.*
- *Preserve the integrity of neighborhoods by ensuring the neighborhoods are maintained to a high standard that reflects the values of the community.*

Housing is a defining characteristic of Wyoming. The quality of the housing stock is a basic community characteristic. The provision of safe and decent housing is an essential objective of the Comprehensive Plan. Housing is not a single, one size fits all, commodity. Personal housing needs change as life passes from single adult to family to elderly. This concept of life cycle housing allows people to live in Wyoming for an entire lifetime, not just for pieces of it. Household income influences the housing choices for Wyoming residents. Housing provides the foundation for economic growth. People living in Wyoming provide the demand for goods and services. Housing provides the customer base needed to support business retention and expansion. The amount of income required for housing expenses influences support of local businesses and demand for government services.

Housing Conditions

Wyoming has a strong housing market with high home values and a low vacancy rate. Wyoming residents report they choose and stay here because of the small-town rural setting, low crime rate, and close proximity between the Twin Cities metro (30 minutes south), and Minnesota's incredible natural and recreational resources to the north

The City is known as a quite rural bedroom community that experienced expansive growth from the 1970s to the early 2000s with 87% of the housing units being constructed as single-family homes. The fastest population growth period was from 1990 to 2000 where City experienced annual population increases of over 400 people per year. Since 2008, the annual population growth rate has been approximately 50 people per year. Approximately 45% of the housing stock have individual water and sewer systems (private well, and septic system) with the remainder on municipal services.

Wyoming Population By Year




Table 18 – Housing Unit History

Year Structure Built	No. of Units
Total housing units	2,930
Built 2014 or later	26
Built 2010 to 2013	15
Built 2000 to 2009	641
Built 1990 to 1999	973
Built 1980 to 1989	434
Built 1970 to 1979	456
Built 1960 to 1969	185
Built 1950 to 1959	60
Built 1940 to 1949	18
Built 1939 or earlier	122

Table 19 – Housing Unit Types

Units in Structure	No. of Units
Total housing units	2,930
1-unit, detached	2,560
1-unit, attached	17
2 units	0
3 or 4 units	0
5 to 9 units	15
10 to 19 units	78
20 or more units	166
Mobile home	94
Boat, RV, van, etc.	0

Table 20 – Housing Unit Values

Owner-occupied units	No. of Units
Owner-occupied units	2,438
Less than \$50,000	89
\$50,000 to \$99,999	19
\$100,000 to \$149,999	46
\$150,000 to \$199,999	399
\$200,000 to \$299,999	1,271
\$300,000 to \$499,999	541
\$500,000 to \$999,999	73
\$1,000,000 or more	0
Median (dollars)	\$242,600

The 2020 US Census indicates that the City has a total of 2,930 housing units, 2.8 persons per household, 384 people per square mile, and a median owner-occupied home value of \$242,000. The 2020 US Census also indicates that Wyoming's median household income is \$90,000 and the percent of persons in poverty is 2%. A 2019 US Department of Justice study identified that Wyoming has had fewer total crimes than most similarly sized cities and our 2020 housing vacancy rate is approximately 1.9%.



In 2021 there were 32 new housing starts and it appears approximately 56 homes will be constructed in 2022. Additional single family and multi-family projects are in the initial stages of planning and the projected new housing starts for 2023 appear to be similar to 2022. The combination of demand, lower interest rates, and higher construction costs has elevated current construction costs with new single-family homes in 2021 averaging \$329,000 in construction value.

Future Housing Needs

Wyoming's future housing needs include broader options for starter and senior housing units. More budget friendly housing is necessary for new or existing residents who have moderate or retirement incomes.


Wyoming's current low vacancy rate is supported by a 2018 Chisago County study that projected housing demand in the range of 1,130 units from 2018 to 2030, or about 94 units per year.

More people, especially members of the millennial and baby boomer generations are looking for alternatives that include housing with lower price points, reduced maintenance, and locations in within walking distance of services and entertainment. Additional high quality multi-family and single family attached housing could help Wyoming attract younger professional and retirement age residents to stay in Wyoming through all phases of life. This new housing stock should be thoughtfully designed to account for the expected senior housing demand peak estimated in 2040.

Housing Plan

Housing Mix and Types

Providing a balanced mix of housing will satisfy the needs of both existing and future City residents. With the trend towards an older population within the next 20 years, providing more lifestyle housing options, particularly multi-family housing, will be critical to attracting young professionals as well as retaining empty nesters and seniors. In response to the current housing supply and projected need of available land designated for residential housing in the community, the future land use plan has identified areas where higher density developments are more appropriate.



Source: Scott County Community Development Agency (CDA)

Figure 16 – Life Cycle Housing

Future housing development will be guided primarily by the availability of buildable upland areas that are scattered throughout our many natural areas. Higher density housing developments will be further guided by the availability of existing or nearby municipal sewer and water, and suitable transportation infrastructure. These new neighborhoods should be designed for great connectivity within and to nearby neighborhoods, parks, natural areas and local services/entertainment. The following sections outline focus areas and themes designed to improve the quality, amount, and design of future housing.

Senior Housing Small Area Plan

The presence of a hospital and clinic in Wyoming sets us apart from our adjoining cities and appears to be an attractive feature for seniors and older adults. The City should prepare a small area plan that identifies how we can promote and attract additional housing and related services for older seniors.

Zoning Ordinance Amendment

The City should consider amending the zoning ordinance so as to align the number of attached units of each type (apartments, row houses, back-to-back townhouses, etc.) in each development project with the policies of this plan. Locate attached and multifamily housing in transitional spaces between commercial and single-family areas, and at high-amenity locations near streams, parks, and greenways. When combining housing types, it is preferable for the transition between types to occur at the rear rather than the front (i.e., across a courtyard or parking area rather than across the street).
Neighborhood Design Policies

Prevent Premature Development

Wyoming should consider a premature subdivision ordinance to require that subdivisions have adequate transportation facilities planned or in place to support the land use. Additionally, the ordinance may require adequate provisions for sanitary sewer, water, and storm water facilities, as well as adequate park, trails, and open spaces.

Compact Growth

Encourage new neighborhood development that is generally more compact than historic patterns. Where appropriate, design each new major neighborhood to include both detached and attached forms of housing.

Variety within Each New Neighborhood

Encourage in each major neighborhood a range of housing types, densities, and building configurations to encourage life-cycle housing. Give favorable consideration to applications that include two or more types of housing without overlooking other legitimate concerns.

Links to and Between Neighborhoods

The City should prioritize and require connectivity through our city for pedestrians, and between new neighborhoods and existing parks and neighborhoods. Well-designed pedestrian paths, trails, and sidewalks improves the overall health of our residents, decreases our environmental footprint, and creates a more cohesive community. These connections should both visually and functionally link any new development to the established portions of Wyoming via street connections, bicycle paths or lanes and natural features.

Neighborhood Protection

Wyoming will continue to protect the best aspects of established areas from negative effects such as excessive auto traffic or incompatible, unbuffered land uses. The City will continue to administer and support the state environmental review programs (Alternative Urban Areawide Review (AUAR), environmental assessment worksheet (EAW), environmental impact study (EIS)), a portion of which addresses traffic impacts.

Simultaneously, blighted, deteriorating, or obsolete activities will be phased out and those sites improved according to an established plan. Guided by the Comprehensive Plan, public and private investments will aim to enhance or strengthen a sense of neighborhood identity in all established areas.

Provide Housing and Development Resources

Promote and support housing and development opportunities through ongoing continuing education regarding the potential funding, tools and guides available through the Chisago County HRA, the League of Minnesota Cities tool kits and other similar organizations.

Parks, Trails and Recreation


Enhance Recreation Opportunities:

- *Develop, maintain, and improve public parks that provide diverse opportunities for active sports and passive recreation.*
- *Identify, establish, and develop trail corridors that connect the neighborhoods to the park system and to regional trail corridors.*
- *Plan for changes in recreational activities that accommodate changing demands.*
- *Integrate parks and trail systems with significant natural resources.*

Wyoming is blessed with an extensive system of formal parks, open space, conservation lands, and local and regional trails. Parks are a major and highly visible public investment that can have a significant positive effect on the appearance of a community, and its quality of life. The City is committed to the implementation of a comprehensive park program and greenway system as visual assets that enhance the level of private investment in nearby housing and create lasting value in neighborhoods. At the same time, the City should strive to ensure that development that occurs next to parks is compatible with these open space areas. The City of Wyoming Parks, Open Space and Trails System Plan (Ref. 10) guides acquisition of land or fees in lieu of land for municipal parks, protection of public and private open space and reserving corridors for multiple-use paths. Table 21 identifies the existing City parks. Figure 17 illustrates parks, open space and trails in the community.

Table 21 - Existing City Parks		
Park Number	Park Name	Park Location
1	Ashton Park	Corner of Galen, 261st Street, & Flint Trail
2	Banta Park	On Fondant Avenue, South of 250th Street
3	Blue Spruce Park	End of 262nd Street
4	Centennial Park	Corner of Fenwick Avenue & 270th Street
5	Comfort Lake Access	On 260th Street, Follow Lake Access
6	Comfort Park	25578 Iris Avenue
7	Fireside Park	On Elk Trail
8	Goodview Park	On Goodview Avenue, South of 262nd Street
9	Hawk Meadows Trail	Near 255th Street & Granada Avenue
10	Lion's Park	End of 263rd Street
11	Railroad Park	Corner of Viking Blvd & Highway 61
12	Sunrise Prairie Trail	Between Highway 35 and Highway 61
13	Sunrise Ridge Park	Corner of 263rd Street & Greene Avenue
14	Swenson Park	26929 Flintwood Avenue
15	Tolzmann Park	Corner of 274th & Finland Avenue
16	Town Hall Park	7665 Wyoming Trail
17	Verges Memorial Park & Playground	Corner of 258th Street & Goodwin Road

Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 17 Parks, Trails and Open Space Date Saved: 5/25/2022




Wyoming Comprehensive Plan

Figure 17
Parks, Trails and Open Space

- Wyoming Boundary
- Parcel Boundaries
- Lake
- Wetland
- City Park
- State Open Space
- City Open Space
- Elementary School Fields
- State Water Public Access
- Concrete Sidewalk
- Asphalt Trail Less Than 8 Feet Wide
- Asphalt Trail Greater Than 8 Feet Wide
- Unpaved Trail
- Future City Trail
- Sunrise Prairie Trail
- Swedish Immigrant Trail (Future)

Table 21 - Existing City Parks		
Park Number	Park Name	Park Location
1	Ashton Park	Corner of Galen, 261st Street, & Flint Trail
2	Banta Park	On Fondant Avenue, South of 250th Street
3	Blue Spruce Park	End of 262nd Street
4	Centennial Park	Corner of Fenwick Avenue & 270th Street
5	Comfor Lake Access	On 260th Street, Follow Lake Access
6	Comfor Park	25578 Iris Avenue
7	Fireside Park	On Elk Trail
8	Goodview Park	On Goodview Avenue, South of 262nd Street
9	Hawk Meadows Trail	Near 255th Street & Granada Avenue
10	Lion's Park	End of 263rd Street
11	Railroad Park	Corner of Viking Blvd & Highway 61
12	Sunrise Prairie Trail	Between Highway 35 and Highway 61
13	Sunrise Ridge Park	Corner of 263rd Street and Green Avenue
14	Swenson Park	26929 Flintwood Avenue
15	Tolzmann Park	Corner of 274th & Finland Avenue
16	Town Hall Park	766 Wyoming Trail
17	Verges Memorial Park & Playground	Corner of 258th Street & Goodwin Road



Comprehensive Park Plan

The City of Wyoming maintains a Comprehensive Park and Recreation Plan. The last update to the Comprehensive Park Plan was approved in 2017. The plan identifies specific recreation needs, considers the needs of organized athletic leagues in the community, assess the quality and quantity of existing facilities, and include a capital improvements program for improving facilities to meet identified needs over time. In 2021, the City initiated a study of City parks and pedestrian infrastructure. The updated plan will accommodate the diverse recreational needs of the community.

Community Feedback

During the preparation of the Comprehensive Plan, the City conducted a community survey (2019). Figure 18 summarizes feedback regarding the future park program.






Figure 18: Future Park Program

Concept Plan for future enhancements to Swenson Park. Upgrades expected in 2021 include ADA accessibility.





Concept Plan for future enhancements to Railroad Park

Park Acquisition

The City of Wyoming, at its discretion, can acquire land by dedication during the platting process in order to assemble parks of sufficient size. Alternatively, cash may be required instead of (or in combination with) land to either buy park land in appropriate locations and/or to improve a park in that neighborhood

Park Classification and Design Guidelines

The 2022 Park Plan update will include a park classification system and design guidelines. This will update information in the 2017 Park Plan and the City's 2009 Comprehensive Plan.

Open Space

Major intact natural areas should be linked by corridors of native woods and grasses for the sake of wildlife habitat and movement, and urban aesthetics. Landscape elements that can be used for such links include streams and stream edges, fence rows and hedgerows, drainage swales, roadside ditches with natural vegetation, floodplains and wetlands. Keep a few wooded or other natural areas in the park system at a very low level of management in order to provide places for people to explore on their own and experience a rudimentary bit of wildness.

Land owned and managed for its natural features will be an important feature of the future City of Wyoming. It is anticipated that Wyoming will be at least 43 percent public open space when fully developed. There may be additional private property held in a natural condition to supplement the public lands in a conservation state.

Trails System

County Trails:

The City of Wyoming will cooperate with Chisago County to develop and maintain regional paths for bicycling, skating, walking, and running. Figure 17 illustrates regional trails with existing/future connections to Wyoming.

Sunrise Prairie Trail – Chisago County

Sunrise Prairie Trail was built by Chisago County in coordination with Washington County and the Minnesota Department of Natural Resources. Sunrise Prairie Trail follows the former Burlington Northern Railroad right-of way between North Branch and Forest Lake. From Forest Lake south to Hugo, the trail is called the Hardwood Creek trail and is under the jurisdiction of Washington County. The trail features a ten-foot-wide paved surface for hikers, bicyclists and inline skaters during spring, summer and fall, and is plowed in the winter months. The parallel unpaved portion of the trail is open to non-studded snowmobiles when there is sufficient snow and to horseback riders at all other times. Snowmobiles and horses are not allowed on the paved portion of the trail at any time. Parking areas and information kiosks are located adjacent to the trail at Sunrise Prairie Park across from City Hall.

Swedish Immigrant Trail – Chisago County (Ref. 11)

The Swedish Immigrant Regional Trail Corridor is 20 miles long trail system that, when complete, will extend from Wyoming to Taylors Falls. The trail will highlight the historical significance of the Swedish Immigration through Taylors Falls across southern Chisago County. The Swedish Immigrant Regional Trail will provide an interconnection between several cities and parks. The trail will provide access to diverse natural and cultural communities while expanding multi-modal transportation and recreation access to vital recreation and employment sites in Chisago County. The Swedish Immigrant Trail will connect to the Sunrise Prairie at the intersection of County Road 22 (Wyoming Trail) and US Highway 61 (Forest Boulevard). The Swedish Immigrant will be open to bicyclists and pedestrians, and some portions may be open to horses and snowmobiles.

Two potential alignments of the Swedish Immigrant Trail have been identified in Wyoming (see Figure 17). Alternative 1 would follow former railroad right-of-way that served as the transportation spine of the Wyoming to Taylors Falls corridor. Many segments of that railroad corridor have been turned back to adjacent land owners; therefore, the County is attempting to negotiate easements across private properties that were formerly the route of the railroad in cities to the east. Alternative 2 would follow County Road 22, Wyoming Trail. Wyoming Trail west of Goodview Avenue was reconstructed in 2009 with a physically-separated asphalt bicycling path. There is sufficient right-of-way to continue that path to the east in the future. **With the intended reconstruction of Hwy 8 the completion of the Swedish Immigrant Trail along highway 8 is included in that plan.**


Kettle River Boulevard – Chisago and Anoka Counties

Chisago and Anoka Counties may collaborate to build a bicycling route along Kettle River Boulevard. A feasibility study will have to be conducted to determine whether this facility will be a separate asphalt path or wide, paved road shoulders.

Comfort Lake Route – City of Wyoming

The Comfort Lake Trail was first proposed in the City's 2009 Comprehensive Plan. The Comfort Lake Trail was planned as a municipal route for bicycling between the northern and southern sides of Wyoming with a link to the Swedish Immigrant Trail at County Road 22. This route could consist of a combination of off-road paths, paved road shoulders and a signed-only route as conditions and funding allow. Along the extension of Innsbrook Avenue (the road planned between County Roads 36 and 22), it would be feasible to build either an off-road path or paved shoulders. Along Comfort Drive, lower traffic volumes may allow use of either a striped shoulder or signs. Along Heath Avenue, paved shoulders or an off-road path may be feasible.


Document Path: K:\016494-000\GIS\MapSeries\WyomingCompPlan\Figure 19 Regional Trails Data Saved: 3/24/2022



Wyoming Comprehensive Plan

**Figure 19
Regional Trails**

- Wyoming Boundary
- County Boundary
- Lakes and Wetlands
- Hardwood Creek Trail
- Sunrise Prairie Trail
- Swedish Immigrant Trail
- Swedish Immigrant Trail (Future)
- Gateway Trail Connection
- Comfort Lake Route Trail



Natural Environment and Sustainability

Protect the Natural Environment:

- *Protect and enhance the quality of our lakes, rivers and wetlands.*
- *Manage and treat stormwater in an effective manner to protect our water resources.*
- *Consider different strategies for equitable stormwater treatment suitable for different levels of land use intensities including on-site treatment, regional treatment and fees-in leu of best management practices.*
- *Protect significant woodlands.*
- *Enforce the regulatory protections for the shoreland of designated lakes and streams.*
- *Link woodlands, wetlands and other undisturbed natural areas into “greenways” will be established through the development process.*

Natural Environment

Wetlands Regulation


The City will continue to protect wetlands through the regulations of the Chisago County Department of Environmental Services and the Comfort Lake - Forest Lake Watershed District (CLFLWD). The Watershed District has regulatory responsibility over the southern third of Wyoming (see Figure 20). In its Watershed Management Plan, the CLFLWD established goals for water management, lakes, streams, wetlands, natural resources, biotic diversity, and interagency and public communication. That plan also contains standards and rules for review of land alteration permits that will be imposed across the District.

The City has regulatory authority over the balance of the City. In 2011, the City adopted its own Comprehensive Surface Water Management Plan (Ref. 12). Prior to any site grading or drainage, a professional wetland survey is required to delineate and stake the edges of any wetland that may be defined by state or federal regulations. Site grading and drainage will be regulated through the City’s subdivision and zoning application review process, which require that any applicant also receive the approval and conditions of the Watershed District or the City outside of the CFLL watershed.

Shoreland Management

The Shoreland zoning regulations supplement any other zoning regulations in place within 1,000 feet of certain state-designated lakes and 300 feet of state-designated streams. Those regulations address percent impervious cover, screening, maximum building height, land use, lot sizes, lot widths, building setbacks from the ordinary high-water levels, docks, shoreland alterations, grading and filling, roads, agriculture, forest management, mining, surface water drainage, wastewater treatment and substandard lots.


Where municipal sewer service is available in a Shoreland area, state law allows a City to adopt local Shoreland regulations that permit smaller lots and shorter setbacks from the ordinary high-water mark. The regulations differ between Natural and Recreational Lakes, between Transition and Tributary Rivers, and between riparian and non-riparian lots.



Wyoming Comprehensive Plan

**Figure 20
Watersheds**

-  Comfort Lake-Forest Lake Watershed District Boundary
-  Wyoming Boundary
-  Parcel Boundaries



- **Natural Environment Lakes:** Higgins, Sam, Swamp, Sunrise Pools
- **Recreational Development Lakes:** White Stone and Heims.
- **General Development Lakes:** Comfort and Little Comfort.
- **Transition River:** Sunrise River from Comfort Lake to the Sunrise Pools located in the Carlos Avery State Wildlife Management Area.
- **Tributary Rivers:** Sunrise River from Comfort Lake south to School Lake and south from School Lake to Birch Lake. Sunrise River from Comfort Lake south to the Washington County line.

Floodplain Management

Land use and development in the officially mapped floodplains will continue to be regulated by the City through a floodplain zoning district. This district will be based on the mapping of the Federal Emergency Management Administration (FEMA).


Significant Woodlands Protection

When reviewing an application for a Grading Permit, Preliminary Plat or Site Plan, City staff will meet with the applicant to determine the most feasible and practical placement of buildings, parking, driveways, streets and other physical features in order that the fewest significant trees and least amount of forest be lost or damaged. The Woodland Preservation Regulations contained in the City Code will be enforced.

Clustering

On every development site, especially residential properties, use municipal zoning and subdivision regulation powers to attempt to conserve the best of the natural resources in a pattern that works in concert with natural resources and open spaces on adjacent properties. Zoning regulations to be written to implement this land use plan should allow housing to be clustered into a smaller part of a site than would normally be the case in exchange for deliberately conserving significant natural resources.

House clustering may also be used to develop part of a site prior to the arrival of municipal utilities while preserving options for full development at higher densities.



Natural Drainage

The City will strive to use natural drainage techniques, such as swales and ditches rather than pipes, whenever feasible, in order to cleanse surface water runoff and increase infiltration back to the aquifer. This includes small ponds and rainwater “gardens,” especially those sites with large parking lots or rooftops, to reduce downstream surges or flooding and improve water quality.

The City has implemented a comprehensive surface water management plan (Ref. 12) that meets state and federal guidelines. That plan will address wetlands, lakes, streams, floodplains, erosion control, drainage of all types and “best management practices.”

Sustainability

The Wyoming Comprehensive Plan will help improve environmental, social and fiscal sustainability through the following features.

Protection of Water and other Natural Resources

The plan provides for the protection of wetlands, floodplains and significant woodlands. It will enforce the State’s regulatory protections for the shoreland of designated lakes and streams. Linking woodlands, wetlands and other undisturbed natural areas into “greenways” will be sought through the development process. Finally, the plan calls for building setbacks from the Carlos Avery State Wildlife Management Area and for carefully managing the runoff of surface water to that area.

Housing Options

The *Wyoming Comprehensive Plan* will allow builders to create a variety of housing types, which should provide alternatives for people at all stages of life. This will help people remain in this community while they are young, middle-aged or elderly, which will help create a stronger sense of community.

Green Step Cities

In October 2017, the City Council voted to join the GreenStep Cities initiative. GreenStep Cities is a voluntary challenge, assistance and recognition program to help cities achieve their sustainability and quality-of-life goals. GreenStep Cities is a partnership between the Minnesota Pollution Control Agency and various other entities including the League of Minnesota Cities. Currently there are approximately 160 communities that have joined the GreenStep movement.

As cities try to attract residents, businesses and economic development, they need to be able to demonstrate accountability. This free continuous improvement program, managed by a public-private partnership, is based upon a menu of 29 optional best practices. The 29 GreenStep practices can be broken into five categories, all designed to help cities ask whether their practices make sense from a sustainability standpoint. The categories include:

- Buildings and lighting.
- Land use.
- Transportation.
- Environmental management, and.
- Economic development.

Each best practice can be implemented, as decided by city elected officials, staff and community members, by completing voluntary actions. These voluntary actions are tailored to all Minnesota cities, focus on cost savings and energy use reduction, and encourage civic innovation.

Economic Development

Pursue a Thriving Local Economy:

- *Plan for and allow the creation of additional stores, offices and industries consistent with this comprehensive plan and regulated by zoning ordinance amendments including, but not limited to, encouraging mixed use opportunities.*
- *Diversify the range of local employment opportunities.*
- *Attract well-paying jobs plus goods and services that are needed locally.*
- *Realize increasing property tax revenues for city, school district, county and state governments.*

The Wyoming Economic Development Authority, with the assistance of the City Council, completed a process in early 2017 to develop a strategic plan to help guide the community as it reinvigorates the activities for continued development (Ref. 2). The Economic Vision Statement in the plan is:

“Regionally located Business friendly and family-oriented community”

Through a series of meetings, the City developed a list of economic development goals for the City. The plan includes five goals that reflect the Economic Development Authority’s vision for the community.

1. Enhance Sense of Destination, Identity and Community.
2. Enhance Wyoming Partnerships and Communications.
3. Develop Financial Support and Plans for Development Needs.
4. Develop Population and Workforce Development Plan.
5. Strategic Allocation and Innovative Marketing of Land.

Economic Development Goals

1. **Enhance Sense of Destination, Identity, and Community:**
 - Develop and implement zoning districts to foster a centralized business district.
 - Develop a comprehensive plan that supports the development of a centralized business district.
 - Identify and promote the development of business areas that complement the existing businesses and currently occurring development patterns.
 - Develop a plan to create an identity of a business-friendly community.
2. **Enhance Wyoming Partnerships & Communications:**
 - Develop a clear and comprehensive communication plan with other advisory groups in the community (i.e., Planning Commission, Wyoming Business Association, etc.).
 - Scheduling of regular meetings between groups to discuss the issues and plans for future development in the community. Many communities encourage this by placing signs on properties that are currently being considered for development or a land use change. Look to other organizations to develop partnerships

(County EDA, Initiative Foundations, etc.) to assist with the promotion and development of the community.

- Develop or enhance relationships while working with other organizations to provide for long-term infrastructure improvement projects.

3. Develop Financial Support & Plans for Development Needs:

- Develop a strategy and policy to assist new development projects.
- Review and update development process to remain competitive with surrounding communities.
- Identify the process and areas that city infrastructure will be extended to promote development.
- Develop and implement a plan for the control of funding for proposed infrastructure improvements.
- Develop a process for how proposed projects are handled that is inviting and inclusive for developers. Develop complete list of tasks to be completed to facilitate permitting and approvals.

4. Develop Population & Workforce Development Plan:

- Revisit Chisago Housing Study and update implementation priorities.
- Work with local businesses to understand and determine their long-term workforce needs.
- Collaborate with the local school district to improve outcomes for students and enhance employment opportunities in the community.

5. Strategic Allocation & Innovative Marketing of Land:

- Identify partners to help assist the community in marketing possible new industrial park land.
- Identify available properties that meet the development strategies for the City both residential and commercial/industrial.
- Identify the barriers to the successful marketing of the City and work to remove those barriers.
- Maintain an effective and responsive website to allow for developers and residents to get accurate and up to date information about the community.

Comprehensive Planning and Economic Development

The Comprehensive Plan serves as a blueprint for future commercial and residential land uses, housing, public, and conservation amenities. An important component of the plan is identifying new infrastructure and growth demands needed to support economic development. An economic plan adopted into the Comprehensive Plan creates a supportive and complementary strategy to meet the community overall goals to become a place where families want to live, where companies will want to do business, and where people can thrive.

Cost of Services Study

Neither the Comprehensive Plan nor the Economic Development Plan can succeed without the other. There is a clear symbiotic relationship. Together, the City can plan for land use change while considering the financial impacts of implementation. One example tool is the “cost of community services” (COCS) study of COCS. COCSs help to understand the financial contribution of various land use types leading to future land use development strategies that are physically and financially implementable. COCS studies can help communities make informed decisions about their futures within the constraints of available budgets and other private and public funding scenarios (Ref. 13).

For communities to respond to development trends and proposed economic development, the Comprehensive Plan considers where to extend public utilities (sewer, water, roads, etc.). Ultimately, there is a cost to implement a comprehensive plan, and often there is a cost to respond to a proposed development that can ultimately become a road block to success. By understanding the upfront costs, cities can develop financial plans that will respond to and not stand in the way of future economic and community development.

Small Area Plans

Small Area Plans are City-led plans that address the issues of a focused portion of the City. Small area plans can cover three different geographic scales -- neighborhood, corridor, and district, regardless of the size of the area. Small area plans cover a specific geography that often has a cohesive set of characteristics.

Small Area Plans are an effective tool for addressing areas where significant change is occurring or anticipated, public facilities and/or physical improvements need to be addressed, opportunities for substantial infill or redevelopment are present, and opportunities arise to influence site selection, development or major expansion of a single large activity generator. Small Area Plans can define in detail the types of development, architectural standards, pedestrian facilities, shared parking, lighting etc.

One area that would benefit from Small Area Plan and associated analysis is the Downtown Core area on the Land Use. The purpose of the plan would be to encourage a stronger "Downtown Wyoming" that would include shops, offices, high-density housing and public facilities. The City may need to make zoning amendments that allow for the area to develop with greater intensity than other portions of Wyoming while maintaining the same values. The study area would be centered around the intersection of US Highway 61 and East Viking Boulevard. The Plan would describe retail opportunities, other Commercial and residential development and pedestrian-friendly amenities. The completed plan would be the catalyst for establishing visual standards or styles that identifies the area as the downtown core. Redevelopment of the area will have many challenging elements.

Land Assembly

Land assembly is a process of forming a single site from a number of properties, typically for economic development purposes. In some communities, an individual site may not be conducive to the type of development or redevelopment desired by the community. Working with property owners and other stakeholders to combine contiguous properties can create larger parcels of land more favorable for development projects. From a developer's perspective, development projects are all about time to market (Ref. 14).

Assembling properties one piece at a time is typically a very lengthy process; especially when the subject properties have environmental or legal challenges associated with prior use. This is a very costly process for a developer to undertake on their own and, as a result, they are typically attracted to larger tracts of undeveloped land on the fringes of developed areas. Through strategic land assembly, communities can position properties in their urban core to appeal to the development community and be able to attract a wide range of development.

Plan Implementation

Implementation of the recommendations proposed in the Wyoming Comprehensive Plan can be accomplished using a variety of tools. The City can regulate land, offer incentives for its development and undertake its own improvement projects. These powers fall into two general categories:

1. The City's official controls.
2. The City's capital improvements program.

The Wyoming Comprehensive Plan must respond to the continuous stream of changes that occur in the community. This chapter of the Comprehensive Plan lists the major actions that the City expects to take to carry out the objectives and policies of the plan. This chapter also describes how the plan's usefulness will be monitored and how it may be amended.

Official Controls

- **Update the Zoning Ordinance.** Update the City's zoning ordinance to conform with the newly adopted comprehensive plan. Incorporate the best and most appropriate features of the current zoning ordinances of the City. Write new districts and features as needed. Involve the public in the review and refinement of the draft ordinance.
- **Update the Zoning Map.** Update the zoning districts map, adjusting the classification of properties according to the guidelines on the next page. Involve the public in the review and refinement of the map. Conduct a public hearing and officially adopt the map.
- **Revise the City's Subdivision Ordinance.** Revise the subdivision ordinance as needed to reflect the adopted Comprehensive Plan as the new ordinance for the City.
- **Adopt an Official Map of Public Facilities.** Adopt an Official Map(s) consistent with Minnesota Statute 462.359 that reserve property for future, planned arterial roads, water storage tanks or other public facilities where the future location has been adequately identified.

Guidelines for Adjusting the Zoning Map

These guidelines should be considered when considering changes to the zoning map:

1. Maintain Current Zoning:

Maintain the intent, if not the exact wording, of the current zoning classifications and regulations unless they are in direct conflict with the comprehensive land use plan.

2. Changes from Existing Zoning Districts:

Properties may retain their zoning classification until either:

- A. The landowner requests a change;
- B. The property is subdivided;
- C. The property is sold or transferred to another owner;
- D. The property is vacant and zoning does not match the Land Use Plan

3. Roads and Utility Extensions:

When an engineering feasibility study is ordered and reviewed by the City Council, the Council should consult with potentially affected landowners to determine how those properties should be zoned.

4. Transition to Smaller Lots:

Large parcels zoned Residential or Agriculture may be subdivided into smaller residential lots if a plan is submitted and approved for future re-subdivision into smaller lots which may be served by City sewer and water in the future.

Annual Report

The Wyoming City Planning and Zoning staff will prepare a brief report to the Planning Commission summarizing:

- How the Comprehensive Plan was used to direct regulatory, spending, and construction decisions.
- How development and redevelopment did (or did not) coincide with the guidance of the plan.
- How the City has changed in ways that may call for amendments to the plan.

The report should be transmitted to the Planning Commission and City Council, and made available to the public. A brief verbal presentation at a workshop meeting should be conducted to call attention to the major findings of the annual report.

Formal Reviews

At least once every five years, the Wyoming City Planning and Zoning staff and the City Planning Commission will complete a formal review of the entire plan, changing those features and sections that are judged to be out of date and/or not serving their purpose. At least once every ten years, the process for the formal review should involve an *ad*

hoc advisory group that assists the City Planning Commission as well as a public engagement process. Thus, it would be similar to the process used to draft the current Comprehensive Plan.

Periodic Amendments

It is appropriate that some parts of the plan are rarely amended while others are highly subject to examination. The features that should be most long-lasting are those that are most fundamental such as the plan objectives (e.g., Land Use). Policies of the implementation priorities should be more open to revision. Changes to the plan maps will depend on the magnitude of the revision, their relationship to the objectives, and the nature of the changing circumstances that lead to the desire for amendments.

The City staff and the City Planning Commission will propose amendments to the Comprehensive Plan as part of the annual identification of goals, initiatives and priorities, and from time to time as circumstances warrant. The public, including nearby Cities and Townships, should be notified of these proposed changes and allowed an opportunity to become informed of the change and provide input. The City should consider neighborhood opinion in evaluating how a proposed change would meet the above criteria. The City may consider soliciting public opinion through direct mail survey forms, neighborhood meetings (where applicable) or Planning Commission meetings and public hearings as required. These criteria should be considered when reviewing changes to the plan:

1. The change is consistent with the goals and objectives or other elements of the Wyoming Comprehensive Plan.
2. The change does not create an adverse impact on public facilities and services that cannot be mitigated. Public facilities and services include roads, sewers, water supply, drainage, schools, police, fire and parks.
3. Development resulting from the change does not create an undue impact on surrounding properties. Such development should be consistent with the physical character of the surrounding neighborhood or would upgrade and improve its viability.
4. The change allows a more viable transition to the planned uses on adjacent properties than the current land use.
5. The change does not have a significant adverse impact on the natural environment including trees, slopes and groundwater, or the impact could be mitigated by improvements on the site or in the same vicinity.
6. There is a change in City policies or neighborhood characteristics that would justify a change.
7. The change corrects an error made in the original plan.
8. There is a community or regional need identified in the comprehensive plan for the proposed land use or service.
9. The change helps the City meet its life-cycle and affordable housing objectives.
10. The change does not adversely impact any landmarks or other historically significant structures or properties unless mitigated through relocation, commemoration or dedication.

Priority Actions

The City's actions will be consistent with the policies of the Comprehensive Plan. Those actions include:

- Development applications
- Capital improvements program
- Neighborhood and district plans
- Plans of other agencies as they affect Wyoming
- Official Maps
- The Zoning Ordinance and Zoning Map
- The Subdivision Ordinance

Responsibility for specific actions will be assigned to departments and individuals by the City Administrator (or occasionally the City Council), who will also lead in formulating annual work programs. The indicated time frame for each action is an estimate, and actual timing may vary.

The City will conduct the actions listed in the following tables through annual and multi-year assignments. The following actions are should be regularly reviewed to ensure that they both comply with the Comprehensive Plan Objectives and consider the current technology available. Because this is a twenty-year plan, individual actions could occur multiple times over the life of the plan. As previously noted, it is anticipated that the City will revisit the plan after a period of ten years.

Additional actions may be added through periodic review, and certain actions may be modified or deleted based on the judgment of the City Council, Plan Commission or City Administrator.

Table 20 Major Plan Implementation Actions

	Plan Element	Objective	Actions	Responsible Parties	Target Completion Date
1	 Land Use	Utilize Land Efficiently	1.1 Prepare a Small Area Plan for the northwest of the intersection of I35 and East Viking Boulevard This is essentially completed	Staff, Consultants, Developers	2023
			1.2 Prepare a cost of community services study	Consultants	Future
			1.3 Map undeveloped parcels within service area and growth areas.	Engineer/GIS	2022
			1.4 Address inconsistencies between zoning and Land Use Plan	Planning Commission	2022
			1.5 Rezone vacant properties to match Comprehensive Plan	Planning Commission	2022
			1.6 Address non-conforming issues related to the Comprehensive Plan and current zoning	Planning Commission	2022
2	Transportation Plan	Integrate Transportation Systems	2.1 Create a bicycle and Pedestrian Plan as part of new Park Master Plan	Consultant	2022
			2.2 Encourage a Transportation Investments for Pedestrians, Bicyclist, and Motor Vehicles	City Council	Annually
			2.3 Connect Neighborhoods; develop plans for connecting dead-end roadways.	Staff, Consultants	2023
			2.4 Prepare feasibility study of future Innsbrook Avenue, from East Viking Boulevard to 269 th Street/ Wyoming Trails, including location of future regional municipal utilities. The timeline is not realistic	Consultants, County, Staff	2022
			2.5 Prepare a feasibility study to develop intersection improvements for Kettle River Boulevard and East Viking Boulevard to facilitate development	Consultants, MnDOT, County, Staff	2022
			2.6 Update the Official Map	Engineer	Annually
			2.7 Explore the viability of extending CSAH 22 west through the signalized intersection to the commercial/industrial park Not feasible or necessary		

3	Utilities	Expand Municipal Utilities	3.1 Review and update wastewater and water comprehensive plans and capital improvement programs	Engineer, Consultants	2025
			3.2 Consider adoption of an Adequate Facilities ordinance	Staff, Planning Commission	Future
			3.3 Prepare a cost of community services study	See Task 1.3	
			3.4 Update the Official Map	See Task 2.6	
4	Housing	Diversify housing	4.1 Review and update residential zoning to promote greater density where appropriate, and variation in lot sizes.	Planning Commission	2022 -2023
			4.2 Review ordinances to provide for greater multi-family opportunities and senior house near amenities	Planning Commission	2022-2023
			4.3 Consider zoning amendments to encourage more starter homes and life cycle housing	Planning Commission	2023
5	Parks, Trails and Recreation	Enhance recreation opportunities	5.1 Review and update the Parks Improvement Plan and park program	Consultant	2022
			5.2 Study the feasibility of water-based park/access facility (Comfort Lake or Heims Lake) - swimming, fishing, passive use, splash pad	Consultant	2023
			5.3 Consider and encourage regional collaboration for trail extensions - Swedish Immigrant Trail, Comfort Lake Route, Kettle River Boulevard.	City Council, County	2025-2030
			5.4 Improve neighborhood connections	See Task 2.4 and Task 5.1	
6	Natural Environment and Sustainability	Protect the natural environment	6.1 Update 2011 Surface Water Management Plan	Consultant	2024
			6.2 Review and reduce parking requirements and enhance shared parking to increase pervious surfaces.	Planning Commission, staff	2023
			6.3 Complete tree inventory and assess forest quality and effectiveness of woodland protection ordinance – Inventory is done – ordinance can be updated if necessary	Consultant, Planning Commission	2024



7	Economic Development	1. Pursue a thriving economy	7.1.1 Update the 2017 EDA Strategic Plan	City EDA, County	2027
			7.1.2 Engage a public funding specialist to assist with the pursuit of grants and loans.	Administrator	On-going
			7.1.3 Establish a business advisory group that meets quarterly.	Administrator	On-going
			7.1.4 Review and update the business subsidy policies	Administrator	2022
			7.1.5 Prepare a cost of community services study	See Task 1.3	
			7.1.6 Kettle River Industrial park - develop incentives to shift outside storage intensive business to Kettle River Boulevard and 280th Street	Staff, Consultant	2030
			7.1.7 Prepare a feasibility study to develop intersection improvements for Kettle River Boulevard and Viking Boulevard to facilitate development	See Task 2.5	
		2. Strengthen the Downtown Core	7.2.1 Prepare Small Area Plan for the Downtown Core	Consultant	2023
			7.2.2 Consider a shared parking ordinance and shifting store fronts towards the curb with street parking and parking lots behind	Planning Commission	2023
			7.2.3 Review appropriate building setbacks in Downtown Core	Planning Commission	2023
			7.2.4 Consider Surface Water Management rules that allow for greater impervious coverage while providing equitable treatment or cash in lieu of treatment	Planning Commission, Council	2023
			7.2.5 Encourage a Transportation Investments for Pedestrians, Bicyclist, and Motor Vehicles	See Task 2.3	
			7.2.7 Prepare a land assembly study incorporating the Bingham property, Railroad Park and Lakes Gas, etc.	Staff, Consultants, EDA, County	On-going
			7.2.8 Explore a facade Improvement Program and financial assistance for businesses facing Highway 61, East Viking Boulevard and CSAH 30	Staff, Consultants, EDA, County	On-going
			7.2.9 Prepare a land assembly study incorporating the area south of East Viking Boulevard and east of highway 61	Staff, Consultants, EDA, County	On-going

Other Implementation Items:

1. Develop and Complete Official Zoning Map, showing sanitary sewer extensions
2. Develop future water well field and well head protection plan.
3. See 2022 Planning Commission Goals

List of References

1. League of Minnesota Cities Planning Commission Guide, August 3, 2018.
2. City of Wyoming Economic Development Strategic Plan, 2017.
3. 2009 Comprehensive Plan Task Force Meeting, September 20, 2007.
4. State of Minnesota, Office of Administrative Hearings for the Department of Administration, Document 3-2900-16083-2 – In the Matter of the Petition of Chisago City for Annexation of Unincorporated Property in Wyoming Township (A-6996).
5. City of Wyoming Comprehensive Plan, 2009.
6. Chisago County Housing Study, Maxfield, 2018.
7. Minnesota State Demographer
8. Chisago County Commuter Study 2019.
9. City of Wyoming Comprehensive Sewer Plan, 2010.
10. City of Wyoming Parks, Open Space and Trail System Plan (2022).
11. Chisago County Swedish Immigrant Trail Plan (2015).
12. City of Wyoming Surface Water Management Plan, WSB and Associates, August 23, 2011.
13. Cost of Services Study, SEH Inc.
14. Land Assembly, Camion Associates.

Fred Weck

From: Robb Linwood
Sent: Monday, June 20, 2022 8:07 PM
To: Fred Weck
Subject: FW: Open Planning Commission position at City of Wyoming

----- Original message -----

From: Dan Iverson <iverson_dan@yahoo.com>
Date: 6/20/22 7:59 PM (GMT-06:00)
To: Robb Linwood <RLinwood@wyomingmn.org>
Subject: Open Planning Commission position at City of Wyoming

Caution: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Mr. Linwood and Chair Lobermeier,

Please consider this email as my application to an open Planning Commission position at the City of Wyoming.

Background:

I relocated from Blaine Minnesota to Wyoming Township in 1994, what was considered "the country" at the time – and in many ways, still feels like "country living" to me with all the amenities of "city" living just 5-6 minutes away. I look forward to many more years as a Wyoming resident!

My career has been a blessing of many positions at well established and known corporations, most recently with Medtronic (last 10 years) and before then at Optum Health, a United Healthcare company. I am currently a Program Manager at Medtronic responsible for communicating product quality issues to Physicians, Clinicians, and Patients who rely on Medtronic medical devices to alleviate pain, restore health and extend life. I have recently been granted a part time role at Medtronic which allows me to devote time to an endeavor such as being a member of the Planning Commission at the City of Wyoming.

Skills / Interests:

Over the course of my career, coupled with my Business Degree earned at the U of Minnesota, Mpls. Campus, I have learned to effectively solve problems, maximize efficiencies and remove waste. I have earned a six-sigma lean black belt while employed at Unisys in 2006. I have also learned to be an effective communicator, an important attribute when informing physicians of a potential quality issue with a life saving device.

I would like to contribute to the bright future of Wyoming by serving our residents as a member of the planning commission, to do the best of my ability in ensuring a vibrant city that each resident can take pride in.

Thank you,

Dan Iverson